

Mr. Jamell.  
Reeds

Access DB# 106121

# SEARCH REQUEST FORM

Scientific and Technical Information Center

Requester's Full Name: BEN SACKET Examiner #: 73429 Date: 6/30/04  
 Art Unit: 1620 Phone Number: 202-0704 Serial Number: 10/655, 876  
 Mail Box and Bldg/Room Location: REM 5631 Results Format Preferred (circle): PAPER DISK E-MAIL

If more than one search is submitted, please prioritize searches in order of need.

\*\*\*\*\*



Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract.

Title of Invention: Substituted acid derivatives useful as antidiabetic and obesity agents

Inventors (please provide full names): Peter Cheng et al.

Earliest Priority Filing Date: 9/22/99

\*For Sequence Searches Only\* Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.



## STAFF USE ONLY

Searcher: Noble / Jan  
 Searcher Phone #: \_\_\_\_\_  
 Searcher Location: \_\_\_\_\_  
 Date Searcher Picked Up: 7/13/04  
 Date Completed: 7/13/04  
 Searcher Prep & Review Time: 30  
 Clerical Prep Time: \_\_\_\_\_  
 Online Time: 70

## Type of Search

NA Sequence (#) \_\_\_\_\_  
 AA Sequence (#) \_\_\_\_\_  
 Structure (#) 2  
 Bibliographic \_\_\_\_\_  
 Litigation \_\_\_\_\_  
 Fulltext \_\_\_\_\_  
 Patent Family \_\_\_\_\_  
 Other \_\_\_\_\_

## Vendors and cost where applicable

STN 695  
 Dialog \_\_\_\_\_  
 Questel/Orbit \_\_\_\_\_  
 Dr. Link \_\_\_\_\_  
 Lexis/Nexis \_\_\_\_\_  
 Sequence Systems \_\_\_\_\_  
 WWW/Internet \_\_\_\_\_  
 Other (specify) \_\_\_\_\_

=> b reg

FILE 'REGISTRY' ENTERED AT 15:01:44 ON 13 JUL 2004  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
 provided by InfoChem.

STRUCTURE FILE UPDATES: 11 JUL 2004 HIGHEST RN 708207-86-7  
 DICTIONARY FILE UPDATES: 11 JUL 2004 HIGHEST RN 708207-86-7

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004


Please note that search-term pricing does apply when  
 conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more  
 information enter HELP PROP at an arrow prompt in the file or refer  
 to the file summary sheet on the web at:  
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> d que stat l35

L24 STR



VAR G3=O/S

NODE ATTRIBUTES:


DEFAULT MLEVEL IS ATOM  
 GGCAT IS MCY UNS AT 3  
 DEFAULT ECLEVEL IS LIMITED  
 ECOUNT IS E6 C AT 3

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED  
 NUMBER OF NODES IS 15

STEREO ATTRIBUTES: NONE

L26 692 SEA FILE=REGISTRY SSS FUL L24  
 L33 STR



O—Ak  
 @26 27

Brad Search  
 (Not the  
 Elected  
 Species)

VAR G2=H/AK  
 VAR G3=O/S  
 VAR G4=H/AK/26/X/N

## NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM  
 GGCAT IS MCY UNS AT 3  
 GGCAT IS MCY UNS AT 17  
 DEFAULT ECLEVEL IS LIMITED  
 ECOUNT IS E6 C AT 3

## GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED  
 NUMBER OF NODES IS 22

## STEREO ATTRIBUTES: NONE


L35 681 SEA FILE=REGISTRY SUB=L26 SSS FUL L33

100.0% PROCESSED 692 ITERATIONS  
 SEARCH TIME: 00.00.01

681 ANSWERS

=> d ide 158

L58 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2004 ACS on STN  
 RN 331745-63-2 REGISTRY  
 CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
 , ethyl ester (9CI) (CA INDEX NAME)  
 FS 3D CONCORD  
 MF C23 H26 N2 O4  
 SR CA  
 LC STN Files: CA, CAPLUS, TOXCENTER, USPAT2, USPATFULL  
 DT.CA CAplus document type: Patent  
 RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)



*Elected  
Species*

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1907 TO DATE)  
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> d his

(FILE 'HOME' ENTERED AT 13:20:30 ON 13 JUL 2004)

FILE 'HCAPLUS' ENTERED AT 13:20:37 ON 13 JUL 2004  
 ACT SAC876APP/A

L1 ( 171)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHENG P"/AU OR "CHENG P T"/A  
 L2 ( 30)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHENG PETER"/AU OR "CHENG PE  
 L3 ( 14)SEA FILE=HCAPLUS ABB=ON PLU=ON ("DEVASTHALE P V"/AU OR "DEVAS  
 L4 ( 61)SEA FILE=HCAPLUS ABB=ON PLU=ON ("JEON Y"/AU OR "JEON Y H"/AU  
 L5 ( 9)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHEN SEAN"/AU OR "CHEN SEAN  
 L6 ( 350)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHEN S S"/AU OR "CHEN S Y"/A  
 L7 ( 576)SEA FILE=HCAPLUS ABB=ON PLU=ON ("ZHANG HAO"/AU OR "ZHANG HAO  
 L8 ( 1962)SEA FILE=HCAPLUS ABB=ON PLU=ON ("ZHANG H"/AU OR "ZHANG H B"/A  
 L9 ( 22)SEA FILE=HCAPLUS ABB=ON PLU=ON (L1 OR L2 OR L3 OR L4 OR L5 OR  
 L10 15 SEA FILE=HCAPLUS ABB=ON PLU=ON L9 AND ?OBES?/BI

-----  
 ACT SAC876CS/A  
 -----

L11 ( 171)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHENG P"/AU OR "CHENG P T"/A  
 L12 ( 30)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHENG PETER"/AU OR "CHENG PE  
 L13 ( 14)SEA FILE=HCAPLUS ABB=ON PLU=ON ("DEVASTHALE P V"/AU OR "DEVAS  
 L14 ( 61)SEA FILE=HCAPLUS ABB=ON PLU=ON ("JEON Y"/AU OR "JEON Y H"/AU  
 L15 ( 9)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHEN SEAN"/AU OR "CHEN SEAN  
 L16 ( 350)SEA FILE=HCAPLUS ABB=ON PLU=ON ("CHEN S S"/AU OR "CHEN S Y"/A  
 L17 ( 576)SEA FILE=HCAPLUS ABB=ON PLU=ON ("ZHANG HAO"/AU OR "ZHANG HAO  
 L18 ( 1962)SEA FILE=HCAPLUS ABB=ON PLU=ON ("ZHANG H"/AU OR "ZHANG H B"/A  
 L19 ( 5301)SEA FILE=HCAPLUS ABB=ON PLU=ON (BRISTOL (1A) (MYER? OR MEYER?  
 L20 ( 2)SEA FILE=HCAPLUS ABB=ON PLU=ON ("BRISTOL MAYERS SQUIBB CO"/CS  
 L21 29 SEA FILE=HCAPLUS ABB=ON PLU=ON (L11 OR L12 OR L13 OR L14 OR L

-----  
 FILE 'REGISTRY' ENTERED AT 13:21:24 ON 13 JUL 2004  
 ACT SAC876SSS/A  
 -----

L22 STR  
 L23 0 SEA FILE=REGISTRY SSS SAM L22  
 -----  
 L24 STR L22  
 L25 2 L24  
 L26 692 L24 FULL  
 SAVE TEMP L26 SAC876FUL/A  
 L27 STR L24  
 L28 STR L27  
 L29 STR L27  
 L30 33 L29 SAM SUB=L26  
 L31 STR L29  
 L32 33 L31 SAM SUB=L26  
 L33 STR L31  
 L34 33 L33 SUB=L26 SAM  
 L35 681 L33 FULL SUB=L26  
 SAVE TEMP L35 SAC876SUB1/A

FILE 'HCAPLUS' ENTERED AT 14:28:20 ON 13 JUL 2004

L36 10 L35  
 L37 3 L11-18 AND L36  
 L38 3 L19-20 AND L36  
 L39 3 L37-38  
 L40 7 L36 NOT L39  
 L41 2 L40 AND (PY<=1999 OR AY<=1999 OR PRY<=1999 OR AD<19990922 OR PD

FILE 'USPATFULL, USPAT2' ENTERED AT 14:32:36 ON 13 JUL 2004

L42 9 L35  
 E CHENG P/AU  
 L43 22 E27,E32-33  
 E DEVASTHALE P/AU

L44 9 E4  
E JEON Y/AU  
L45 38 E30-31  
E CHEN S/AU  
L46 19 E37-38,E7  
E ZHANG H/AU  
L47 34 E28  
L48 1393 (BRISTOL (1A) (MYER? OR M!YER?) (1A) SQUIBB?)/CS,PA  
L49 7 L42 AND L43-47  
L50 3 L42 AND L48  
L51 3 L49 AND L50  
L52 7 L49-50  
L53 2 L42 NOT L52  
L54 0 L53 AND (PY<=1999 OR AY<=1999 OR PRY<=1999 OR AD<19990922 OR PD

FILE 'HCAOLD' ENTERED AT 14:39:20 ON 13 JUL 2004

L55 0 L35

FILE 'REGISTRY' ENTERED AT 14:44:20 ON 13 JUL 2004

L56 2455 C23H26N2O4  
L57 4 L56 AND L26  
L58 1 L57 AND ETHYL ESTER

FILE 'HCAPLUS' ENTERED AT 14:47:42 ON 13 JUL 2004

L59 2 L58  
L60 2 L59 AND L11-18  
L61 2 L59 AND L19-20  
L62 2 L60-61

FILE 'USPATFULL, USPAT2' ENTERED AT 14:48:47 ON 13 JUL 2004

L63 6 L58  
L64 6 L63 AND L43-47  
L65 3 L63 AND L48  
L66 6 L64-65

FILE 'HCAOLD' ENTERED AT 14:50:25 ON 13 JUL 2004

L67 0 L58

=> b hcap

FILE 'HCAPLUS' ENTERED AT 15:02:35 ON 13 JUL 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 13 Jul 2004 VOL 141 ISS 3

FILE LAST UPDATED: 12 Jul 2004 (20040712/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

'OBI' IS DEFAULT SEARCH FIELD FOR 'HCAPLUS' FILE


=> d bib abs fhitstr hitrn l39 tot

L39 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN  
 AN 2002:927184 HCAPLUS  
 DN 138:14048  
 TI Preparation of oxazolylethoxyphenylprolines and related compounds as  
 antidiabetic and antiobesity agents.  
 IN **Cheng, Peter T.; Jeon, Yoon;** Wang, Wei  
 PA **Bristol-Myers Squibb** Company, USA  
 SO PCT Int. Appl., 107 pp.  
 CODEN: PIXXD2


DT Patent  
 LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002096357	A2	20021205	WO 2002-US16628	20020523
	WO 2002096357	A3	20030925		
	W:		AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM		
	RW:		GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG		
	US 2003092697	A1	20030515	US 2002-153342	20020522
	EP 1401433	A2	20040331	EP 2002-737192	20020523
	R:		AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR		
PRAI	US 2001-294505P	P	20010530		
	WO 2002-US16628	W	20020523		
OS	MARPAT 138:14048				
GI					



I



II

AB Title compds. [I; m, n = 0-2; Q = C, N; A = (CH<sub>2</sub>)<sub>x</sub>, (CH<sub>2</sub>)<sub>x1</sub>, with an alkenyl or alkynyl bond in the chain, (CH<sub>2</sub>)<sub>x20</sub>(CH<sub>2</sub>)<sub>x3</sub>; x = 1-5; x<sub>1</sub> = 2-5; x<sub>2</sub>, x<sub>3</sub> = 0-5; provided that .gtoreq.1 of x<sub>2</sub> and x<sub>3</sub> .noteq. 0; X<sub>1</sub> = CH, N; X<sub>2</sub> = C, N, O, S; X<sub>3</sub> = C, N; X<sub>4</sub> = C, N, O, S provided that .gtoreq.1 of X<sub>2</sub>, X<sub>3</sub>, X<sub>4</sub> = N; in each of X<sub>1</sub>-X<sub>4</sub>, C may include CH; R<sub>1</sub> = H, alkyl; R<sub>2</sub> = H, alkyl, alkoxy, halo, (substituted) amino; R<sub>2a</sub>, R<sub>2b</sub> R<sub>2c</sub> = H, alkyl, alkoxy, halo, (substituted) amino; R<sub>3</sub> = H, alkyl, arylalkyl, aryloxy, carbonyl, alkyloxy, carbonyl, alkynyloxy, carbonyl, alkenyloxy, carbonyl, aryl, carbonyl, alkyl, carbonyl, aryl, heteroaryl, cycloheteroalkyl, heteroaryl, carbonyl, heteroaryl, heteroaryl, alkyl, carbonyl, amino, aryl, carbonyl, amino, heteroaryl, carbonyl, amino, alkoxy, carbonyl, amino, aryloxy, carbonyl, amino, heteroaryl, carbonyl, amino, heteroaryl, heteroaryl, carbonyl, alkyl, sulfonyl, alkenyl, sulfonyl, heteroaryl, oxy, carbonyl, cycloheteroalkyl, oxy, carbonyl, aryloxy, heteroaryl, alkyl, heteroaryl, alkyl, oxy, aryl, alkyl, aryl, alkyl, aryl, alkenyl, aryl, alkyl, aryl, amino, aryl, alkyl, etc.; Y = CO<sub>2</sub>R<sub>4</sub>, 1-tetrazolyl, P(O)(OR<sub>4a</sub>)R<sub>5</sub>, P(O)(OR<sub>4a</sub>)<sub>2</sub>; R<sub>4</sub> = H, alkyl, prodrug ester; R<sub>4a</sub> = H, prodrug ester; R<sub>5</sub> = alkyl, aryl; Z = (CH<sub>2</sub>)<sub>x4</sub>, (CH<sub>2</sub>)<sub>x5</sub>, (CH<sub>2</sub>)<sub>x60</sub>(CH<sub>2</sub>)<sub>x7</sub>; x<sub>4</sub> = 1-5; x<sub>5</sub> = 2-5; x<sub>6</sub>, x<sub>7</sub> = 0-4], were prepared as antidiabetic and antiobesity agents (no data). Thus, title compound (II) was prepared in 6 steps.


IT 477719-54-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(preparation of oxazolyloxyphenylprolines and related compds. as antidiabetic and antiobesity agents)

RN 477719-54-3 HCAPLUS

CN 4-Pentenoic acid, 2-[[[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]amino]-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 477719-54-3P 477719-55-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(preparation of oxazolyloxyphenylprolines and related compds. as antidiabetic and antiobesity agents)

L39 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2002:502825 HCAPLUS

DN 137:63237

TI Preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compounds as antidiabetic and antiobesity agents

IN **Cheng, Peter T.; Devasthale, Pratik; Jeon, Yoon; Chen, Sean; Zhang, Hao**

PA **Bristol-Myers Squibb Company, USA**

SO U.S., 190 pp., Cont.-in-part of U.S. Ser. No. 664,598.



CODEN: USXXAM

DT Patent

LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 6414002	B1	20020702	US 2001-812960	20010320
	US 2003069275	A1	20030410	US 2002-80965	20020222
	US 2003087935	A1	20030508	US 2002-81075	20020222
	US 6727271	B2	20040427		
	US 2003096846	A1	20030522	US 2002-80981	20020222
	US 6653314	B2	20031125		
PRAI	US 1999-155400P	P	19990922		
	US 2000-664598	A2	20000918		
	US 2001-812960	A3	20010320		
OS	MARPAT 137:63237				
GI					



AB Title compds. I [wherein Q = C, N; A = O, S; B = (CH<sub>2</sub>)<sub>x</sub>; Z = O, bond; X = CH, N; R<sub>1</sub> = H, alkyl; R<sub>2</sub> = H, alkyl, alkoxy, halo, amino; R<sub>3</sub> = H, alkyl, aralkyl, aryloxy carbonyl, alkoxy carbonyl, aryl carbonyl, alkyl carbonyl, aryl, heteroaryl, hydroxyalkyl, aryloxyarylalkyl, etc.; R<sub>2a</sub>, R<sub>2b</sub>, R<sub>2c</sub> = H, alkyl, alkoxy, halo, amino; Y = CO<sub>2</sub>R<sub>4</sub>, 1-tetrazolyl, PO(OR<sub>4a</sub>)R<sub>5</sub>; R<sub>4</sub> = H, alkyl, prodrug or ester; R<sub>4a</sub> = H, prodrug ester; R<sub>5</sub> = alkyl, aryl; x = 1-4; m, n = 1, 2] were prepared as modulators of blood glucose levels, triglyceride levels, insulin levels, and non-esterified fatty acid levels (no data). For example, 4-hydroxybenzaldehyde, 5-methyl-2-phenyloxazole-4-ethanol, Ph<sub>3</sub>P, and DEAD were stirred in THF at 0.degree.-room temperature to give 4-(5-methyl-2-phenyloxazole-4-ethyl)benzaldehyde (65%). Addition of N-benzylglycine Et ester and NaBH(OAc)<sub>3</sub> in 1,2-dichloroethane afforded the benzylamine derivative (55%), which was stirred with aqueous NaOH in MeOH for

14 h

to give the title compound II (71%). I are useful for the treatment of diabetes, especially Type II diabetes, as well as hyperglycemia, hyperinsulinemia, hyperlipidemia, obesity, atherosclerosis, and related diseases (no data).


IT **331739-69-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)



(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331739-69-6 HCAPLUS

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-(9CI) (CA INDEX NAME)



IT **331739-69-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)  
 (preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331739-67-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylmethyl)- **331739-68-5P**,  
 Glycine, N,N-bis[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331739-70-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-2-propynyl- **331739-71-0P**,  
 Glycine, N-2-benzoxazolyl-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-72-1P**, Glycine,  
 N-2-benzoxazolyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-73-2P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(4-phenoxyphenyl)methyl]- **331739-74-3P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylmethyl)- **331739-75-4P**, Glycine, N-[[3-(4-chlorophenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-76-5P**, Glycine,  
 N-[[5-(4-chlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-77-6P**, Glycine,  
 N-[[4-(3-fluorophenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-78-7P**, Glycine,  
 N-[[4-(3-methylphenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-79-8P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(3-pyridinyl)phenyl]methyl]- **331739-80-1P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylmethyl)- **331739-81-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-phenylethyl)-  
**331739-82-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(3-phenylpropyl)- **331739-83-4P**,  
 Glycine, N-[[3-(3,4-dichlorophenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-84-5P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(3-phenoxyphenyl)methyl]- **331739-85-6P**, Glycine,  
 N-[[1,1'-biphenyl]-4-ylmethyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-86-7P**, Glycine,  
 N-[[5-(2-chlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-87-8P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-[3-(trifluoromethyl)phenoxy]phenyl]methyl]- **331739-88-9P**, Glycine,

N-[[3-(4-methylphenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-89-0P**, Glycine,  
N-[[3-(4-methoxyphenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-90-3P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-[(1E)-2-phenylethenyl]phenyl]methyl]- **331739-91-4P**, Glycine,  
N-[[4-[(2-chloro-6-fluorophenyl)methoxy]phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-92-5P**,  
Glycine, N-[(2E)-3,7-dimethyl-2,6-octadienyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-93-6P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenyl]methyl]- **331739-94-7P**, Glycine,  
N-[[4-[4-(1,1-dimethylethyl)-2-thiazolyl]phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-95-8P**,  
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-phenoxy-2-thienyl]methyl]- **331739-96-9P**, Glycine,  
N-[(2Z)-3-(2-furanyl)-2-propenyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-97-0P**, Glycine,  
N-[(4-fluorophenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-98-1P**, Glycine,  
N-[[2-[(4-chlorophenyl)thio]phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-99-2P**, Glycine,  
N-[[3-(3,5-dimethoxyphenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-00-2P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(1-naphthalenylmethyl)- **331740-01-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylmethyl)- **331740-02-4P**, Glycine, N-(1H-indol-2-ylmethyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-03-5P**,  
Glycine, N-[(3-benzoyl-2,4-dichlorophenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-04-6P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-[2-(trifluoromethyl)phenyl]-2-furanyl]methyl]- **331740-05-7P**,  
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(3-nitrophenyl)-2-furanyl]methyl]- **331740-06-8P**, Glycine,  
N-[[5-[2-chloro-5-(trifluoromethyl)phenyl]-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-07-9P**,  
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-[3-(trifluoromethyl)phenyl]-2-furanyl]methyl]- **331740-08-0P**,  
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(2-nitrophenyl)-2-furanyl]methyl]- **331740-09-1P**,  
1H-Pyrrole-2-carboxylic acid, 5-[[[(carboxymethyl)[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]amino]methyl]-4-ethyl-3-methyl-,  
2-(phenylmethyl) ester **331740-10-4P**, Glycine,  
N-[[5-(4-bromophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-11-5P**, Glycine,  
N-[[5-(3-chlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-12-6P**, Glycine,  
N-[[5-(1,3-dioxolan-2-yl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-13-7P**, Glycine,  
N-[[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-1H-indol-3-yl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-14-8P**, Glycine, N-[[5-(2,4-dichlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-15-9P**, Glycine,  
N-[[4-(2,6-difluorobenzoyl)-1-methyl-1H-pyrrol-2-yl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-16-0P**,  
Glycine, N-[(4-benzoyl-1-methyl-1H-pyrrol-2-yl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-17-1P**,  
Glycine, N-[(2,2'-bithiophen)-5-ylmethyl]-N-[[3-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl]- **331740-18-2P**, Glycine,  
N-[(5-bromo-3,4-dimethylthieno[2,3-b]thien-2-yl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-19-3P**,  
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[5-(phenylethynyl)-2-thienyl)methyl]- **331740-20-6P**, Glycine,  
N-[[4-(2,4-dichlorobenzoyl)-1-methyl-1H-pyrrol-2-yl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-21-7P**,  
Glycine, N-[[1-(4-chlorophenyl)-1H-pyrrol-2-yl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-22-8P**,  
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(phenylethynyl)-2-thienyl)methyl]- **331740-23-9P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-nitro-4-phenoxyphenyl)methyl]- **331740-24-0P**, Glycine,  
N-[(3-methyl-4-phenoxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-25-1P**, Glycine,  
N-[(3-chloro-4-phenoxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-26-2P**, Glycine,  
N-[(2-chloro-4-phenoxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-27-3P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-nitro-3-phenoxyphenyl)methyl]- **331740-28-4P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(2-nitro-5-phenoxyphenyl)methyl]- **331740-29-5P**, Glycine,  
N-[(5-chloro-3-methyl-1-phenyl-1H-pyrazol-4-yl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-30-8P**,  
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[5-[1-methyl-5-(trifluoromethyl)-1H-pyrazol-3-yl]-2-thienyl)methyl]- **331740-31-9P**,  
Glycine, N-[(6-methoxy-2-naphthalenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-32-0P**,  
Glycine, N-[(4-methoxy-1-naphthalenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-33-1P**,  
Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[5-[2-nitro-4-(trifluoromethyl)phenyl]-2-furanyl)methyl]- **331740-34-2P**,  
Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(2-pyridinyl)phenyl)methyl]- **331740-35-3P**,  
Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[2-(phenylmethyl)phenyl)methyl]- **331740-36-4P**,  
Glycine, N-heptyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-37-5P**, Glycine,  
N-([1,1'-biphenyl]-4-yl)methyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-38-6P**, Glycine,  
N-[(2-hydroxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-39-7P**, Glycine,  
N-[[5-(2-chlorophenyl)-2-furanyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-40-0P**, Glycine,  
N-[(3,5-dimethoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-41-1P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-phenoxyphenyl)methyl]- **331740-42-2P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-phenoxyphenyl)methyl]- **331740-43-3P**, Glycine,  
N-[[3-(4-chlorophenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-44-4P**, Glycine,  
N-[[3-(3,5-dichlorophenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-45-5P**, Glycine,  
N-[[3-(4-methylphenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-46-6P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-[(1E)-2-phenylethenyl]phenyl)methyl]- **331740-47-7P**, Glycine,  
N-[[4-[(2-chloro-6-fluorophenyl)methoxy]phenyl)methyl]-N-[[4-[2-(5-methyl-

2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-48-8P**,  
Glycine, N-[(3-benzoyl-2,4-dichlorophenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-49-9P**, Glycine,  
N-[[3-[4-(1,1-dimethylethyl)phenoxy]phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-50-2P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(phenylmethoxy)phenyl)methyl]- **331740-51-3P**, Glycine,  
N-[[4-[4-(1,1-dimethylethyl)-2-thiazolyl]phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-52-4P**,  
Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[2-phenoxyphenyl)methyl]- **331740-53-5P**, Glycine,  
N-[[4-(3-methoxyphenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-54-6P**, Glycine,  
N-[[4-(4-bromophenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-55-7P**, Glycine,  
N-[[4-(4-chlorophenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-56-8P**, Glycine,  
N-[[4-(4-methylphenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-57-9P**, Glycine,  
N-[[4-(4-methoxyphenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-58-0P**, Glycine,  
N-[[4-(2-chlorophenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-59-1P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-[4-(trifluoromethyl)phenoxy]phenyl)methyl]- **331740-60-4P**, Glycine,  
N-[[4-(3,5-dichlorophenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-61-5P**, Glycine,  
N-[[4-(4-fluorophenoxy)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-62-6P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(3-thienyloxy)phenyl)methyl]- **331740-63-7P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-[4-(methylthio)phenoxy]phenyl)methyl]- **331740-64-8P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-phenoxy-2-thienyl)methyl]- **331740-65-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-[3-(trifluoromethyl)phenoxy]phenyl)methyl]- **331740-66-0P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(3-nitrophenoxy)phenyl)methyl]- **331740-67-1P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(phenylamino)phenyl)methyl]- **331740-68-2P**, Glycine,  
N-[[4-(1H-imidazol-1-yl)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-69-3P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(4-pyridinyl)phenyl)methyl]- **331740-70-6P**, Glycine,  
N-[[4-(aminocarbonyl)[1,1'-biphenyl]-4-yl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-71-7P**, Glycine,  
N-[[3',5'-dichloro[1,1'-biphenyl]-4-yl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-72-8P**, Glycine,  
N-[[3'-methoxy[1,1'-biphenyl]-4-yl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-73-9P**, Glycine,  
N-[[3',4'-difluoro[1,1'-biphenyl]-4-yl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-74-0P**, Glycine,  
N-[[3'-fluoro[1,1'-biphenyl]-4-yl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-75-1P**, Glycine,  
N-[[4-(3-furanyl)phenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-76-2P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(2-thienyl)phenyl)methyl]- **331740-77-3P**, Glycine,  
N-[(3-methoxy-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl]- **331740-78-4P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-nitro-4-  
 phenoxyphenyl)methyl]- **331740-79-5P**, Glycine,  
 N-[(3-methyl-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]- **331740-80-8P**, Glycine,  
 N-[(3-chloro-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]- **331740-81-9P**, Glycine,  
 N-[(2-methoxy-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]- **331740-82-0P**, Glycine,  
 N-[(2-chloro-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]- **331740-83-1P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-nitro-3-  
 phenoxyphenyl)methyl]- **331740-84-2P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(2-nitro-5-  
 phenoxyphenyl)methyl]- **331740-85-3P**, Glycine,  
 N-[(6-methoxy-2-naphthalenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]- **331740-86-4P**, Glycine,  
 N-[(4-methoxy-1-naphthalenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]- **331740-87-5P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(2-  
 pyrimidinyl)phenyl)methyl]- **331740-88-6P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(5-  
 pyrimidinyl)phenyl)methyl]- **331740-89-7P**, Glycine,  
 N-(1H-indol-2-yl)methyl)-N-[[4-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]- **331740-90-0P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(1R)-1-  
 phenylethyl]- **331740-91-1P**, D-Alanine, N-[[3-[2-(5-methyl-2-  
 phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331740-92-2P**,  
 D-Phenylalanine, N-[[3-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]- **331740-93-3P**, D-Alanine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-  
 phenoxyphenyl)methyl]- **331740-94-4P**, D-Phenylalanine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-  
 phenoxyphenyl)methyl]- **331740-95-5P**, L-Phenylalanine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-  
 phenoxyphenyl)methyl]- **331740-96-6P**, D-Valine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-  
 phenoxyphenyl)methyl]- **331740-97-7P**, Acetic acid,  
 (2,2-dimethylpropoxy)[[3-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl][(4-phenoxyphenyl)methyl]amino]-, (2R)-  
**331740-98-8P**, D-Serine, N-[[3-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]-N-[(4-phenoxyphenyl)methyl]-  
**331740-99-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]-N-[(phenylmethoxy)carbonyl]-  
**331741-00-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]-N-[(phenylmethoxy)carbonyl]-  
**331741-01-6P**, Glycine, N-[(2-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-  
 methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331741-02-7P**,  
 Glycine, N-[(3,5-dichlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]- **331741-03-8P**, Glycine,  
 N-[[3-(methoxyphenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]- **331741-04-9P**, Glycine,  
 N-[[4-(difluoromethoxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]- **331741-05-0P**, Glycine,  
 N-[[4-(difluoromethoxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]- **331741-06-1P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-  
 (phenylmethoxy)phenoxy]carbonyl]- **331741-07-2P**, Glycine,  
 N-[(4-hydroxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl)methyl]- **331741-08-3P**, Glycine,

N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenoxycarbonyl)- **331741-09-4P**, Glycine, N-[(4-chloro-3-fluorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-10-7P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(phenoxyphenyl)methoxy]carbonyl]- **331741-11-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-propynyloxy)carbonyl]- **331741-12-9P**, Glycine, N-[(4-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-13-0P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-14-1P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-nitrophenoxy)carbonyl]- **331741-15-2P**, Glycine, N-[(9H-fluoren-9-ylmethoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-16-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-nitrophenyl)methoxy]carbonyl]- **331741-17-4P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-nitrophenoxy)carbonyl]- **331741-18-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenoxy)carbonyl]- **331741-19-6P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-phenoxyphenyl)methoxy]carbonyl]- **331741-20-9P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-phenoxyphenyl)methoxy]carbonyl]- **331741-21-0P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenoxyphenoxy)carbonyl]- **331741-22-1P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyphenoxy)carbonyl]- **331741-23-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyethoxy)carbonyl]- **331741-24-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2E)-3-phenyl-2-propenyl]oxy]carbonyl]- **331741-25-4P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-phenyl-2-propynyl]oxy]carbonyl]- **331741-26-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenylethoxy)carbonyl]- **331741-27-6P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenylpropoxy)carbonyl]- **331741-28-7P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2Z)-3-phenyl-2-propenyl]oxy]carbonyl]- **331741-29-8P**, Glycine, N-[(4-fluoro-3-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-30-1P**, Glycine, N-[(3-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-31-2P**, Glycine, N-[(3,4-dimethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-32-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3,4,5-trimethoxyphenoxy)carbonyl]- **331741-33-4P**, Glycine, N-[[3-(methoxyphenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-34-5P**, Glycine, N-[[4-methoxyphenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-35-6P**, Glycine, N-[(1,3-benzodioxol-5-ylmethoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-36-7P**, Glycine, N-[(1,3-benzodioxol-5-yloxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-37-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenoxy]carbonyl]- **331741-38-9P**, Glycine,

N-[[[4-methoxy-1-naphthalenyl]oxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-39-0P**, Glycine,  
N-[(2,3-dimethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-40-3P**, Benzoic acid,  
4-[[[(carboxymethyl)[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]amino]carbonyl]oxy]-, 1-methyl ester  
**331741-41-4P**, Glycine, N-[(4-bromo-3-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331741-42-5P**, Glycine, N-[[4-(1,3-dithiolan-2-yl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331741-43-6P**, Glycine, N-[(4-chloro-3-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331741-44-7P**, Glycine, N-[(4-fluorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-45-8P**,  
Glycine, N-[(4-chlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-46-9P**, Glycine,  
N-[(4-bromophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-47-0P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethoxy)phenoxy]carbonyl]- **331741-48-1P**, Glycine,  
N-[(3-fluorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-49-2P**, Glycine,  
N-[(3-chlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-50-5P**, Glycine,  
N-[(3-bromophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-51-6P**, Glycine,  
N-[[3-(acetyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-52-7P**, Glycine,  
N-[(4-acetylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-53-8P**, Glycine,  
N-[(3-acetylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-54-9P**, Glycine,  
N-[[2,3-dihydro-3-oxo-6-benzofuranyl]oxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-55-0P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(1,2,3-thiadiazol-4-yl)phenoxy]carbonyl]- **331741-56-1P**, Glycine,  
N-[(3-hydroxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-57-2P**, Glycine,  
N-[(3-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-58-3P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3,4,5-trimethylphenoxy)carbonyl]- **331741-59-4P**, Glycine,  
N-[(4-ethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-60-7P**, Glycine,  
N-[(3-ethoxy-4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-61-8P**, Glycine,  
N-[(4-cyclopentylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-63-0P**, Glycine,  
N-[(4-ethenylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-64-1P**, Glycine,  
N-[[4-(3-methylbutyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-65-2P**, Glycine,  
N-[(4-butylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-66-3P**, Glycine,  
N-[(4-hexylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-67-4P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(4-morpholinyl)phenoxy]carbonyl]- **331741-68-5P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5,6,7,8-tetrahydro-2-naphthalenyl]oxy]carbonyl]- **331741-69-6P**, Glycine,

N-[[3-(1,1-dimethylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-70-9P**, Glycine,  
 N-[[3-(1-methylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-71-0P**, Glycine,  
 N-[[3-(4-dimethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-72-1P**, Glycine,  
 N-[[3-(5-dimethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331741-73-2P**, Glycine, N-[[3-(ethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-74-3P**, Glycine, N-[[4-(1,1-dimethylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-75-4P**, Glycine, N-[[4-(1-methylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-76-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethyl)phenoxy]carbonyl]- **331741-77-6P**, Glycine, N-[[4-(ethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-78-7P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(propylphenoxy)carbonyl]- **331741-79-8P**, Glycine, N-[[2,3-dihydro-1H-inden-5-yl]oxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-80-1P**, Glycine, N-[[3-(ethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-81-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(pentylphenoxy)carbonyl]- **331741-82-3P**, Glycine, N-[[4-fluoro-3-(trifluoromethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-83-4P**, Glycine, N-[[3-(fluorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-84-5P**, Glycine, N-[[3-(chlorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-85-6P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethoxy)phenyl]methoxy]carbonyl]- **331741-86-7P**, Glycine, N-[[4-(fluorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-87-8P**, Glycine, N-[[4-(chlorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-88-9P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenyl]methoxy]carbonyl]- **331741-89-0P**, Glycine, N-[[3-(5-dimethoxyphenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-90-3P**, Glycine, N-[[3-(acetyloxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-91-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(phenoxyphenyl)methoxy]carbonyl]- **331741-92-5P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-propynyloxy]carbonyl]- **331741-93-6P**, Glycine, N-[[4-(methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-94-7P**, Glycine, N-[[4-(methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-95-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-nitrophenoxy]carbonyl]- **331741-96-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-



(phenoxy carbonyl)- **331741-97-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-nitrophenyl)methoxy]carbonyl]- **331741-98-1P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-nitrophenoxy)carbonyl]- **331741-99-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenoxy)carbonyl]- **331742-00-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-phenoxyphenyl)methoxy]carbonyl]- **331742-01-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-phenoxyphenyl)methoxy]carbonyl]- **331742-02-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenoxyphenoxy)carbonyl]- **331742-03-1P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyphenoxy)carbonyl]- **331742-04-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyethoxy)carbonyl]- **331742-05-3P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2E)-3-phenyl-2-propenyl]oxy]carbonyl]- **331742-06-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-phenyl-2-propenyl]oxy]carbonyl]- **331742-07-5P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenylethoxy)carbonyl]- **331742-08-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenylpropoxy)carbonyl]- **331742-09-7P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2Z)-3-phenyl-2-propenyl]oxy]carbonyl]- **331742-10-0P**, Glycine, N-[(2-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-11-1P**, Glycine, N-[(3-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-12-2P**, Glycine, N-[(3,4-dimethoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-13-3P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3,4,5-trimethoxyphenoxy)carbonyl]- **331742-14-4P**, Glycine, N-[(3-acetylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-15-5P**, Glycine, N-[[4-methoxyphenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-16-6P**, Glycine, N-[(1,3-benzodioxol-5-ylmethoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-17-7P**, Glycine, N-[(1,3-benzodioxol-5-yloxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-18-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenoxy]carbonyl]- **331742-19-9P**, Glycine, N-[[4-methoxy-1-naphthalenyl]oxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-20-2P**, Glycine, N-[(2,3-dimethoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-21-3P**, Benzoic acid, 4-[[[(carboxymethyl)[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]amino]carbonyl]oxy]-, 1-methyl ester **331742-22-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenoxy]carbonyl]- **331742-23-5P**, Glycine, N-[(4-hydroxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-24-6P**, Glycine, N-[(4-bromo-3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-25-7P**, Glycine, N-[(4-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-26-8P**, Glycine, N-[(4-chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl] - **331742-27-9P**, Glycine,  
N-[[4-(4-bromophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-28-0P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[3-(trifluoromethoxy)phenoxy]carbonyl] - **331742-29-1P**, Glycine,  
N-[[3-(3-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-30-4P**, Glycine,  
N-[[3-(3-chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-31-5P**, Glycine,  
N-[[3-(3-bromophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-32-6P**, Glycine,  
N-[[3-(3,5-difluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-33-7P**, Glycine,  
N-[[3-(3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-34-8P**, Glycine,  
N-[[3-(3-chloro-4-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-35-9P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[3,4,5-trimethylphenoxy]carbonyl] - **331742-36-0P**, Glycine,  
N-[[4-(4-chloro-3,5-dimethylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-37-1P**, Glycine,  
N-[[3,4-difluorophenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-38-2P**, Glycine,  
N-[[4-(4-ethenylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-39-3P**, Glycine,  
N-[[4-(4-fluoro-3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-40-6P**, Glycine,  
N-[[4-(4-chloro-3-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-41-7P**, Glycine,  
N-[[3-methyl-4-(methylthio)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-42-8P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(1H-pyrrol-1-yl)phenoxy]carbonyl] - **331742-43-9P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[5,6,7,8-tetrahydro-2-naphthalenyl]oxy]carbonyl] - **331742-44-0P**, Glycine,  
N-[[1,1'-biphenyl]-3-yloxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-45-1P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[3-(trifluoromethyl)phenoxy]carbonyl] - **331742-46-2P**, Glycine,  
N-[[3-(1,1-dimethylethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-47-3P**, Glycine,  
N-[[3-(1-methylethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-48-4P**, Glycine,  
N-[[3,4-dimethylphenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-49-5P**, Glycine,  
N-[[3,5-dimethylphenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-50-8P**, Glycine,  
N-[[3-ethylphenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-51-9P**, Glycine,  
N-[[4-(4-chloro-3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-52-0P**, Glycine,  
N-[[4-(1-methylethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-53-1P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(phenylmethyl)phenoxy]carbonyl] - **331742-54-2P**, Glycine,  
N-[[4-(4-ethylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331742-55-3P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-propylphenoxy]carbonyl] - **331742-56-4P**, Glycine,  
N-[[2,3-dihydro-1H-inden-5-yl]oxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl]- **331742-57-5P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(2-naphthalenyloxy)carbonyl]- **331742-58-6P**, Glycine,  
N-[(3-ethoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-59-7P**, Glycine,  
N-[(3,5-dichlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-60-0P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(1,2,3-thiadiazol-4-yl)phenoxy]carbonyl]- **331742-61-1P**, Glycine,  
N-[[4-fluoro-3-(trifluoromethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-62-2P**, Glycine,  
N-[(3-methoxy-5-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-63-3P**, Glycine,  
N-[(3-fluorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-64-4P**, Glycine,  
N-[(3-chlorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-65-5P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[3-(trifluoromethoxy)phenyl)methoxy]carbonyl]- **331742-66-6P**, Glycine, N-[[4-(4-fluorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-67-7P**, Glycine,  
N-[[4-(4-chlorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-68-8P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[4-(trifluoromethoxy)phenyl)methoxy]carbonyl]- **331742-69-9P**, Glycine, N-[[[3,5-dimethoxyphenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-70-2P**, Glycine,  
N-[[3-(difluoromethoxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-71-3P**, Glycine,  
N-[[3-(difluoromethoxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-72-4P**, Glycine,  
N-[(3-hydroxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-73-5P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(phenoxythioxomethyl)- **331742-74-6P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(phenoxythioxomethyl)- **331742-75-7P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(4-phenoxybenzoyl)- **331742-76-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(2-naphthalenylcarbonyl)- **331742-77-9P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(2-thienylcarbonyl)- **331742-78-0P**, Glycine, N-(3,5-dimethoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-79-1P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(1-naphthalenylcarbonyl)- **331742-80-4P**, Glycine,  
N-(3,4-difluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-81-5P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(3-phenoxybenzoyl)- **331742-82-6P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[4-(phenylmethyl)benzoyl]- **331742-83-7P**, Glycine, N-(3,5-dimethylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-84-8P**, Glycine, N-([2,2'-bithiophen]-5-ylcarbonyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331742-85-9P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(5-methyl-2-thienyl)carbonyl]- **331742-86-0P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(5-nitro-2-thienyl)carbonyl]- **331742-87-1P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-methyl-2-thienyl)carbonyl]-

**331742-88-2P**, Glycine, N-(4-butoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-89-3P**, Glycine, N-(4-methoxy-3-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-90-6P**, Glycine, N-(3-chloro-4-methoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-91-7P**, Glycine, N-(3,4-dimethylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-92-8P**, Glycine, N-(4-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-93-9P**, Glycine, N-(3-fluoro-4-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-94-0P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[4-(methylthio)benzoyl]- **331742-95-1P**, Glycine, N-[4-(1-methylethyl)benzoyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-96-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[4-(2-methylpropyl)benzoyl]- **331742-97-3P**, Glycine, N-(4-chloro-3-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-98-4P**, Glycine, N-(3-methoxy-4-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-99-5P**, Glycine, N-(1,3-benzodioxol-5-ylcarbonyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-00-1P**, Glycine, N-[4-(1-methylethoxy)benzoyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-02-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(3-thienylcarbonyl)- **331743-04-5P**, Glycine, N-benzoyl-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-05-6P**, Glycine, N-(3-methoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-06-7P**, Glycine, N-(4-fluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-07-8P**, Glycine, N-(3,4-dichlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-08-9P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(4-propoxybenzoyl)- **331743-09-0P**, Glycine, N-(4-ethoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-10-3P**, Glycine, N-(3-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-11-4P**, Glycine, N-(4-methoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-12-5P**, Glycine, N-(3-chlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-13-6P**, Glycine, N-(4-chlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-14-7P**, Glycine, N-(4-butylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-15-8P**, Glycine, N-(3,5-dichlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-16-9P**, Glycine, N-(3-fluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-17-0P**, Glycine, N-(3-chloro-4-fluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-18-1P**, Glycine, N-(3-ethoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-19-2P**, Glycine, N-[[5-chloro-2-thienyl]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-20-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(methylthio)-2-thienyl]carbonyl]- **331743-21-6P**, Glycine,

N-[(4-methylphenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-22-7P**, Glycine,  
N-[(3-fluorophenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-23-8P**, Glycine,  
N-[(3,5-difluorophenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-24-9P**, Glycine,  
N-(1,3-benzodioxol-5-ylacetyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-25-0P**, Glycine,  
N-[(4-ethoxyphenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-26-1P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-nitrophenyl)acetyl]- **331743-27-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-nitrophenyl)acetyl]- **331743-28-3P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(1-oxo-3-phenylpropyl)- **331743-29-4P**, Glycine, N-([1,1'-biphenyl]-2-ylcarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-30-7P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(4-phenoxybenzoyl)- **331743-31-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[2-(phenylmethyl)benzoyl]- **331743-32-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[3-(phenylsulfinyl)benzoyl]- **331743-33-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[2-[(4-methylphenyl)thio]benzoyl]- **331743-34-1P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[2-(phenylsulfinyl)benzoyl]- **331743-35-2P**, Glycine, N-(5-chloro-2-phenoxybenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-36-3P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-phenoxybenzoyl)- **331743-37-4P**, Glycine, N-([1,1'-biphenyl]-4-ylcarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-38-5P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(3-phenoxybenzoyl)- **331743-39-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyphenyl)acetyl]- **331743-40-9P**, Glycine, N-([1,1'-biphenyl]-4-ylacetyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-41-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[4-(phenylmethyl)benzoyl]- **331743-42-1P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[2-(1H-pyrrol-1-yl)benzoyl]- **331743-43-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)acetyl]- **331743-44-3P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenoxyphenyl)acetyl]- **331743-45-4P**, Glycine, N-([2,2'-bithiophen]-5-ylcarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-46-5P**, Glycine, N-(3,4-dimethylbenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-47-6P**, Glycine, N-(4-chloro-3-methylbenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-48-7P**, Glycine, N-(3,4-difluorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-49-8P**, Glycine, N-(3,4-dichlorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-50-1P**, Glycine, N-(3-chlorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-51-2P**, Glycine, N-(4-chlorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-52-3P**, Glycine, N-(3-chloro-4-fluorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl]- **331743-53-4P**, Glycine,  
N-[4-(1-methylethyl)benzoyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-54-5P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[4-(2-methylpropyl)benzoyl]- **331743-55-6P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(4-propoxybenzoyl)- **331743-56-7P**, Glycine, N-(4-butylbenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-57-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[5-(methylthio)-2-thienyl]carbonyl]-  
**331743-58-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[3-(phenylmethyl)amino]carbonyl]-  
**331743-59-0P**, Glycine, N-[[4-(methoxyphenyl)amino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-60-3P**, Glycine, N-[[4-(methoxyphenyl)methylamino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-61-4P**, Glycine, N-[[[1,1'-biphenyl]-4-ylamino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-62-5P**, Glycine, N-[[3,5-dimethoxyphenyl]amino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-63-6P**, Glycine, N-[[3,5-dichlorophenyl]amino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-64-7P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[3-(methylthio)phenyl]amino]carbonyl]-  
**331743-65-8P**, Glycine, N-[[2,4-difluorophenyl]amino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-66-9P**, Glycine, N-[[2,4-dimethoxyphenyl]amino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-67-0P**, Glycine, N-[[2-methoxyphenyl]amino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-68-1P**, Glycine, N-[[[1,1'-biphenyl]-4-ylamino]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-69-2P**, Glycine, N-[[3,5-dimethoxyphenyl]amino]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-70-5P**, Glycine, N-[[3,5-dichlorophenyl]amino]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-71-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[3-(methylthio)phenyl]amino]carbonyl]-  
**331743-72-7P**, Glycine, N-[[2,4-difluorophenyl]amino]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-73-8P**, Glycine, N-[[2,4-dimethoxyphenyl]amino]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-74-9P**, Glycine, N-[[4-(methoxyphenyl)amino]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-75-0P**, Glycine, N-[[2-methoxyphenyl]amino]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-76-1P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(1-naphthalenylsulfonyl)-  
**331743-77-2P**, Glycine, N-[[4-(fluorophenyl)methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331743-78-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(phenylsulfonyl)- **331743-79-4P**,  
Glycine, N-[[2,5-dichlorophenyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-80-7P**, Glycine,  
N-[[4-(fluorophenyl)amino]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-81-8P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[3-(phenylmethyl)sulfonyl]- **331743-82-9P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[1E]-2-phenylethenyl]sulfonyl]- **331743-83-0P**, Glycine,

N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2,2,2-trifluoroethyl)sulfonyl]- **331743-84-1P**, Glycine,  
N-[(2,5-dimethylphenyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331743-85-2P**, Glycine, N-[(3,4-dichlorophenyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-86-3P**, Glycine, N-[(2,5-dichloro-3-thienyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-87-4P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(2-pyridinyl)sulfonyl]-2-thienyl]sulfonyl]- **331743-88-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[3-(trifluoromethyl)phenyl]methyl]sulfonyl]- **331743-89-6P**, Glycine, N-[[[3-(methylphenyl)methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-90-9P**, Glycine, N-[[[2-fluorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-91-0P**, Glycine, N-[(4-chlorophenyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-92-1P**, Glycine, N-[[[3,4-dichlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-93-2P**, Glycine, N-[[[2-chloro-6-fluorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-94-3P**, Glycine, N-[[[4-chlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-95-4P**, Glycine, N-[[[2-chlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-96-5P**, Glycine, N-[[[2,4-dichlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-97-6P**, Glycine, N-[[[2-methylphenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-98-7P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[4-(trifluoromethoxy)phenyl]methyl]sulfonyl]- **331743-99-8P**, Glycine, N-[[[4-(1,1-dimethylethyl)phenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-00-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-propylphenyl]sulfonyl]- **331744-01-5P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenyl)sulfonyl]- **331744-02-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenyl)sulfonyl]- **331744-03-7P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2,4,6-trimethylphenyl)sulfonyl]- **331744-04-8P**, Glycine, N-[(4-chlorophenyl)sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-05-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethyl)sulfonyl]- **331744-06-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[1E]-2-phenylethenyl]sulfonyl]- **331744-07-1P**, Glycine, N-[[2,5-dimethylphenyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-08-2P**, Glycine, N-[(3,4-dichlorophenyl)sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-09-3P**, Glycine, N-[[4-(2-chloro-6-nitrophenoxy)phenyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-10-6P**, Glycine, N-(2-dibenzofuranyl)sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl]- **331744-11-7P**, Glycine,  
N-[[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]sulfonyl]-N-[[[3-(trifluoromethyl)phenyl)methyl]sulfonyl]- **331744-12-8P**, Glycine,  
N-[[[3-(methylphenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-13-9P**, Glycine,  
N-[[[2-(fluorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-14-0P**, Glycine,  
N-[[[4-(fluorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-15-1P**, Glycine,  
N-[[[3,4-dichlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-16-2P**, Glycine,  
N-[[[2-chloro-6-fluorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-17-3P**, Glycine,  
N-[[[4-(chlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-18-4P**, Glycine,  
N-[[[2-(chlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-19-5P**, Glycine,  
N-[[[2,4-dichlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-20-8P**, Glycine,  
N-[[[2-methylphenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-21-9P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[4-(trifluoromethoxy)phenyl)methyl]sulfonyl]- **331744-22-0P**, Glycine,  
N-[[[4-(1,1-dimethylethyl)phenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-25-3P**, Glycine,  
N-[[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-N-[[4-(phenoxyphenyl)methyl]- **331744-26-4P**, Glycine,  
N-[[[5-(2-chlorophenyl)-2-furanyl)methyl]-N-[[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-27-5P**, Glycine,  
N-[[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-N-[[[phenylmethoxy]carbonyl]- **331744-28-6P**, Glycine,  
N-[[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-N-[[[phenylmethyl]- **331744-30-0P**, Glycine,  
N-[[[4-(methoxyphenoxy)carbonyl]-N-[[2-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-31-1P**, .beta.-Alanine,  
N-[[[3-(chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-32-2P**, .beta.-Alanine,  
N-[[[3-(chlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-33-3P**, .beta.-Alanine,  
N-[[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[phenoxy]carbonyl]- **331744-34-4P**, .beta.-Alanine,  
N-[[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[4-(phenoxyphenyl)methyl]- **331744-35-5P**, .beta.-Alanine,  
N-[[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[phenylmethoxy]carbonyl]- **331744-36-6P**, .beta.-Alanine,  
N-[[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[phenoxy]carbonyl]- **331744-37-7P**, .beta.-Alanine,  
N-[[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[4-(phenoxyphenyl)methyl]- **331744-38-8P**, .beta.-Alanine,  
N-[[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[[phenylmethoxy]carbonyl]- **331744-39-9P**, Glycine,  
N-[[[3-(cyclopropylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-40-2P**, Glycine,  
N-[[[3-(cyclopropyloxy)phenoxy]carbonyl]-N-[[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-41-3P**, Glycine,  
N-[[[3-(cyclopropyloxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-42-4P**, Glycine,  
N-[[[3-(fluoro-4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331744-43-5P**, Glycine,  
N-[[[3-(chloro-4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-



oxazolyl)ethoxy]phenyl)methyl] - **331744-44-6P**, Glycine,  
N-[(3-bromo-4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-45-7P**, Glycine,  
N-[(3-fluoro-4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-46-8P**, Glycine,  
N-[(3-chloro-4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-47-9P**, Glycine,  
N-[(3-bromo-4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-48-0P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-propylphenoxy)carbonyl] - **331744-49-1P**, Glycine,  
N-[[4-(cyclopropylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-50-4P**, Glycine,  
N-[[4-(cyclopropyloxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-51-5P**, Glycine,  
N-[(3-fluoro-4-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-52-6P**, Glycine,  
N-[(3-chloro-4-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-53-7P**, Glycine,  
N-[(3-bromo-4-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-54-8P**, Glycine,  
N-[(3-fluoro-4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-55-9P**, Glycine,  
N-[(3-chloro-4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-56-0P**, Glycine,  
N-[(3-bromo-4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-57-1P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-propylphenoxy)carbonyl] - **331744-58-2P**, Glycine,  
N-[(3-cyclopropylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-59-3P**, Glycine,  
N-[[4-(cyclopropylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-60-6P**, Glycine,  
N-[[4-(cyclopropyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl] - **331744-61-7P**, Benzoic acid,  
2-(carboxymethyl)-2-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]hydrazide **331744-62-8P**, Benzoic acid,  
2-(carboxymethyl)-2-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]hydrazide **331744-63-9P**, Glycine,  
N-[(4-methylphenoxy)carbonyl]-N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331744-64-0P**, Glycine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331744-65-1P**, Glycine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331744-66-2P**, Glycine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]pentyl] - **331744-67-3P**, Glycine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl] - **331744-68-4P**, Glycine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]butyl] - **331744-69-5P**, Glycine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]ethyl] - **331744-70-8P**, Glycine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]ethyl] - **331744-72-0P**, Glycine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331744-73-1P**, Glycine,  
N-[(4-methylphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331744-74-2P**, Glycine,  
N-[(4-methylphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl]pentyl] - **331744-75-3P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]propyl] - **331744-76-4P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[3-methyl-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]butyl] - **331744-77-5P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331744-78-6P**, Glycine,  
 N-[(3-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl] - **331744-79-7P**, Glycine,  
 N-[(3-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl] - **331744-80-0P**, Glycine,  
 N-[(4-methylphenoxy)carbonyl]-N-[(1R)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl] - **331744-81-1P**, Glycine,  
 N-[(4-methylphenoxy)carbonyl]-N-[(1S)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl] - **331744-82-2P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl] - **331744-83-3P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl] - **331744-84-4P**, Alanine,  
 N-[(4-methoxyphenoxy)carbonyl]-2-methyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-87-7P**, L-Alanine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-88-8P**, L-Alanine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl] - **331744-89-9P**, D-Alanine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-90-2P**, D-Alanine,  
 N-[(4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-91-3P**, D-Alanine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl] - **331744-94-6P**, Alanine,  
 N-[(4-methoxyphenoxy)carbonyl]-2-methyl-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-95-7P**, D-Alanine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-96-8P**, D-Alanine,  
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-97-9P**, D-Alanine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl] - **331744-98-0P**, L-Alanine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331744-99-1P**, L-Alanine,  
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl] - **331745-00-7P**, L-Alanine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl] - **331745-01-8P**, L-Alanine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331745-02-9P**, D-Alanine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331745-03-0P**, L-Alanine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331745-04-1P**, D-Alanine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl] - **331745-05-2P**, Glycine,  
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl] - **331745-06-3P**, Glycine,  
 N-[(4-methylphenoxy)carbonyl]-N-[[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]methyl] - **331745-07-4P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl] - **331745-08-5P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-methyl-2-(5-methyl-2-phenyl-4-

oxazolyl)propoxy]phenyl)methyl]- **331745-09-6P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[(2Z)-3-(5-methyl-2-phenyl-4-oxazolyl)-2-propenyl]oxy]phenyl)methyl]- **331745-10-9P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl)methyl]- **331745-11-0P**, Glycine,  
 N-[(4-methylphenoxy)carbonyl]-N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl)methyl]- **331745-12-1P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl)methyl]- **331745-13-2P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl)methyl]- **331745-14-3P**, Glycine,  
 N-[[4-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl)methyl]-N-[(4-methylphenoxy)carbonyl]- **331745-15-4P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl)methyl]- **331745-16-5P**, Glycine,  
 N-[(4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl)methyl]- **331745-17-6P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl)methyl]- **331745-18-7P**, Glycine,  
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl)methyl]- **331745-19-8P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl)methyl]- **331745-20-1P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl)methyl]- **331745-21-2P**, Glycine,  
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl)methyl]- **331745-22-3P**, Glycine,  
 N-(5-methyl-2-benzoxazolyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331745-23-4P**, Glycine,  
 N-(5-methyl-2-benzoxazolyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331745-24-5P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[2-(4-methoxyphenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl)methyl]- **331745-25-6P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]- **331745-26-7P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]- **331745-33-6P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl)methyl]-N-[(phenylmethoxy)carbonyl]- **331745-34-7P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl)methyl]-N-[(4-phenoxyphenyl)methyl]- **331745-35-8P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[5-methyl-2-(4-pyridinyl)-4-thiazolyl]ethoxy]phenyl)methyl]- **331745-41-6P**, Glycine,  
 N-[[4-[2-[2-(4-chlorophenyl)-5-methyl-4-thiazolyl]ethoxy]phenyl)methyl]-N-[(4-methoxyphenoxy)carbonyl]- **331745-42-7P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[2-(3-methoxyphenyl)-5-methyl-4-thiazolyl]ethoxy]phenyl)methyl]- **331745-43-8P**, Glycine,  
 N-[[3-[2-[2-(4-methoxyphenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl)methyl]-N-[(4-methylphenoxy)carbonyl]- **331745-44-9P**, Glycine,  
 N-[[3-[2-[2-(2-chlorophenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl)methyl]-N-[(4-methylphenoxy)carbonyl]- **331745-45-0P**, Glycine,  
 N-[[4-[2-[2-(2-chlorophenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl)methyl]-N-[(4-methoxyphenoxy)carbonyl]- **331745-46-1P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(oxophenylacetyl)- **331745-47-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(oxophenylacetyl)- **331745-49-4P**,  
 Glycine, N-[[[(4-methoxyphenyl)thio]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331745-60-9P**, Glycine,  
 N-[(3-methylphenoxy)carbonyl]-N-[(1S)-1-[4-[(5-methyl-2-phenyl-4-

oxazolyl)methoxy]phenyl]ethyl]- **331745-69-8P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(1S)-1-phenylethyl]- **331746-91-9P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[3-methyl-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]- **331746-92-0P**, Glycine,  
 N-[[4-(4-methoxyphenyl)thio]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331746-93-1P**, L-Alanine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331746-95-3P**, Glycine,  
 N-(6-methyl-2-benzoxazolyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **439276-48-9P**

**439276-49-0P 439276-50-3P 439276-51-4P**

**439276-54-7P 439276-55-8P 439276-57-0P**

**439276-58-1P 439276-61-6P 439276-62-7P**

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331746-63-5**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester  
**331746-64-6**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-65-7**,  
 Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-66-8**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, mono(trifluoroacetate)  
**331746-68-0**, Glycine, N-[[3-(difluoromethoxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331746-69-1**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(4-phenoxybenzoyl)-, 1,1-dimethylethyl ester **331746-70-4**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylcarbonyl)-, 1,1-dimethylethyl ester **331746-71-5**,  
 Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(1-naphthalenylsulfonyl)-, 1,1-dimethylethyl ester **331746-74-8**,  
 .beta.-Alanine, N-[[3-(chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-75-9**,  
 Glycine, N-(chlorocarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-76-0**,  
 Glycine, N-[[3-(cyclopropyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-83-9**,  
 Glycine, N-[[4-(4-methoxyphenoxy)carbonyl]-N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, 1,1-dimethylethyl ester  
**331746-88-4**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]-, 1,1-dimethylethyl ester **331746-89-5**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]-, methyl ester

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331745-61-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylmethyl)-, ethyl ester  
**331745-62-1P**, Glycine, N,N-bis[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester **331745-63-2P**,  
 Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester **331745-64-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester  
**331745-65-4P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]-,

1,1-dimethylethyl ester **331745-66-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331745-67-6P**, Glycine, N-[(4-hydroxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester  
**331745-68-7P**, Glycine, N-[(4-boronophenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1-(1,1-dimethylethyl) ester  
**331745-71-2P**, Glycine, N-(chlorocarbonyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester  
**331745-72-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenoxy]carbonyl]-, 1,1-dimethylethyl ester  
**331745-73-4P**, Glycine, N-[(4-hydroxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester  
**331745-75-6P**, Glycine, N-[[3-(acetyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester  
**331745-76-7P**, Glycine, N-[[4-methoxyphenyl]amino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester  
**331745-77-8P**, Glycine, N-[[4-methoxyphenyl]methylamino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester  
**331745-88-1P**, Glycine, N-[(2,4-dinitrophenyl)sulfonyl]-N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, 1,1-dimethylethyl ester  
**331745-89-2P**, Glycine, N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, 1,1-dimethylethyl ester  
**331745-93-8P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[2-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester  
**331745-95-0P**, Glycine, N-[(3-cyclopropylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester  
**331746-04-4P**, Benzoic acid, 2-(2-ethoxy-2-oxoethyl)-2-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]hydrazide  
**331746-06-6P**, Glycine, N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester  
**331746-07-7P**, Glycine, N-[(4-methylphenoxy)carbonyl]-N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester  
**331746-10-2P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester  
**331746-12-4P**, Glycine, N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]pentyl]-, methyl ester  
**331746-13-5P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]-, methyl ester  
**331746-14-6P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]butyl]-, methyl ester  
**331746-16-8P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]ethyl]-, ethyl ester  
**331746-21-5P**, Alanine, 2-methyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester  
**331746-22-6P**, Alanine, 2-methyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331746-26-0P**, L-Alanine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester  
**331746-30-6P**, Glycine, N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]-, methyl ester  
**331746-32-8P**, Glycine, N-[(4-methylphenoxy)carbonyl]-N-[[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]methyl]-, methyl ester  
**331746-37-3P**, Glycine, N-[[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester  
**331746-38-4P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester  
**331746-43-1P**, Glycine, N-[[4-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]-, methyl ester  
**331746-44-2P**,

Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]-, methyl ester **331746-45-3P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[(2Z)-3-(5-methyl-2-phenyl-4-oxazolyl)-2-propenyl]oxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331746-47-5P**, Glycine, N-[[3-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester **331746-48-6P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester **331746-52-2P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[2-(4-methoxyphenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl]methyl]-, methyl ester **331746-53-3P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]-, ethyl ester **331746-54-4P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]-, ethyl ester **331746-62-4P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[5-methyl-2-(4-pyridinyl)-4-thiazolyl]ethoxy]phenyl]methyl]-, methyl ester **331746-67-9P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-79-3P**, Glycine, N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]-, methyl ester **331746-94-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(phenylmethyl)amino]carbonyl]-, ethyl ester **439573-67-8P**  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)



(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RE.CNT 24 THERE ARE 24 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L39 ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN  
 AN 2001:228872 HCAPLUS  
 DN 134:266299  
 TI Preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compounds as antidiabetic and antiobesity agents.  
 IN **Cheng, Peter T. W.; Devasthale, Pratik; Jeon, Yoon T.; Chen, Sean; Zhang, Hao**  
 PA **Bristol-Myers Squibb** Company, USA  
 SO PCT Int. Appl., 362 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 2

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001021602	A1	20010329	WO 2000-US25710	20000919
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG EP 1218361 A1 20020703 EP 2000-965172 20000919 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL BR 2000014189 A 20020820 BR 2000-14189 20000919				

TR 200200732	T2 20021021	TR 2002-20020073220000919
JP 2003509503	T2 20030311	JP 2001-524981 20000919
ZA 2002000937	A 20030502	ZA 2002-937 20020201
NO 2002001408	A 20020514	NO 2002-1408 20020321
PRAI US 1999-155400P	P 19990922	
WO 2000-US25710	W 20000919	
OS MARPAT 134:266299		
GI		




AB Title compds. [I; Q = C, N; A = O, S; B = (CH<sub>2</sub>)<sub>x</sub>; Z = O, bond; X = CH, N; R<sub>1</sub> = H, alkyl; R<sub>2</sub> = H, alkyl, alkoxy, halo, amino; R<sub>3</sub> = H, alkyl, aralkyl, aryloxy, carbonyl, alkoxy, carbonyl, aryl, carbonyl, alkyl, carbonyl, aryl, heteroaryl, hydroxyalkyl, aryloxyarylalkyl, etc.; R<sub>2a</sub>, R<sub>2b</sub>, R<sub>2c</sub> = H, alkyl, alkoxy, halo, amino; Y = CO<sub>2</sub>R<sub>4</sub>, 1-tetrazolyl, PO(OR<sub>4a</sub>)R<sub>5</sub>; R<sub>4</sub> = H, alkyl, prodrug or ester; R<sub>4a</sub> = H, prodrug ester; R<sub>5</sub> = alkyl, aryl; x = 1-4; m, n = 1, 2], were prepared as modulators of blood glucose levels, triglyceride levels, insulin levels, and non-esterified fatty acid levels (no data). Thus, 4-hydroxybenzaldehyde, 5-methyl-2-phenyloxazole-4-ethanol, Ph<sub>3</sub>P, and DEAD were stirred in THF at 0.degree.-room temperature to give 65% 4-(5-methyl-2-phenyloxazole-4-ethyl)benzaldehyde. This was stirred 12 h with N-benzylglycine Et ester and NaBH(OAc)<sub>3</sub> in 1,2-dichloroethane to give 55% benzylamine derivative, which was stirred 14 h with aqueous NaOH in MeOH to give 71% title compound (II).

IT **331739-69-6P**

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)  
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331739-69-6 HCAPLUS

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-(9CI) (CA INDEX NAME)



IT 331739-69-6P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331739-67-4P 331739-68-5P 331739-70-9P  
 331739-71-0P 331739-72-1P 331739-73-2P  
 331739-74-3P 331739-75-4P 331739-76-5P  
 331739-77-6P 331739-78-7P 331739-79-8P  
 331739-80-1P 331739-81-2P 331739-82-3P  
 331739-83-4P 331739-84-5P 331739-85-6P  
 331739-86-7P 331739-87-8P 331739-88-9P  
 331739-89-0P 331739-90-3P 331739-91-4P  
 331739-92-5P 331739-93-6P 331739-94-7P  
 331739-95-8P 331739-96-9P 331739-97-0P  
 331739-98-1P 331739-99-2P 331740-00-2P  
 331740-01-3P 331740-02-4P 331740-03-5P  
 331740-04-6P 331740-05-7P 331740-06-8P  
 331740-07-9P 331740-08-0P 331740-09-1P  
 331740-10-4P 331740-11-5P 331740-12-6P  
 331740-13-7P 331740-14-8P 331740-15-9P  
 331740-16-0P 331740-17-1P 331740-18-2P  
 331740-19-3P 331740-20-6P 331740-21-7P  
 331740-22-8P 331740-23-9P 331740-24-0P  
 331740-25-1P 331740-26-2P 331740-27-3P  
 331740-28-4P 331740-29-5P 331740-30-8P  
 331740-31-9P 331740-32-0P 331740-33-1P  
 331740-34-2P 331740-35-3P 331740-36-4P  
 331740-37-5P 331740-38-6P 331740-39-7P  
 331740-40-0P 331740-41-1P 331740-42-2P  
 331740-43-3P 331740-44-4P 331740-45-5P  
 331740-46-6P 331740-47-7P 331740-48-8P  
 331740-49-9P 331740-50-2P 331740-51-3P  
 331740-52-4P 331740-53-5P 331740-54-6P  
 331740-55-7P 331740-56-8P 331740-57-9P  
 331740-58-0P 331740-59-1P 331740-60-4P  
 331740-61-5P 331740-62-6P 331740-63-7P  
 331740-64-8P 331740-65-9P 331740-66-0P  
 331740-67-1P 331740-68-2P 331740-69-3P  
 331740-70-6P 331740-71-7P 331740-72-8P  
 331740-73-9P 331740-74-0P 331740-75-1P  
 331740-76-2P 331740-77-3P 331740-78-4P  
 331740-79-5P 331740-80-8P 331740-81-9P  
 331740-82-0P 331740-83-1P 331740-84-2P  
 331740-85-3P 331740-86-4P 331740-87-5P  
 331740-88-6P 331740-89-7P 331740-90-0P  
 331740-91-1P 331740-92-2P 331740-93-3P  
 331740-94-4P 331740-95-5P 331740-96-6P  
 331740-97-7P 331740-98-8P 331740-99-9P



331741-00-5P 331741-01-6P 331741-02-7P  
331741-03-8P 331741-04-9P 331741-05-0P  
331741-06-1P 331741-07-2P 331741-08-3P  
331741-09-4P 331741-10-7P 331741-11-8P  
331741-12-9P 331741-13-0P 331741-14-1P  
331741-15-2P 331741-16-3P 331741-17-4P  
331741-18-5P 331741-19-6P 331741-20-9P  
331741-21-0P 331741-22-1P 331741-23-2P  
331741-24-3P 331741-25-4P 331741-26-5P  
331741-27-6P 331741-28-7P 331741-29-8P  
331741-30-1P 331741-31-2P 331741-32-3P  
331741-33-4P 331741-34-5P 331741-35-6P  
331741-36-7P 331741-37-8P 331741-38-9P  
331741-39-0P 331741-40-3P 331741-41-4P  
331741-42-5P 331741-43-6P 331741-44-7P  
331741-45-8P 331741-46-9P 331741-47-0P  
331741-48-1P 331741-49-2P 331741-50-5P  
331741-51-6P 331741-52-7P 331741-53-8P  
331741-54-9P 331741-55-0P 331741-56-1P  
331741-57-2P 331741-58-3P 331741-59-4P  
331741-60-7P 331741-61-8P 331741-63-0P  
331741-64-1P 331741-65-2P 331741-66-3P  
331741-67-4P 331741-68-5P 331741-69-6P  
331741-70-9P 331741-71-0P 331741-72-1P  
331741-73-2P 331741-74-3P 331741-75-4P  
331741-76-5P 331741-77-6P 331741-78-7P  
331741-79-8P 331741-80-1P 331741-81-2P  
331741-82-3P 331741-83-4P 331741-84-5P  
331741-85-6P 331741-86-7P 331741-87-8P  
331741-88-9P 331741-89-0P 331741-90-3P  
331741-91-4P 331741-92-5P 331741-93-6P  
331741-94-7P 331741-95-8P 331741-96-9P  
331741-97-0P 331741-98-1P 331741-99-2P  
331742-00-8P 331742-01-9P 331742-02-0P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331742-03-1P 331742-04-2P 331742-05-3P  
331742-06-4P 331742-07-5P 331742-08-6P  
331742-09-7P 331742-10-0P 331742-11-1P  
331742-12-2P 331742-13-3P 331742-14-4P  
331742-15-5P 331742-16-6P 331742-17-7P  
331742-18-8P 331742-19-9P 331742-20-2P  
331742-21-3P 331742-22-4P 331742-23-5P  
331742-24-6P 331742-25-7P 331742-26-8P  
331742-27-9P 331742-28-0P 331742-29-1P  
331742-30-4P 331742-31-5P 331742-32-6P  
331742-33-7P 331742-34-8P 331742-35-9P  
331742-36-0P 331742-37-1P 331742-38-2P  
331742-39-3P 331742-40-6P 331742-41-7P  
331742-42-8P 331742-43-9P 331742-44-0P  
331742-45-1P 331742-46-2P 331742-47-3P  
331742-48-4P 331742-49-5P 331742-50-8P  
331742-51-9P 331742-52-0P 331742-53-1P  
331742-54-2P 331742-55-3P 331742-56-4P  
331742-57-5P 331742-58-6P 331742-59-7P  
331742-60-0P 331742-61-1P 331742-62-2P  
331742-63-3P 331742-64-4P 331742-65-5P

331742-66-6P 331742-67-7P 331742-68-8P  
331742-69-9P 331742-70-2P 331742-71-3P  
331742-72-4P 331742-73-5P 331742-74-6P  
331742-75-7P 331742-76-8P 331742-77-9P  
331742-78-0P 331742-79-1P 331742-80-4P  
331742-81-5P 331742-82-6P 331742-83-7P  
331742-84-8P 331742-85-9P 331742-86-0P  
331742-87-1P 331742-88-2P 331742-89-3P  
331742-90-6P 331742-91-7P 331742-92-8P  
331742-93-9P 331742-94-0P 331742-95-1P  
331742-96-2P 331742-97-3P 331742-98-4P  
331742-99-5P 331743-00-1P 331743-02-3P  
331743-04-5P 331743-05-6P 331743-06-7P  
331743-07-8P 331743-08-9P 331743-09-0P  
331743-10-3P 331743-11-4P 331743-12-5P  
331743-13-6P 331743-14-7P 331743-15-8P  
331743-16-9P 331743-17-0P 331743-18-1P  
331743-19-2P 331743-20-5P 331743-21-6P  
331743-22-7P 331743-23-8P 331743-24-9P  
331743-25-0P 331743-26-1P 331743-27-2P  
331743-28-3P 331743-29-4P 331743-30-7P  
331743-31-8P 331743-32-9P 331743-33-0P  
331743-34-1P 331743-35-2P 331743-36-3P  
331743-37-4P 331743-38-5P 331743-39-6P  
331743-40-9P 331743-41-0P 331743-42-1P  
331743-43-2P 331743-44-3P 331743-45-4P  
331743-46-5P 331743-47-6P 331743-48-7P  
331743-49-8P 331743-50-1P 331743-51-2P  
331743-52-3P 331743-53-4P 331743-54-5P  
331743-55-6P 331743-56-7P 331743-57-8P  
331743-58-9P 331743-59-0P 331743-60-3P  
331743-61-4P 331743-62-5P 331743-63-6P  
331743-64-7P 331743-65-8P 331743-66-9P  
331743-67-0P 331743-68-1P 331743-69-2P  
331743-70-5P 331743-71-6P 331743-72-7P  
331743-73-8P 331743-74-9P 331743-75-0P  
331743-76-1P 331743-77-2P 331743-78-3P  
331743-79-4P 331743-80-7P 331743-81-8P  
331743-82-9P 331743-83-0P 331743-84-1P  
331743-85-2P 331743-86-3P 331743-87-4P  
331743-88-5P 331743-89-6P 331743-90-9P  
331743-91-0P 331743-92-1P 331743-93-2P  
331743-94-3P 331743-95-4P 331743-96-5P  
331743-97-6P 331743-98-7P 331743-99-8P  
331744-00-4P 331744-01-5P 331744-02-6P  
331744-03-7P 331744-04-8P 331744-05-9P  
331744-06-0P 331744-07-1P 331744-08-2P  
331744-09-3P 331744-10-6P 331744-11-7P  
331744-12-8P 331744-13-9P 331744-14-0P  
331744-15-1P 331744-16-2P 331744-17-3P  
331744-18-4P 331744-19-5P 331744-20-8P  
331744-21-9P 331744-22-0P 331744-25-3P  
331744-26-4P 331744-27-5P 331744-28-6P  
331744-30-0P 331744-31-1P 331744-32-2P  
331744-33-3P 331744-34-4P 331744-35-5P  
331744-36-6P 331744-37-7P 331744-38-8P  
331744-39-9P 331744-40-2P 331744-41-3P  
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331744-42-4P 331744-43-5P 331744-44-6P  
331744-45-7P 331744-46-8P 331744-47-9P  
331744-48-0P 331744-49-1P 331744-50-4P  
331744-51-5P 331744-52-6P 331744-53-7P  
331744-54-8P 331744-55-9P 331744-56-0P  
331744-57-1P 331744-58-2P 331744-59-3P  
331744-60-6P 331744-61-7P 331744-62-8P  
331744-63-9P 331744-64-0P 331744-65-1P  
331744-66-2P 331744-67-3P 331744-68-4P  
331744-69-5P 331744-70-8P 331744-72-0P  
331744-73-1P 331744-74-2P 331744-75-3P  
331744-76-4P 331744-77-5P 331744-78-6P  
331744-79-7P 331744-80-0P 331744-81-1P  
331744-82-2P 331744-83-3P 331744-84-4P  
331744-87-7P 331744-88-8P 331744-89-9P  
331744-90-2P 331744-91-3P 331744-94-6P  
331744-95-7P 331744-96-8P 331744-97-9P  
331744-98-0P 331744-99-1P 331745-00-7P  
331745-01-8P 331745-02-9P 331745-03-0P  
331745-04-1P 331745-05-2P 331745-06-3P  
331745-07-4P 331745-08-5P 331745-09-6P  
331745-10-9P 331745-11-0P 331745-12-1P  
331745-13-2P 331745-14-3P 331745-15-4P  
331745-16-5P 331745-17-6P 331745-18-7P  
331745-19-8P 331745-20-1P 331745-21-2P  
331745-22-3P 331745-23-4P 331745-24-5P  
331745-25-6P 331745-26-7P 331745-33-6P  
331745-34-7P 331745-35-8P 331745-41-6P  
331745-42-7P 331745-43-8P 331745-44-9P  
331745-45-0P 331745-46-1P 331745-47-2P  
331745-49-4P 331745-60-9P 331745-69-8P  
331746-91-9P 331746-92-0P 331746-93-1P  
331746-95-3P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331746-63-5 331746-64-6 331746-65-7  
331746-66-8 331746-68-0 331746-69-1  
331746-70-4 331746-71-5 331746-74-8  
331746-75-9 331746-76-0 331746-83-9  
331746-88-4 331746-89-5

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331745-61-0P 331745-62-1P 331745-63-2P  
331745-64-3P 331745-65-4P 331745-66-5P  
331745-67-6P 331745-68-7P 331745-71-2P  
331745-72-3P 331745-73-4P 331745-75-6P  
331745-76-7P 331745-77-8P 331745-88-1P  
331745-89-2P 331745-93-8P 331745-95-0P  
331746-04-4P 331746-06-6P 331746-07-7P  
331746-10-2P 331746-12-4P 331746-13-5P  
331746-14-6P 331746-16-8P 331746-21-5P  
331746-22-6P 331746-26-0P 331746-30-6P  
331746-32-8P 331746-37-3P 331746-38-4P  
331746-43-1P 331746-44-2P 331746-45-3P

331746-47-5P 331746-48-6P 331746-52-2P

331746-53-3P 331746-54-4P 331746-62-4P

331746-67-9P 331746-79-3P 331746-94-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=&gt; d bib abs hitstr l41 tot

L41 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2001:179723 HCAPLUS

DN 134:222524

TI Preparation of 4-[[[(carboxyalkyl)amino]methyl]benzoates and analogs as guanylate cyclase stimulators

IN Alonso-Alija, Cristina; Heil, Markus; Flubacher, Dietmar; Naab, Paul; Pernerstorfer, Josef; Stasch, Johannes-Peter; Wunder, Frank; Dembowski, Klaus; Perzborn, Elisabeth; Stahl, Elke

PA Bayer AG, Germany

SO Ger. Offen., 80 pp.


CODEN: GWXXBX

DT Patent

LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
PI	DE 19943635	A1	20010315	DE 1999-19943635	19990913	<--
	WO 2001019780	A2	20010322	WO 2000-EP8469	20000831	<--
	WO 2001019780	A3	20010907			
	W:		AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:		GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
	BR 2000014179	A	20020521	BR 2000-14179	20000831	<--
	EP 1216225	A2	20020626	EP 2000-958516	20000831	<--
	R:		AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL			
	TR 200200649	T2	20020722	TR 2002-200200649	20000831	<--
	JP 2003509401	T2	20030311	JP 2001-523361	20000831	<--
	EE 200200130	A	20030415	EE 2002-130	20000831	<--
	AU 767750	B2	20031120	AU 2000-70009	20000831	<--
	AU 2000070009	A5	20010417			
	ZA 2002001299	A	20030311	ZA 2002-1299	20020215	<--
	BG 106494	A	20030331	BG 2002-106494	20020307	<--
	NO 2002001226	A	20020503	NO 2002-1226	20020312	<--
PRAI	DE 1999-19943635	A	19990913			<--
	WO 2000-EP8469	W	20000831			
OS	MARPAT 134:222524					
GI						




AB Title compds., e.g., RZOZCH<sub>2</sub>CH<sub>2</sub>N(Z<sub>1</sub>R<sub>1</sub>)CH<sub>2</sub>Z<sub>2</sub>R<sub>2</sub> [R = N-attached heterocyclyl, (hetero)aryl, etc.; R<sub>1</sub>,R<sub>2</sub> = CO<sub>2</sub>H, alkoxy-carbonyl, CONH<sub>2</sub>, etc.; Z = bond, alk(en)ylene, etc.; Z<sub>1</sub> = (un)interrupted alk(en)ylene, etc.; Z<sub>2</sub>,Z<sub>3</sub> = (un)substituted phenylene] were prepared. Thus, 2-(MeO)C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub> was reductively alkylated by 4-(OHC)C<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>Me and the product N-alkylated by Br(CH<sub>2</sub>)<sub>4</sub>CO<sub>2</sub>Me to give, in 2 addnl. steps, title compound I. Data for biol. activity of title compds. were given.

IT **329773-88-8P 329773-99-1P 329774-05-2P**

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(preparation of 4-[[[(carboxyalkyl)amino]methyl]benzoates and analogs as guanylate cyclase stimulators)


RN 329773-88-8 HCAPLUS

CN Benzoic acid, 4-[[[(5-methoxy-5-oxopentyl)[2-[2-[(2-phenyl-4-thiazolyl)methoxy]phenyl]ethyl]amino]methyl]-, methyl ester (9CI) (CA INDEX NAME)




RN 329773-99-1 HCAPLUS

CN Benzoic acid, 4-[[[(4-carboxybutyl)[2-[2-[(2-phenyl-4-thiazolyl)methoxy]phenyl]ethyl]amino]methyl]- (9CI) (CA INDEX NAME)



COC(=O)c1ccc(cc1)CN(CCCOC2=CC=CC=C2)C3=CN=C(C=C3)c4ccc(Cl)cc4

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9638415	A1	19961205	WO 1996-JP1380	19960524 <--
	W: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK				
	RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML				
	JP 08325263	A2	19961210	JP 1995-133460	19950531 <--
	AU 9657791	A1	19961218	AU 1996-57791	19960524 <--
PRAI	JP 1995-133460		19950531 <--		
	WO 1996-JP1380		19960524 <--		
OS	MARPAT 126:89361				
GI					



Searched by Noble Jarrell 272-2556

aralkyl, alkanoyl, benzoyl, etc.; R4 = H, nitro, etc.; m = 0 - 2] are prepared. The title compds. at 10 mg/kg gave 32 to 54% decrease of blood glucose in diabetic mice.


IT 185679-52-1P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(preparation of (oxazolyl)alkoxyphenylpropionic acid derivs. as hypoglycemics and hypolipemics)

RN 185679-52-1 HCAPLUS

CN Glycine, N-[(2S)-3-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-2-[(trifluoroacetyl)aminopropyl]-, ethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.



=> d bib abs hitstr 162 tot

L62 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2002:502825 HCAPLUS

DN 137:63237

TI Preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compounds as antidiabetic and antiobesity agents

IN **Cheng, Peter T.; Devasthale, Pratik; Jeon, Yoon; Chen, Sean; Zhang, Hao**

PA **Bristol-Myers Squibb** Company, USA

SO U.S., 190 pp., Cont.-in-part of U.S. Ser. No. 664,598.  
CODEN: USXXAM

DT Patent


LA English

FAN.CNT 2


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 6414002	B1	20020702	US 2001-812960	20010320
	US 2003069275	A1	20030410	US 2002-80965	20020222
	US 2003087935	A1	20030508	US 2002-81075	20020222
	US 6727271	B2	20040427		
	US 2003096846	A1	20030522	US 2002-80981	20020222
	US 6653314	B2	20031125		
PRAI	US 1999-155400P	P	19990922		
	US 2000-664598	A2	20000918		
	US 2001-812960	A3	20010320		
OS	MARPAT 137:63237				
GI					

*Effect*

*Species*



I



II

AB Title compds. I [wherein Q = C, N; A = O, S; B = (CH<sub>2</sub>)<sub>x</sub>; Z = O, bond; X = CH, N; R<sub>1</sub> = H, alkyl; R<sub>2</sub> = H, alkyl, alkoxy, halo, amino; R<sub>3</sub> = H, alkyl, aralkyl, aryloxy, carbonyl, alkoxy, carbonyl, aryl, carbonyl, aryl, heteroaryl, hydroxyalkyl, aryloxy, arylalkyl, etc.; R<sub>2a</sub>, R<sub>2b</sub>, R<sub>2c</sub> = H, alkyl, alkoxy, halo, amino; Y = CO<sub>2</sub>R<sub>4</sub>, 1-tetrazolyl, PO(OR<sub>4a</sub>)R<sub>5</sub>; R<sub>4</sub> = H, alkyl, prodrug or ester; R<sub>4a</sub> = H, prodrug ester; R<sub>5</sub> = alkyl, aryl; x = 1-4; m, n = 1, 2] were prepared as modulators of blood glucose levels, triglyceride levels, insulin levels, and non-esterified fatty acid levels (no data). For example, 4-hydroxybenzaldehyde, 5-methyl-2-phenyloxazole-4-ethanol, Ph<sub>3</sub>P, and DEAD were stirred in THF at 0.degree.-room temperature to give 4-(5-methyl-2-phenyloxazole-4-ethyl)benzaldehyde (65%). Addition of N-benzylglycine Et ester and NaBH(OAc)<sub>3</sub> in 1,2-dichloroethane afforded the benzylamine derivative (55%), which was stirred with aqueous NaOH in MeOH for

14 h

to give the title compound II (71%). I are useful for the treatment of diabetes, especially Type II diabetes, as well as hyperglycemia, hyperinsulinemia, hyperlipidemia, obesity, atherosclerosis, and related diseases (no data).


IT **331745-63-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331745-63-2 HCAPLUS

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)





RE.CNT 24 THERE ARE 24 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT



L62 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2004 ACS on STN  
 AN 2001:228872 HCAPLUS  
 DN 134:266299  
 TI Preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compounds as antidiabetic and antiobesity agents.  
 IN **Cheng, Peter T. W.; Devasthale, Pratik; Jeon, Yoon T.; Chen, Sean; Zhang, Hao**  
 PA **Bristol-Myers Squibb** Company, USA  
 SO PCT Int. Appl., 362 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2001021602	A1	20010329	WO 2000-US25710	20000919
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
	EP 1218361	A1	20020703	EP 2000-965172	20000919
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL			
	BR 2000014189	A	20020820	BR 2000-14189	20000919
	TR 200200732	T2	20021021	TR 2002-200200732	20000919
	JP 2003509503	T2	20030311	JP 2001-524981	20000919
	ZA 2002000937	A	20030502	ZA 2002-937	20020201
	NO 2002001408	A	20020514	NO 2002-1408	20020321
PRAI	US 1999-155400P	P	19990922		
	WO 2000-US25710	W	20000919		
OS	MARPAT 134:266299				
GI					




AB Title compds. [I; Q = C, N; A = O, S; B = (CH<sub>2</sub>)<sub>x</sub>; Z = O, bond; X = CH, N; R<sub>1</sub> = H, alkyl; R<sub>2</sub> = H, alkyl, alkoxy, halo, amino; R<sub>3</sub> = H, alkyl, aralkyl, aryloxy, carbonyl, alkoxy, carbonyl, aryl, carbonyl, alkyl, carbonyl, aryl, heteroaryl, hydroxyalkyl, aryloxy, arylalkyl, etc.; R<sub>2a</sub>, R<sub>2b</sub>, R<sub>2c</sub> = H, alkyl, alkoxy, halo, amino; Y = CO<sub>2</sub>R<sub>4</sub>, 1-tetrazolyl, PO(OR<sub>4a</sub>)R<sub>5</sub>; R<sub>4</sub> = H, alkyl, prodrug or ester; R<sub>4a</sub> = H, prodrug ester; R<sub>5</sub> = alkyl, aryl; x = 1-4; m, n = 1, 2], were prepared as modulators of blood glucose levels, triglyceride levels, insulin levels, and non-esterified fatty acid levels (no data). Thus, 4-hydroxybenzaldehyde, 5-methyl-2-phenyloxazole-4-ethanol, Ph<sub>3</sub>P, and DEAD were stirred in THF at 0.degree.-room temperature to give 65% 4-(5-methyl-2-phenyloxazole-4-ethyl)benzaldehyde. This was stirred 12 h with N-benzylglycine Et ester and NaBH(OAc)<sub>3</sub> in 1,2-dichloroethane to give 55% benzylamine derivative, which was stirred 14 h with aqueous NaOH in MeOH to give 71% title compound (II).

IT **331745-63-2P**  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331745-63-2 HCAPLUS

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)



RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> b uspatall

FILE 'USPATFULL' ENTERED AT 15:04:42 ON 13 JUL 2004

CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 15:04:42 ON 13 JUL 2004

CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

=> d bib abs fhitrn hitrn 152 tot

L52 ANSWER 1 OF 7 USPATFULL on STN

AN 2003:141004 USPATFULL

TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method

IN **Cheng, Peter T.**, Princeton, NJ, UNITED STATES  
**Devasthale, Pratik**, Plainsboro, NJ, UNITED STATES  
**Jeon, Yoon**, Belle Mead, NJ, UNITED STATES  
**Chen, Sean**, Princeton, NJ, UNITED STATES  
**Zhang, Hao**, Belle Mead, NJ, UNITED STATES

PI US 2003096846 A1 20030522

US 6653314 B2 20031125

AI US 2002-80981 A1 20020222 (10)

RLI Continuation of Ser. No. US 2001-812960, filed on 20 Mar 2001, GRANTED,

Pat. No. US 6414002 Continuation-in-part of Ser. No. US 2000-664598,  
 filed on 18 Sep 2000, PENDING  
 PRAI US 1999-155400P 19990922 (60)  
 DT Utility  
 FS APPLICATION  
 LREP STEPHEN B. DAVIS, BRISTOL-MYERS SQUIBB COMPANY, PATENT DEPARTMENT, P O  
 BOX 4000, PRINCETON, NJ, 08543-4000  
 CLMN Number of Claims: 54  
 ECL Exemplary Claim: 1  
 DRWN No Drawings  
 LN.CNT 5718  
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.  
 AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and  
 R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n  
 are as defined herein, which compounds are useful as antidiabetic,  
 hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331739-69-6P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
 compds. as antidiabetic and antiobesity agents)

RN 331739-69-6 USPATFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
 (9CI) (CA INDEX NAME)



IT 331739-69-6P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
 compds. as antidiabetic and antiobesity agents)

IT 331739-67-4P 331739-68-5P 331739-70-9P

331739-71-0P 331739-72-1P 331739-73-2P

331739-74-3P 331739-75-4P 331739-76-5P

331739-77-6P 331739-78-7P 331739-79-8P

331739-80-1P 331739-81-2P 331739-82-3P

331739-83-4P 331739-84-5P 331739-85-6P

331739-86-7P 331739-87-8P 331739-88-9P

331739-89-0P 331739-90-3P 331739-91-4P

331739-92-5P 331739-93-6P 331739-94-7P

331739-95-8P 331739-96-9P 331739-97-0P

331739-98-1P 331739-99-2P 331740-00-2P

331740-01-3P 331740-02-4P 331740-03-5P

331740-04-6P 331740-05-7P 331740-06-8P

331740-07-9P 331740-08-0P 331740-09-1P

331740-10-4P 331740-11-5P 331740-12-6P

331740-13-7P 331740-14-8P 331740-15-9P

331740-16-0P 331740-17-1P 331740-18-2P

331740-19-3P 331740-20-6P 331740-21-7P

331740-22-8P 331740-23-9P 331740-24-0P

331740-25-1P 331740-26-2P 331740-27-3P

331740-28-4P 331740-29-5P 331740-30-8P

331740-31-9P 331740-32-0P 331740-33-1P  
331740-34-2P 331740-35-3P 331740-36-4P  
331740-37-5P 331740-38-6P 331740-39-7P  
331740-40-0P 331740-41-1P 331740-42-2P  
331740-43-3P 331740-44-4P 331740-45-5P  
331740-46-6P 331740-47-7P 331740-48-8P  
331740-49-9P 331740-50-2P 331740-51-3P  
331740-52-4P 331740-53-5P 331740-54-6P  
331740-55-7P 331740-56-8P 331740-57-9P  
331740-58-0P 331740-59-1P 331740-60-4P  
331740-61-5P 331740-62-6P 331740-63-7P  
331740-64-8P 331740-65-9P 331740-66-0P  
331740-67-1P 331740-68-2P 331740-69-3P  
331740-70-6P 331740-71-7P 331740-72-8P  
331740-73-9P 331740-74-0P 331740-75-1P  
331740-76-2P 331740-77-3P 331740-78-4P  
331740-79-5P 331740-80-8P 331740-81-9P  
331740-82-0P 331740-83-1P 331740-84-2P  
331740-85-3P 331740-86-4P 331740-87-5P  
331740-88-6P 331740-89-7P 331740-90-0P  
331740-91-1P 331740-92-2P 331740-93-3P  
331740-94-4P 331740-95-5P 331740-96-6P  
331740-97-7P 331740-98-8P 331740-99-9P  
331741-00-5P 331741-01-6P 331741-02-7P  
331741-03-8P 331741-04-9P 331741-05-0P  
331741-06-1P 331741-07-2P 331741-08-3P  
331741-09-4P 331741-10-7P 331741-11-8P  
331741-12-9P 331741-13-0P 331741-14-1P  
331741-15-2P 331741-16-3P 331741-17-4P  
331741-18-5P 331741-19-6P 331741-20-9P  
331741-21-0P 331741-22-1P 331741-23-2P  
331741-24-3P 331741-25-4P 331741-26-5P  
331741-27-6P 331741-28-7P 331741-29-8P  
331741-30-1P 331741-31-2P 331741-32-3P  
331741-33-4P 331741-34-5P 331741-35-6P  
331741-36-7P 331741-37-8P 331741-38-9P  
331741-39-0P 331741-40-3P 331741-41-4P  
331741-42-5P 331741-43-6P 331741-44-7P  
331741-45-8P 331741-46-9P 331741-47-0P  
331741-48-1P 331741-49-2P 331741-50-5P  
331741-51-6P 331741-52-7P 331741-53-8P  
331741-54-9P 331741-55-0P 331741-56-1P  
331741-57-2P 331741-58-3P 331741-59-4P  
331741-60-7P 331741-61-8P 331741-63-0P  
331741-64-1P 331741-65-2P 331741-66-3P  
331741-67-4P 331741-68-5P 331741-69-6P  
331741-70-9P 331741-71-0P 331741-72-1P  
331741-73-2P 331741-74-3P 331741-75-4P  
331741-76-5P 331741-77-6P 331741-78-7P  
331741-79-8P 331741-80-1P 331741-81-2P  
331741-82-3P 331741-83-4P 331741-84-5P  
331741-85-6P 331741-86-7P 331741-87-8P  
331741-88-9P 331741-89-0P 331741-90-3P  
331741-91-4P 331741-92-5P 331741-93-6P  
331741-94-7P 331741-95-8P 331741-96-9P  
331741-97-0P 331741-98-1P 331741-99-2P  
331742-00-8P 331742-01-9P 331742-02-0P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
compds. as antidiabetic and antiobesity agents)

IT 331742-03-1P 331742-04-2P 331742-05-3P

331742-06-4P 331742-07-5P 331742-08-6P  
331742-09-7P 331742-10-0P 331742-11-1P  
331742-12-2P 331742-13-3P 331742-14-4P  
331742-15-5P 331742-16-6P 331742-17-7P  
331742-18-8P 331742-19-9P 331742-20-2P  
331742-21-3P 331742-22-4P 331742-23-5P  
331742-24-6P 331742-25-7P 331742-26-8P  
331742-27-9P 331742-28-0P 331742-29-1P  
331742-30-4P 331742-31-5P 331742-32-6P  
331742-33-7P 331742-34-8P 331742-35-9P  
331742-36-0P 331742-37-1P 331742-38-2P  
331742-39-3P 331742-40-6P 331742-41-7P  
331742-42-8P 331742-43-9P 331742-44-0P  
331742-45-1P 331742-46-2P 331742-47-3P  
331742-48-4P 331742-49-5P 331742-50-8P  
331742-51-9P 331742-52-0P 331742-53-1P  
331742-54-2P 331742-55-3P 331742-56-4P  
331742-57-5P 331742-58-6P 331742-59-7P  
331742-60-0P 331742-61-1P 331742-62-2P  
331742-63-3P 331742-64-4P 331742-65-5P  
331742-66-6P 331742-67-7P 331742-68-8P  
331742-69-9P 331742-70-2P 331742-71-3P  
331742-72-4P 331742-73-5P 331742-74-6P  
331742-75-7P 331742-76-8P 331742-77-9P  
331742-78-0P 331742-79-1P 331742-80-4P  
331742-81-5P 331742-82-6P 331742-83-7P  
331742-84-8P 331742-85-9P 331742-86-0P  
331742-87-1P 331742-88-2P 331742-89-3P  
331742-90-6P 331742-91-7P 331742-92-8P  
331742-93-9P 331742-94-0P 331742-95-1P  
331742-96-2P 331742-97-3P 331742-98-4P  
331742-99-5P 331743-00-1P 331743-02-3P  
331743-04-5P 331743-05-6P 331743-06-7P  
331743-07-8P 331743-08-9P 331743-09-0P  
331743-10-3P 331743-11-4P 331743-12-5P  
331743-13-6P 331743-14-7P 331743-15-8P  
331743-16-9P 331743-17-0P 331743-18-1P  
331743-19-2P 331743-20-5P 331743-21-6P  
331743-22-7P 331743-23-8P 331743-24-9P  
331743-25-0P 331743-26-1P 331743-27-2P  
331743-28-3P 331743-29-4P 331743-30-7P  
331743-31-8P 331743-32-9P 331743-33-0P  
331743-34-1P 331743-35-2P 331743-36-3P  
331743-37-4P 331743-38-5P 331743-39-6P  
331743-40-9P 331743-41-0P 331743-42-1P  
331743-43-2P 331743-44-3P 331743-45-4P  
331743-46-5P 331743-47-6P 331743-48-7P  
331743-49-8P 331743-50-1P 331743-51-2P  
331743-52-3P 331743-53-4P 331743-54-5P  
331743-55-6P 331743-56-7P 331743-57-8P  
331743-58-9P 331743-59-0P 331743-60-3P  
331743-61-4P 331743-62-5P 331743-63-6P  
331743-64-7P 331743-65-8P 331743-66-9P  
331743-67-0P 331743-68-1P 331743-69-2P  
331743-70-5P 331743-71-6P 331743-72-7P  
331743-73-8P 331743-74-9P 331743-75-0P  
331743-76-1P 331743-77-2P 331743-78-3P  
331743-79-4P 331743-80-7P 331743-81-8P  
331743-82-9P 331743-83-0P 331743-84-1P  
331743-85-2P 331743-86-3P 331743-87-4P

331743-88-5P 331743-89-6P 331743-90-9P  
331743-91-0P 331743-92-1P 331743-93-2P  
331743-94-3P 331743-95-4P 331743-96-5P  
331743-97-6P 331743-98-7P 331743-99-8P  
331744-00-4P 331744-01-5P 331744-02-6P  
331744-03-7P 331744-04-8P 331744-05-9P  
331744-06-0P 331744-07-1P 331744-08-2P  
331744-09-3P 331744-10-6P 331744-11-7P  
331744-12-8P 331744-13-9P 331744-14-0P  
331744-15-1P 331744-16-2P 331744-17-3P  
331744-18-4P 331744-19-5P 331744-20-8P  
331744-21-9P 331744-22-0P 331744-25-3P  
331744-26-4P 331744-27-5P 331744-28-6P  
331744-30-0P 331744-31-1P 331744-32-2P  
331744-33-3P 331744-34-4P 331744-35-5P  
331744-36-6P 331744-37-7P 331744-38-8P  
331744-39-9P 331744-40-2P 331744-41-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
compds. as antidiabetic and antiobesity agents)

IT 331744-42-4P 331744-43-5P 331744-44-6P  
331744-45-7P 331744-46-8P 331744-47-9P  
331744-48-0P 331744-49-1P 331744-50-4P  
331744-51-5P 331744-52-6P 331744-53-7P  
331744-54-8P 331744-55-9P 331744-56-0P  
331744-57-1P 331744-58-2P 331744-59-3P  
331744-60-6P 331744-61-7P 331744-62-8P  
331744-63-9P 331744-64-0P 331744-65-1P  
331744-66-2P 331744-67-3P 331744-68-4P  
331744-69-5P 331744-70-8P 331744-72-0P  
331744-73-1P 331744-74-2P 331744-75-3P  
331744-76-4P 331744-77-5P 331744-78-6P  
331744-79-7P 331744-80-0P 331744-81-1P  
331744-82-2P 331744-83-3P 331744-84-4P  
331744-87-7P 331744-88-8P 331744-89-9P  
331744-90-2P 331744-91-3P 331744-94-6P  
331744-95-7P 331744-96-8P 331744-97-9P  
331744-98-0P 331744-99-1P 331745-00-7P  
331745-01-8P 331745-02-9P 331745-03-0P  
331745-04-1P 331745-05-2P 331745-06-3P  
331745-07-4P 331745-08-5P 331745-09-6P  
331745-10-9P 331745-11-0P 331745-12-1P  
331745-13-2P 331745-14-3P 331745-15-4P  
331745-16-5P 331745-17-6P 331745-18-7P  
331745-19-8P 331745-20-1P 331745-21-2P  
331745-22-3P 331745-23-4P 331745-24-5P  
331745-25-6P 331745-26-7P 331745-33-6P  
331745-34-7P 331745-35-8P 331745-41-6P  
331745-42-7P 331745-43-8P 331745-44-9P  
331745-45-0P 331745-46-1P 331745-47-2P  
331745-49-4P 331745-60-9P 331745-69-8P  
331746-91-9P 331746-92-0P 331746-93-1P  
331746-95-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
compds. as antidiabetic and antiobesity agents)

IT 331746-63-5 331746-64-6 331746-65-7  
331746-66-8 331746-68-0 331746-69-1  
331746-70-4 331746-71-5 331746-74-8  
331746-75-9 331746-76-0 331746-83-9  
331746-88-4 331746-89-5

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related


comps. as antidiabetic and antiobesity agents)  
IT 331745-61-0P 331745-62-1P 331745-63-2P  
331745-64-3P 331745-65-4P 331745-66-5P  
331745-67-6P 331745-68-7P 331745-71-2P  
331745-72-3P 331745-73-4P 331745-75-6P  
331745-76-7P 331745-77-8P 331745-88-1P  
331745-89-2P 331745-93-8P 331745-95-0P  
331746-04-4P 331746-06-6P 331746-07-7P  
331746-10-2P 331746-12-4P 331746-13-5P  
331746-14-6P 331746-16-8P 331746-21-5P  
331746-22-6P 331746-26-0P 331746-30-6P  
331746-32-8P 331746-37-3P 331746-38-4P  
331746-43-1P 331746-44-2P 331746-45-3P  
331746-47-5P 331746-48-6P 331746-52-2P  
331746-53-3P 331746-54-4P 331746-62-4P  
331746-67-9P 331746-79-3P 331746-94-2P  
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
comps. as antidiabetic and antiobesity agents)

L52 ANSWER 2 OF 7 USPATFULL on STN  
AN 2003:134608 USPATFULL  
TI Conformationally constrained analogs useful as antidiabetic and  
antiobesity agents and method  
IN **Cheng, Peter T.**, Princeton, NJ, UNITED STATES  
**Jeon, Yoon**, Belle Mead, NJ, UNITED STATES  
Wang, Wei, Princeton, NJ, UNITED STATES  
PI US 2003092697 A1 20030515  
AI US 2002-153342 A1 20020522 (10)  
PRAI US 2001-294505P 20010530 (60)  
DT Utility  
FS APPLICATION  
LREP Stephen B. Davis, Bristol-Myers Squibb Company, Patent Department, P.O.  
Box 4000, Princeton, NJ, 08543-4000  
CLMN Number of Claims: 34  
ECL Exemplary Claim: 1  
DRWN No Drawings  
LN.CNT 2127  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.  
AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, X.sub.1 is C or N, and R.sup.1, R.sup.2, R.sup.2a,  
R.sup.2b, R.sup.2c, R.sup.3, Y, A, m, n, X.sub.2, X.sub.3 and X.sub.4  
are as defined herein, which compounds are useful as antidiabetic,  
hypolipidemic, and antiobesity agents.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 477719-54-3P  
(preparation of oxazolethoxyphenylprolines and related comps. as  
antidiabetic and antiobesity agents)  
RN 477719-54-3 USPATFULL  
CN 4-Pentenoic acid, 2-[[[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl]-3-butenyl]amino]-, (2S)- (9CI) (CA INDEX NAME)  
Absolute stereochemistry.



IT 477719-54-3P 477719-55-4P

(preparation of oxazolyloxyphenylprolines and related compds. as antidiabetic and antiobesity agents)

L52 ANSWER 3 OF 7 USPATFULL on STN

AN 2003:127720 USPATFULL

TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method

IN **Cheng, Peter T.**, Princeton, NJ, UNITED STATES

**Devasthale, Pratik**, Plainsboro, NJ, UNITED STATES

**Jeon, Yoon**, Belle Mead, NJ, UNITED STATES

**Chen, Sean**, Princeton, NJ, UNITED STATES

**Zhang, Hao**, Belle Mead, NJ, UNITED STATES

PI US 2003087935 A1 20030508

US 6727271 B2 20040427

AI US 2002-81075 A1 20020222 (10)

RLI Division of Ser. No. US 2001-812960, filed on 20 Mar 2001, PENDING  
Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000,  
PENDING

PRAI US 1999-155400P 19990922 (60)

DT Utility

FS APPLICATION

LREP Stephen B. Davis, Bristol-Myers Squibb Company, Patent Department, P.O.  
Box 4000, Princeton, NJ, 08543-4000

CLMN Number of Claims: 54

ECL Exemplary Claim: 1

DRWN No Drawings

LN.CNT 5712

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n are as defined herein, which compounds are useful as antidiabetic, hypolipidemic, and antiobesity agents.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.


IT 331739-69-6P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331739-69-6 USPATFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
(9CI) (CA INDEX NAME)





IT 331739-69-6P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
compds. as antidiabetic and antiobesity agents)

IT 331739-67-4P 331739-68-5P 331739-70-9P  
 331739-71-0P 331739-72-1P 331739-73-2P  
 331739-74-3P 331739-75-4P 331739-76-5P  
 331739-77-6P 331739-78-7P 331739-79-8P  
 331739-80-1P 331739-81-2P 331739-82-3P  
 331739-83-4P 331739-84-5P 331739-85-6P  
 331739-86-7P 331739-87-8P 331739-88-9P  
 331739-89-0P 331739-90-3P 331739-91-4P  
 331739-92-5P 331739-93-6P 331739-94-7P  
 331739-95-8P 331739-96-9P 331739-97-0P  
 331739-98-1P 331739-99-2P 331740-00-2P  
 331740-01-3P 331740-02-4P 331740-03-5P  
 331740-04-6P 331740-05-7P 331740-06-8P  
 331740-07-9P 331740-08-0P 331740-09-1P  
 331740-10-4P 331740-11-5P 331740-12-6P  
 331740-13-7P 331740-14-8P 331740-15-9P  
 331740-16-0P 331740-17-1P 331740-18-2P  
 331740-19-3P 331740-20-6P 331740-21-7P  
 331740-22-8P 331740-23-9P 331740-24-0P  
 331740-25-1P 331740-26-2P 331740-27-3P  
 331740-28-4P 331740-29-5P 331740-30-8P  
 331740-31-9P 331740-32-0P 331740-33-1P  
 331740-34-2P 331740-35-3P 331740-36-4P  
 331740-37-5P 331740-38-6P 331740-39-7P  
 331740-40-0P 331740-41-1P 331740-42-2P  
 331740-43-3P 331740-44-4P 331740-45-5P  
 331740-46-6P 331740-47-7P 331740-48-8P  
 331740-49-9P 331740-50-2P 331740-51-3P  
 331740-52-4P 331740-53-5P 331740-54-6P  
 331740-55-7P 331740-56-8P 331740-57-9P  
 331740-58-0P 331740-59-1P 331740-60-4P  
 331740-61-5P 331740-62-6P 331740-63-7P  
 331740-64-8P 331740-65-9P 331740-66-0P  
 331740-67-1P 331740-68-2P 331740-69-3P  
 331740-70-6P 331740-71-7P 331740-72-8P  
 331740-73-9P 331740-74-0P 331740-75-1P  
 331740-76-2P 331740-77-3P 331740-78-4P  
 331740-79-5P 331740-80-8P 331740-81-9P  
 331740-82-0P 331740-83-1P 331740-84-2P  
 331740-85-3P 331740-86-4P 331740-87-5P  
 331740-88-6P 331740-89-7P 331740-90-0P  
 331740-91-1P 331740-92-2P 331740-93-3P  
 331740-94-4P 331740-95-5P 331740-96-6P  
 331740-97-7P 331740-98-8P 331740-99-9P  
 331741-00-5P 331741-01-6P 331741-02-7P  
 331741-03-8P 331741-04-9P 331741-05-0P  
 331741-06-1P 331741-07-2P 331741-08-3P  
 331741-09-4P 331741-10-7P 331741-11-8P

331741-12-9P 331741-13-0P 331741-14-1P  
331741-15-2P 331741-16-3P 331741-17-4P  
331741-18-5P 331741-19-6P 331741-20-9P  
331741-21-0P 331741-22-1P 331741-23-2P  
331741-24-3P 331741-25-4P 331741-26-5P  
331741-27-6P 331741-28-7P 331741-29-8P  
331741-30-1P 331741-31-2P 331741-32-3P  
331741-33-4P 331741-34-5P 331741-35-6P  
331741-36-7P 331741-37-8P 331741-38-9P  
331741-39-0P 331741-40-3P 331741-41-4P  
331741-42-5P 331741-43-6P 331741-44-7P  
331741-45-8P 331741-46-9P 331741-47-0P  
331741-48-1P 331741-49-2P 331741-50-5P  
331741-51-6P 331741-52-7P 331741-53-8P  
331741-54-9P 331741-55-0P 331741-56-1P  
331741-57-2P 331741-58-3P 331741-59-4P  
331741-60-7P 331741-61-8P 331741-63-0P  
331741-64-1P 331741-65-2P 331741-66-3P  
331741-67-4P 331741-68-5P 331741-69-6P  
331741-70-9P 331741-71-0P 331741-72-1P  
331741-73-2P 331741-74-3P 331741-75-4P  
331741-76-5P 331741-77-6P 331741-78-7P  
331741-79-8P 331741-80-1P 331741-81-2P  
331741-82-3P 331741-83-4P 331741-84-5P  
331741-85-6P 331741-86-7P 331741-87-8P  
331741-88-9P 331741-89-0P 331741-90-3P  
331741-91-4P 331741-92-5P 331741-93-6P  
331741-94-7P 331741-95-8P 331741-96-9P  
331741-97-0P 331741-98-1P 331741-99-2P  
331742-00-8P 331742-01-9P 331742-02-0P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
comps. as antidiabetic and antiobesity agents)

IT 331742-03-1P 331742-04-2P 331742-05-3P  
331742-06-4P 331742-07-5P 331742-08-6P  
331742-09-7P 331742-10-0P 331742-11-1P  
331742-12-2P 331742-13-3P 331742-14-4P  
331742-15-5P 331742-16-6P 331742-17-7P  
331742-18-8P 331742-19-9P 331742-20-2P  
331742-21-3P 331742-22-4P 331742-23-5P  
331742-24-6P 331742-25-7P 331742-26-8P  
331742-27-9P 331742-28-0P 331742-29-1P  
331742-30-4P 331742-31-5P 331742-32-6P  
331742-33-7P 331742-34-8P 331742-35-9P  
331742-36-0P 331742-37-1P 331742-38-2P  
331742-39-3P 331742-40-6P 331742-41-7P  
331742-42-8P 331742-43-9P 331742-44-0P  
331742-45-1P 331742-46-2P 331742-47-3P  
331742-48-4P 331742-49-5P 331742-50-8P  
331742-51-9P 331742-52-0P 331742-53-1P  
331742-54-2P 331742-55-3P 331742-56-4P  
331742-57-5P 331742-58-6P 331742-59-7P  
331742-60-0P 331742-61-1P 331742-62-2P  
331742-63-3P 331742-64-4P 331742-65-5P  
331742-66-6P 331742-67-7P 331742-68-8P  
331742-69-9P 331742-70-2P 331742-71-3P  
331742-72-4P 331742-73-5P 331742-74-6P  
331742-75-7P 331742-76-8P 331742-77-9P  
331742-78-0P 331742-79-1P 331742-80-4P  
331742-81-5P 331742-82-6P 331742-83-7P  
331742-84-8P 331742-85-9P 331742-86-0P

331742-87-1P 331742-88-2P 331742-89-3P  
331742-90-6P 331742-91-7P 331742-92-8P  
331742-93-9P 331742-94-0P 331742-95-1P  
331742-96-2P 331742-97-3P 331742-98-4P  
331742-99-5P 331743-00-1P 331743-02-3P  
331743-04-5P 331743-05-6P 331743-06-7P  
331743-07-8P 331743-08-9P 331743-09-0P  
331743-10-3P 331743-11-4P 331743-12-5P  
331743-13-6P 331743-14-7P 331743-15-8P  
331743-16-9P 331743-17-0P 331743-18-1P  
331743-19-2P 331743-20-5P 331743-21-6P  
331743-22-7P 331743-23-8P 331743-24-9P  
331743-25-0P 331743-26-1P 331743-27-2P  
331743-28-3P 331743-29-4P 331743-30-7P  
331743-31-8P 331743-32-9P 331743-33-0P  
331743-34-1P 331743-35-2P 331743-36-3P  
331743-37-4P 331743-38-5P 331743-39-6P  
331743-40-9P 331743-41-0P 331743-42-1P  
331743-43-2P 331743-44-3P 331743-45-4P  
331743-46-5P 331743-47-6P 331743-48-7P  
331743-49-8P 331743-50-1P 331743-51-2P  
331743-52-3P 331743-53-4P 331743-54-5P  
331743-55-6P 331743-56-7P 331743-57-8P  
331743-58-9P 331743-59-0P 331743-60-3P  
331743-61-4P 331743-62-5P 331743-63-6P  
331743-64-7P 331743-65-8P 331743-66-9P  
331743-67-0P 331743-68-1P 331743-69-2P  
331743-70-5P 331743-71-6P 331743-72-7P  
331743-73-8P 331743-74-9P 331743-75-0P  
331743-76-1P 331743-77-2P 331743-78-3P  
331743-79-4P 331743-80-7P 331743-81-8P  
331743-82-9P 331743-83-0P 331743-84-1P  
331743-85-2P 331743-86-3P 331743-87-4P  
331743-88-5P 331743-89-6P 331743-90-9P  
331743-91-0P 331743-92-1P 331743-93-2P  
331743-94-3P 331743-95-4P 331743-96-5P  
331743-97-6P 331743-98-7P 331743-99-8P  
331744-00-4P 331744-01-5P 331744-02-6P  
331744-03-7P 331744-04-8P 331744-05-9P  
331744-06-0P 331744-07-1P 331744-08-2P  
331744-09-3P 331744-10-6P 331744-11-7P  
331744-12-8P 331744-13-9P 331744-14-0P  
331744-15-1P 331744-16-2P 331744-17-3P  
331744-18-4P 331744-19-5P 331744-20-8P  
331744-21-9P 331744-22-0P 331744-25-3P  
331744-26-4P 331744-27-5P 331744-28-6P  
331744-30-0P 331744-31-1P 331744-32-2P  
331744-33-3P 331744-34-4P 331744-35-5P  
331744-36-6P 331744-37-7P 331744-38-8P  
331744-39-9P 331744-40-2P 331744-41-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
compds. as antidiabetic and antiobesity agents)

IT 331744-42-4P 331744-43-5P 331744-44-6P  
331744-45-7P 331744-46-8P 331744-47-9P  
331744-48-0P 331744-49-1P 331744-50-4P  
331744-51-5P 331744-52-6P 331744-53-7P  
331744-54-8P 331744-55-9P 331744-56-0P  
331744-57-1P 331744-58-2P 331744-59-3P  
331744-60-6P 331744-61-7P 331744-62-8P  
331744-63-9P 331744-64-0P 331744-65-1P

331744-66-2P 331744-67-3P 331744-68-4P  
 331744-69-5P 331744-70-8P 331744-72-0P  
 331744-73-1P 331744-74-2P 331744-75-3P  
 331744-76-4P 331744-77-5P 331744-78-6P  
 331744-79-7P 331744-80-0P 331744-81-1P  
 331744-82-2P 331744-83-3P 331744-84-4P  
 331744-87-7P 331744-88-8P 331744-89-9P  
 331744-90-2P 331744-91-3P 331744-94-6P  
 331744-95-7P 331744-96-8P 331744-97-9P  
 331744-98-0P 331744-99-1P 331745-00-7P  
 331745-01-8P 331745-02-9P 331745-03-0P  
 331745-04-1P 331745-05-2P 331745-06-3P  
 331745-07-4P 331745-08-5P 331745-09-6P  
 331745-10-9P 331745-11-0P 331745-12-1P  
 331745-13-2P 331745-14-3P 331745-15-4P  
 331745-16-5P 331745-17-6P 331745-18-7P  
 331745-19-8P 331745-20-1P 331745-21-2P  
 331745-22-3P 331745-23-4P 331745-24-5P  
 331745-25-6P 331745-26-7P 331745-33-6P  
 331745-34-7P 331745-35-8P 331745-41-6P  
 331745-42-7P 331745-43-8P 331745-44-9P  
 331745-45-0P 331745-46-1P 331745-47-2P  
 331745-49-4P 331745-60-9P 331745-69-8P  
 331746-91-9P 331746-92-0P 331746-93-1P  
 331746-95-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331746-63-5 331746-64-6 331746-65-7  
 331746-66-8 331746-68-0 331746-69-1  
 331746-70-4 331746-71-5 331746-74-8  
 331746-75-9 331746-76-0 331746-83-9  
 331746-88-4 331746-89-5

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331745-61-0P 331745-62-1P 331745-63-2P  
 331745-64-3P 331745-65-4P 331745-66-5P  
 331745-67-6P 331745-68-7P 331745-71-2P  
 331745-72-3P 331745-73-4P 331745-75-6P  
 331745-76-7P 331745-77-8P 331745-88-1P  
 331745-89-2P 331745-93-8P 331745-95-0P  
 331746-04-4P 331746-06-6P 331746-07-7P  
 331746-10-2P 331746-12-4P 331746-13-5P  
 331746-14-6P 331746-16-8P 331746-21-5P  
 331746-22-6P 331746-26-0P 331746-30-6P  
 331746-32-8P 331746-37-3P 331746-38-4P  
 331746-43-1P 331746-44-2P 331746-45-3P  
 331746-47-5P 331746-48-6P 331746-52-2P  
 331746-53-3P 331746-54-4P 331746-62-4P  
 331746-67-9P 331746-79-3P 331746-94-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L52 ANSWER 4 OF 7 USPATFULL on STN

AN 2003:100164 USPATFULL

TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method

IN **Cheng, Peter T.**, Princeton, NJ, UNITED STATES

**Devasthale, Pratik**, Plainsboro, NJ, UNITED STATES

**Jeon, Yoon**, Belle Mead, NJ, UNITED STATES

**Chen, Sean**, Princeton, NJ, UNITED STATES

**Zhang, Hao**, Belle Mead, NJ, UNITED STATES

PI US 2003069275 A1 20030410  
 AI US 2002-80965 A1 20020222 (10)  
 RLI Division of Ser. No. US 2001-812960, filed on 20 Mar 2001, PENDING  
 Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000,  
 PENDING  
 PRAI US 1999-155400P 19990922 (60)  
 DT Utility  
 FS APPLICATION  
 LREP STEPHEN B. DAVIS, BRISTOL-MYERS SQUIBB COMPANY, PATENT DEPARTMENT, P O  
 BOX 4000, PRINCETON, NJ, 08543-4000  
 CLMN Number of Claims: 54  
 ECL Exemplary Claim: 1  
 DRWN No Drawings  
 LN.CNT 5710  
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.  
 AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and  
 R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n  
 are as defined herein, which compounds are useful as antidiabetic,  
 hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **331739-69-6P**

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
 compds. as antidiabetic and antiobesity agents)

RN 331739-69-6 USPATFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
 (9CI) (CA INDEX NAME)

IT **331739-69-6P**

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
 compds. as antidiabetic and antiobesity agents)

IT **331739-67-4P 331739-68-5P 331739-70-9P****331739-71-0P 331739-72-1P 331739-73-2P****331739-74-3P 331739-75-4P 331739-76-5P****331739-77-6P 331739-78-7P 331739-79-8P****331739-80-1P 331739-81-2P 331739-82-3P****331739-83-4P 331739-84-5P 331739-85-6P****331739-86-7P 331739-87-8P 331739-88-9P****331739-89-0P 331739-90-3P 331739-91-4P****331739-92-5P 331739-93-6P 331739-94-7P****331739-95-8P 331739-96-9P 331739-97-0P****331739-98-1P 331739-99-2P 331740-00-2P****331740-01-3P 331740-02-4P 331740-03-5P****331740-04-6P 331740-05-7P 331740-06-8P****331740-07-9P 331740-08-0P 331740-09-1P****331740-10-4P 331740-11-5P 331740-12-6P****331740-13-7P 331740-14-8P 331740-15-9P****331740-16-0P 331740-17-1P 331740-18-2P**

331740-19-3P 331740-20-6P 331740-21-7P  
331740-22-8P 331740-23-9P 331740-24-0P  
331740-25-1P 331740-26-2P 331740-27-3P  
331740-28-4P 331740-29-5P 331740-30-8P  
331740-31-9P 331740-32-0P 331740-33-1P  
331740-34-2P 331740-35-3P 331740-36-4P  
331740-37-5P 331740-38-6P 331740-39-7P  
331740-40-0P 331740-41-1P 331740-42-2P  
331740-43-3P 331740-44-4P 331740-45-5P  
331740-46-6P 331740-47-7P 331740-48-8P  
331740-49-9P 331740-50-2P 331740-51-3P  
331740-52-4P 331740-53-5P 331740-54-6P  
331740-55-7P 331740-56-8P 331740-57-9P  
331740-58-0P 331740-59-1P 331740-60-4P  
331740-61-5P 331740-62-6P 331740-63-7P  
331740-64-8P 331740-65-9P 331740-66-0P  
331740-67-1P 331740-68-2P 331740-69-3P  
331740-70-6P 331740-71-7P 331740-72-8P  
331740-73-9P 331740-74-0P 331740-75-1P  
331740-76-2P 331740-77-3P 331740-78-4P  
331740-79-5P 331740-80-8P 331740-81-9P  
331740-82-0P 331740-83-1P 331740-84-2P  
331740-85-3P 331740-86-4P 331740-87-5P  
331740-88-6P 331740-89-7P 331740-90-0P  
331740-91-1P 331740-92-2P 331740-93-3P  
331740-94-4P 331740-95-5P 331740-96-6P  
331740-97-7P 331740-98-8P 331740-99-9P  
331741-00-5P 331741-01-6P 331741-02-7P  
331741-03-8P 331741-04-9P 331741-05-0P  
331741-06-1P 331741-07-2P 331741-08-3P  
331741-09-4P 331741-10-7P 331741-11-8P  
331741-12-9P 331741-13-0P 331741-14-1P  
331741-15-2P 331741-16-3P 331741-17-4P  
331741-18-5P 331741-19-6P 331741-20-9P  
331741-21-0P 331741-22-1P 331741-23-2P  
331741-24-3P 331741-25-4P 331741-26-5P  
331741-27-6P 331741-28-7P 331741-29-8P  
331741-30-1P 331741-31-2P 331741-32-3P  
331741-33-4P 331741-34-5P 331741-35-6P  
331741-36-7P 331741-37-8P 331741-38-9P  
331741-39-0P 331741-40-3P 331741-41-4P  
331741-42-5P 331741-43-6P 331741-44-7P  
331741-45-8P 331741-46-9P 331741-47-0P  
331741-48-1P 331741-49-2P 331741-50-5P  
331741-51-6P 331741-52-7P 331741-53-8P  
331741-54-9P 331741-55-0P 331741-56-1P  
331741-57-2P 331741-58-3P 331741-59-4P  
331741-60-7P 331741-61-8P 331741-63-0P  
331741-64-1P 331741-65-2P 331741-66-3P  
331741-67-4P 331741-68-5P 331741-69-6P  
331741-70-9P 331741-71-0P 331741-72-1P  
331741-73-2P 331741-74-3P 331741-75-4P  
331741-76-5P 331741-77-6P 331741-78-7P  
331741-79-8P 331741-80-1P 331741-81-2P  
331741-82-3P 331741-83-4P 331741-84-5P  
331741-85-6P 331741-86-7P 331741-87-8P  
331741-88-9P 331741-89-0P 331741-90-3P  
331741-91-4P 331741-92-5P 331741-93-6P  
331741-94-7P 331741-95-8P 331741-96-9P  
331741-97-0P 331741-98-1P 331741-99-2P

331742-00-8P 331742-01-9P 331742-02-0P  
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
compsd. as antidiabetic and antiobesity agents)

IT 331742-03-1P 331742-04-2P 331742-05-3P  
331742-06-4P 331742-07-5P 331742-08-6P  
331742-09-7P 331742-10-0P 331742-11-1P  
331742-12-2P 331742-13-3P 331742-14-4P  
331742-15-5P 331742-16-6P 331742-17-7P  
331742-18-8P 331742-19-9P 331742-20-2P  
331742-21-3P 331742-22-4P 331742-23-5P  
331742-24-6P 331742-25-7P 331742-26-8P  
331742-27-9P 331742-28-0P 331742-29-1P  
331742-30-4P 331742-31-5P 331742-32-6P  
331742-33-7P 331742-34-8P 331742-35-9P  
331742-36-0P 331742-37-1P 331742-38-2P  
331742-39-3P 331742-40-6P 331742-41-7P  
331742-42-8P 331742-43-9P 331742-44-0P  
331742-45-1P 331742-46-2P 331742-47-3P  
331742-48-4P 331742-49-5P 331742-50-8P  
331742-51-9P 331742-52-0P 331742-53-1P  
331742-54-2P 331742-55-3P 331742-56-4P  
331742-57-5P 331742-58-6P 331742-59-7P  
331742-60-0P 331742-61-1P 331742-62-2P  
331742-63-3P 331742-64-4P 331742-65-5P  
331742-66-6P 331742-67-7P 331742-68-8P  
331742-69-9P 331742-70-2P 331742-71-3P  
331742-72-4P 331742-73-5P 331742-74-6P  
331742-75-7P 331742-76-8P 331742-77-9P  
331742-78-0P 331742-79-1P 331742-80-4P  
331742-81-5P 331742-82-6P 331742-83-7P  
331742-84-8P 331742-85-9P 331742-86-0P  
331742-87-1P 331742-88-2P 331742-89-3P  
331742-90-6P 331742-91-7P 331742-92-8P  
331742-93-9P 331742-94-0P 331742-95-1P  
331742-96-2P 331742-97-3P 331742-98-4P  
331742-99-5P 331743-00-1P 331743-02-3P  
331743-04-5P 331743-05-6P 331743-06-7P  
331743-07-8P 331743-08-9P 331743-09-0P  
331743-10-3P 331743-11-4P 331743-12-5P  
331743-13-6P 331743-14-7P 331743-15-8P  
331743-16-9P 331743-17-0P 331743-18-1P  
331743-19-2P 331743-20-5P 331743-21-6P  
331743-22-7P 331743-23-8P 331743-24-9P  
331743-25-0P 331743-26-1P 331743-27-2P  
331743-28-3P 331743-29-4P 331743-30-7P  
331743-31-8P 331743-32-9P 331743-33-0P  
331743-34-1P 331743-35-2P 331743-36-3P  
331743-37-4P 331743-38-5P 331743-39-6P  
331743-40-9P 331743-41-0P 331743-42-1P  
331743-43-2P 331743-44-3P 331743-45-4P  
331743-46-5P 331743-47-6P 331743-48-7P  
331743-49-8P 331743-50-1P 331743-51-2P  
331743-52-3P 331743-53-4P 331743-54-5P  
331743-55-6P 331743-56-7P 331743-57-8P  
331743-58-9P 331743-59-0P 331743-60-3P  
331743-61-4P 331743-62-5P 331743-63-6P  
331743-64-7P 331743-65-8P 331743-66-9P  
331743-67-0P 331743-68-1P 331743-69-2P  
331743-70-5P 331743-71-6P 331743-72-7P  
331743-73-8P 331743-74-9P 331743-75-0P

331743-76-1P 331743-77-2P 331743-78-3P  
331743-79-4P 331743-80-7P 331743-81-8P  
331743-82-9P 331743-83-0P 331743-84-1P  
331743-85-2P 331743-86-3P 331743-87-4P  
331743-88-5P 331743-89-6P 331743-90-9P  
331743-91-0P 331743-92-1P 331743-93-2P  
331743-94-3P 331743-95-4P 331743-96-5P  
331743-97-6P 331743-98-7P 331743-99-8P  
331744-00-4P 331744-01-5P 331744-02-6P  
331744-03-7P 331744-04-8P 331744-05-9P  
331744-06-0P 331744-07-1P 331744-08-2P  
331744-09-3P 331744-10-6P 331744-11-7P  
331744-12-8P 331744-13-9P 331744-14-0P  
331744-15-1P 331744-16-2P 331744-17-3P  
331744-18-4P 331744-19-5P 331744-20-8P  
331744-21-9P 331744-22-0P 331744-25-3P  
331744-26-4P 331744-27-5P 331744-28-6P  
331744-30-0P 331744-31-1P 331744-32-2P  
331744-33-3P 331744-34-4P 331744-35-5P  
331744-36-6P 331744-37-7P 331744-38-8P  
331744-39-9P 331744-40-2P 331744-41-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
comps. as antidiabetic and antiobesity agents)

IT 331744-42-4P 331744-43-5P 331744-44-6P  
331744-45-7P 331744-46-8P 331744-47-9P  
331744-48-0P 331744-49-1P 331744-50-4P  
331744-51-5P 331744-52-6P 331744-53-7P  
331744-54-8P 331744-55-9P 331744-56-0P  
331744-57-1P 331744-58-2P 331744-59-3P  
331744-60-6P 331744-61-7P 331744-62-8P  
331744-63-9P 331744-64-0P 331744-65-1P  
331744-66-2P 331744-67-3P 331744-68-4P  
331744-69-5P 331744-70-8P 331744-72-0P  
331744-73-1P 331744-74-2P 331744-75-3P  
331744-76-4P 331744-77-5P 331744-78-6P  
331744-79-7P 331744-80-0P 331744-81-1P  
331744-82-2P 331744-83-3P 331744-84-4P  
331744-87-7P 331744-88-8P 331744-89-9P  
331744-90-2P 331744-91-3P 331744-94-6P  
331744-95-7P 331744-96-8P 331744-97-9P  
331744-98-0P 331744-99-1P 331745-00-7P  
331745-01-8P 331745-02-9P 331745-03-0P  
331745-04-1P 331745-05-2P 331745-06-3P  
331745-07-4P 331745-08-5P 331745-09-6P  
331745-10-9P 331745-11-0P 331745-12-1P  
331745-13-2P 331745-14-3P 331745-15-4P  
331745-16-5P 331745-17-6P 331745-18-7P  
331745-19-8P 331745-20-1P 331745-21-2P  
331745-22-3P 331745-23-4P 331745-24-5P  
331745-25-6P 331745-26-7P 331745-33-6P  
331745-34-7P 331745-35-8P 331745-41-6P  
331745-42-7P 331745-43-8P 331745-44-9P  
331745-45-0P 331745-46-1P 331745-47-2P  
331745-49-4P 331745-60-9P 331745-69-8P  
331746-91-9P 331746-92-0P 331746-93-1P  
331746-95-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
comps. as antidiabetic and antiobesity agents)

IT 331746-63-5 331746-64-6 331746-65-7  
331746-66-8 331746-68-0 331746-69-1



331746-70-4 331746-71-5 331746-74-8  
331746-75-9 331746-76-0 331746-83-9  
331746-88-4 331746-89-5

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
compds. as antidiabetic and antiobesity agents)

IT 331745-61-0P 331745-62-1P 331745-63-2P  
331745-64-3P 331745-65-4P 331745-66-5P  
331745-67-6P 331745-68-7P 331745-71-2P  
331745-72-3P 331745-73-4P 331745-75-6P  
331745-76-7P 331745-77-8P 331745-88-1P  
331745-89-2P 331745-93-8P 331745-95-0P  
331746-04-4P 331746-06-6P 331746-07-7P  
331746-10-2P 331746-12-4P 331746-13-5P  
331746-14-6P 331746-16-8P 331746-21-5P  
331746-22-6P 331746-26-0P 331746-30-6P  
331746-32-8P 331746-37-3P 331746-38-4P  
331746-43-1P 331746-44-2P 331746-45-3P  
331746-47-5P 331746-48-6P 331746-52-2P  
331746-53-3P 331746-54-4P 331746-62-4P  
331746-67-9P 331746-79-3P 331746-94-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
compds. as antidiabetic and antiobesity agents)

L52 ANSWER 5 OF 7 USPATFULL on STN

AN 2002:160755 USPATFULL

TI Substituted acid derivatives useful as antidiabetic and antiobesity  
agents and method

IN **Cheng, Peter T.**, Princeton, NJ, United States  
**Devasthale, Pratik**, Plainsboro, NJ, United States  
**Jeon, Yoon**, Belle Mead, NJ, United States  
**Chen, Sean**, Princeton, NJ, United States  
**Zhang, Hao**, Belle Mead, NJ, United States

PA **Bristol-Myers Squibb** Company, Princeton,  
NJ, United States (U.S. corporation)

PI US 6414002 B1 20020702

AI US 2001-812960 20010320 (9)

RLI Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000

PRAI US 1999-155400P 19990922 (60)

DT Utility

FS GRANTED

EXNAM Primary Examiner: Higel, Floyd D.; Assistant Examiner: Sackey, Ebenezer

LREP Burton Rodney

CLMN Number of Claims: 30

ECL Exemplary Claim: 1

DRWN 0 Drawing Figure(s); 0 Drawing Page(s)

LN.CNT 5133

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and  
R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n  
are as defined herein, which compounds are useful as antidiabetic,  
hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **331739-69-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl]methyl]-

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
compds. as antidiabetic and antiobesity agents)

RN 331739-69-6 USPATFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-(9CI) (CA INDEX NAME)



IT **331739-69-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331739-67-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylmethyl)- **331739-68-5P**, Glycine, N,N-bis[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-70-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-2-propynyl- **331739-71-0P**, Glycine, N-2-benzoxazolyl-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-72-1P**, Glycine, N-2-benzoxazolyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-73-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331739-74-3P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylmethyl)- **331739-75-4P**, Glycine, N-[[3-(4-chlorophenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-76-5P**, Glycine, N-[[5-(4-chlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-77-6P**, Glycine, N-[[4-(3-fluorophenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-78-7P**, Glycine, N-[[4-(3-methylphenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-79-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(3-pyridinyl)phenyl]methyl]- **331739-80-1P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylmethyl)- **331739-81-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-phenylethyl)- **331739-82-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(3-phenylpropyl)- **331739-83-4P**, Glycine, N-[[3-(3,4-dichlorophenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-84-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenoxyphenyl)methyl]- **331739-85-6P**, Glycine, N-[[1,1'-biphenyl]-4-ylmethyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-86-7P**, Glycine, N-[[5-(2-chlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-87-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-[3-(trifluoromethyl)phenoxy]phenyl]methyl]- **331739-88-9P**, Glycine, N-[[3-(4-methylphenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-89-0P**, Glycine, N-[[3-(4-methoxyphenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331739-90-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-[(1E)-2-phenylethenyl]phenyl]methyl]- **331739-91-4P**, Glycine,

N-[[4-[(2-chloro-6-fluorophenyl)methoxy]phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331739-92-5P, Glycine, N-[(2E)-3,7-dimethyl-2,6-octadienyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331739-93-6P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenyl]methyl]- 331739-94-7P, Glycine, N-[[4-[4-(1,1-dimethylethyl)-2-thiazolyl]phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331739-95-8P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-phenoxy-2-thienyl]methyl]- 331739-96-9P, Glycine, N-[(2Z)-3-(2-furanyl)-2-propenyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331739-97-0P, Glycine, N-[(4-fluorophenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331739-98-1P, Glycine, N-[[2-[(4-chlorophenyl)thio]phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331739-99-2P, Glycine, N-[[3-(3,5-dimethoxyphenoxy)phenyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331740-00-2P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(1-naphthalenylmethyl)- 331740-01-3P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylmethyl)- 331740-02-4P, Glycine, N-(1H-indol-2-ylmethyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331740-03-5P, Glycine, N-[(3-benzoyl-2,4-dichlorophenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331740-04-6P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-[2-(trifluoromethyl)phenyl]-2-furanyl]methyl]- 331740-05-7P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(3-nitrophenyl)-2-furanyl]methyl]- 331740-06-8P, Glycine, N-[[5-[2-chloro-5-(trifluoromethyl)phenyl]-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331740-07-9P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-[3-(trifluoromethyl)phenyl]-2-furanyl]methyl]- 331740-08-0P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(2-nitrophenyl)-2-furanyl]methyl]- 331740-09-1P, 1H-Pyrrol-2-carboxylic acid, 5-[[[(carboxymethyl)[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]amino]methyl]-4-ethyl-3-methyl-, 2-(phenylmethyl) ester 331740-10-4P, Glycine, N-[[5-(4-bromophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331740-11-5P, Glycine, N-[[5-(3-chlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331740-12-6P, Glycine, N-[[5-(1,3-dioxolan-2-yl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331740-13-7P, Glycine, N-[[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-1H-indol-3-yl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331740-14-8P, Glycine, N-[[5-(2,4-dichlorophenyl)-2-furanyl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331740-15-9P, Glycine, N-[[4-(2,6-difluorobenzoyl)-1-methyl-1H-pyrrol-2-yl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331740-16-0P, Glycine, N-[(4-benzoyl-1-methyl-1H-pyrrol-2-yl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331740-17-1P, Glycine, N-[(2,2'-bithiophen)-5-ylmethyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331740-18-2P, Glycine, N-[[5-bromo-3,4-dimethylthieno[2,3-b]thien-2-yl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- 331740-19-3P, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(phenylethynyl)-2-thienyl]methyl]- 331740-20-6P, Glycine,

N-[[4-(2,4-dichlorobenzoyl)-1-methyl-1H-pyrrol-2-yl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-21-7P**, Glycine, N-[[1-(4-chlorophenyl)-1H-pyrrol-2-yl]methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-22-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylethynyl)-2-thienyl]methyl]- **331740-23-9P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-nitro-4-phenoxyphenyl)methyl]- **331740-24-0P**, Glycine, N-[(3-methyl-4-phenoxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-25-1P**, Glycine, N-[(3-chloro-4-phenoxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-26-2P**, Glycine, N-[(2-chloro-4-phenoxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-27-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-nitro-3-phenoxyphenyl)methyl]- **331740-28-4P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-nitro-5-phenoxyphenyl)methyl]- **331740-29-5P**, Glycine, N-[(5-chloro-3-methyl-1-phenyl-1H-pyrazol-4-yl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-30-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-[1-methyl-5-(trifluoromethyl)-1H-pyrazol-3-yl]-2-thienyl]methyl]- **331740-31-9P**, Glycine, N-[(6-methoxy-2-naphthalenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-32-0P**, Glycine, N-[(4-methoxy-1-naphthalenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-33-1P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-[2-nitro-4-(trifluoromethyl)phenyl]-2-furanyl]methyl]- **331740-34-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(2-pyridinyl)phenyl]methyl]- **331740-35-3P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-(phenylmethyl)phenyl]methyl]- **331740-36-4P**, Glycine, N-heptyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-37-5P**, Glycine, N-[(1,1'-biphenyl)-4-ylmethyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-38-6P**, Glycine, N-[(2-hydroxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-39-7P**, Glycine, N-[[5-(2-chlorophenyl)-2-furanyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-40-0P**, Glycine, N-[(3,5-dimethoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-41-1P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenoxyphenyl)methyl]- **331740-42-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331740-43-3P**, Glycine, N-[[3-(4-chlorophenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-44-4P**, Glycine, N-[[3-(3,5-dichlorophenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-45-5P**, Glycine, N-[[3-(4-methylphenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-46-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-[(1E)-2-phenylethenyl]phenyl]methyl]- **331740-47-7P**, Glycine, N-[[4-[(2-chloro-6-fluorophenyl)methoxy]phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-48-8P**, Glycine, N-[(3-benzoyl-2,4-dichlorophenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-49-9P**, Glycine, N-[[3-[4-(1,1-dimethylethyl)phenoxy]phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-50-2P**, Glycine,

N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenyl]methyl]- **331740-51-3P**, Glycine,  
N-[[4-[4-(1,1-dimethylethyl)-2-thiazolyl]phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-52-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-phenoxyphenyl]methyl]- **331740-53-5P**, Glycine,  
N-[[4-(3-methoxyphenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-54-6P**, Glycine,  
N-[[4-(4-bromophenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-55-7P**, Glycine,  
N-[[4-(4-chlorophenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-56-8P**, Glycine,  
N-[[4-(4-methylphenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-57-9P**, Glycine,  
N-[[4-(4-methoxyphenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-58-0P**, Glycine,  
N-[[4-(2-chlorophenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-59-1P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-[4-(trifluoromethyl)phenoxy]phenyl]methyl]- **331740-60-4P**, Glycine,  
N-[[4-(3,5-dichlorophenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-61-5P**, Glycine,  
N-[[4-(4-fluorophenoxy)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-62-6P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(3-thienyloxy)phenyl]methyl]- **331740-63-7P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-[4-(methylthio)phenoxy]phenyl]methyl]- **331740-64-8P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-phenoxy-2-thienyl]methyl]- **331740-65-9P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-[3-(trifluoromethyl)phenoxy]phenyl]methyl]- **331740-66-0P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(3-nitrophenoxy)phenyl]methyl]- **331740-67-1P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylamino)phenyl]methyl]- **331740-68-2P**, Glycine,  
N-[[4-(1H-imidazol-1-yl)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-69-3P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(4-pyridinyl)phenyl]methyl]- **331740-70-6P**, Glycine,  
N-[[4'-(aminocarbonyl)[1,1'-biphenyl]-4-yl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-71-7P**, Glycine,  
N-[[3',5'-dichloro[1,1'-biphenyl]-4-yl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-72-8P**, Glycine,  
N-[[3'-methoxy[1,1'-biphenyl]-4-yl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-73-9P**, Glycine,  
N-[[3',4'-difluoro[1,1'-biphenyl]-4-yl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-74-0P**, Glycine,  
N-[[3'-fluoro[1,1'-biphenyl]-4-yl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-75-1P**, Glycine,  
N-[[4-(3-furanyl)phenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-76-2P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(2-thienyl)phenyl]methyl]- **331740-77-3P**, Glycine,  
N-[[3-methoxy-4-phenoxyphenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-78-4P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-nitro-4-phenoxyphenyl]methyl]- **331740-79-5P**, Glycine,  
N-[[3-methyl-4-phenoxyphenyl]methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-80-8P**, Glycine,

N-[(3-chloro-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-81-9P**, Glycine,  
 N-[(2-methoxy-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-82-0P**, Glycine,  
 N-[(2-chloro-4-phenoxyphenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-83-1P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-nitro-3-phenoxyphenyl)methyl]- **331740-84-2P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-nitro-5-phenoxyphenyl)methyl]- **331740-85-3P**, Glycine,  
 N-[(6-methoxy-2-naphthalenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-86-4P**, Glycine,  
 N-[(4-methoxy-1-naphthalenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-87-5P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(2-pyrimidinyl)phenyl]methyl]- **331740-88-6P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(5-pyrimidinyl)phenyl]methyl]- **331740-89-7P**, Glycine,  
 N-(1H-indol-2-yl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-90-0P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(1R)-1-phenylethyl]- **331740-91-1P**, D-Alanine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-92-2P**,  
 D-Phenylalanine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331740-93-3P**, D-Alanine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331740-94-4P**, D-Phenylalanine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331740-95-5P**, L-Phenylalanine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331740-96-6P**, D-Valine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331740-97-7P**, Acetic acid,  
 (2,2-dimethylpropoxy)[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl][(4-phenoxyphenyl)methyl]amino]-, (2R)-  
**331740-98-8P**, D-Serine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]-  
**331740-99-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]-  
**331741-00-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]-  
**331741-01-6P**, Glycine, N-[(2-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-02-7P**,  
 Glycine, N-[(3,5-dichlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-03-8P**, Glycine,  
 N-[[3-(methoxyphenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-04-9P**, Glycine,  
 N-[[4-(difluoromethoxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-05-0P**, Glycine,  
 N-[[4-(difluoromethoxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-06-1P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenoxy]carbonyl]- **331741-07-2P**, Glycine,  
 N-[[4-(hydroxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-08-3P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenoxy)carbonyl]- **331741-09-4P**, Glycine, N-[(4-chloro-3-fluorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-10-7P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-

phenoxyphenyl)methoxy]carbonyl]- **331741-11-8P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-propynyloxy)carbonyl]- **331741-12-9P**, Glycine,  
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-13-0P**  
 , Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-14-1P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-nitrophenoxy)carbonyl]- **331741-15-2P**, Glycine,  
 N-[(9H-fluoren-9-ylmethoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-16-3P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-nitrophenyl)methoxy]carbonyl]- **331741-17-4P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-nitrophenoxy)carbonyl]- **331741-18-5P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenoxy)carbonyl]- **331741-19-6P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-phenoxyphenyl)methoxy]carbonyl]- **331741-20-9P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-phenoxyphenyl)methoxy]carbonyl]- **331741-21-0P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenoxyphenoxy)carbonyl]- **331741-22-1P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyphenoxy)carbonyl]- **331741-23-2P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyethoxy)carbonyl]- **331741-24-3P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2E)-3-phenyl-2-propenyl]oxy]carbonyl]- **331741-25-4P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-phenyl-2-propynyl]oxy]carbonyl]- **331741-26-5P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenylethoxy)carbonyl]- **331741-27-6P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenylpropoxy)carbonyl]- **331741-28-7P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2Z)-3-phenyl-2-propenyl]oxy]carbonyl]- **331741-29-8P**, Glycine,  
 N-[(4-fluoro-3-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-30-1P**, Glycine,  
 N-[(3-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-31-2P**, Glycine,  
 N-[(3,4-dimethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-32-3P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3,4,5-trimethoxyphenoxy)carbonyl]- **331741-33-4P**, Glycine,  
 N-[[3-methoxyphenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-34-5P**, Glycine,  
 N-[[4-methoxyphenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-35-6P**, Glycine,  
 N-[(1,3-benzodioxol-5-ylmethoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-36-7P**, Glycine,  
 N-[(1,3-benzodioxol-5-yloxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-37-8P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenoxy]carbonyl]- **331741-38-9P**, Glycine,  
 N-[[4-methoxy-1-naphthalenyl]oxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-39-0P**, Glycine,  
 N-[(2,3-dimethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-40-3P**, Benzoic acid,  
 4-[[[(carboxymethyl)][3-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl]amino]carbonyl]oxy]-, 1-methyl ester  
**331741-41-4P**, Glycine, N-[(4-bromo-3-methylphenoxy)carbonyl]-N-  
[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-  
**331741-42-5P**, Glycine, N-[[4-(1,3-dithiolan-2-  
yl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-43-6P**, Glycine,  
N-[(4-chloro-3-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-44-7P**, Glycine,  
N-[(4-fluorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-45-8P**, Glycine,  
N-[(4-chlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-46-9P**, Glycine,  
N-[(4-bromophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-47-0P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[3-  
(trifluoromethoxy)phenoxy]carbonyl]- **331741-48-1P**, Glycine,  
N-[(3-fluorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-49-2P**, Glycine,  
N-[(3-chlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-50-5P**, Glycine,  
N-[(3-bromophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-51-6P**, Glycine,  
N-[[3-(acetyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-52-7P**, Glycine,  
N-[(4-acetylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-53-8P**, Glycine,  
N-[(3-acetylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-54-9P**, Glycine,  
N-[[2,3-dihydro-3-oxo-6-benzofuranyl]oxy]carbonyl]-N-[[3-[2-(5-methyl-2-  
phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331741-55-0P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[4-(1,2,3-  
thiadiazol-4-yl)phenoxy]carbonyl]- **331741-56-1P**, Glycine,  
N-[(3-hydroxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-57-2P**, Glycine,  
N-[(3-methylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-58-3P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3,4,5-  
trimethylphenoxy)carbonyl]- **331741-59-4P**, Glycine,  
N-[(4-ethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-60-7P**, Glycine,  
N-[(3-ethoxy-4-methoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-61-8P**, Glycine,  
N-[(4-cyclopentylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-63-0P**, Glycine,  
N-[(4-ethenylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-64-1P**, Glycine,  
N-[[4-(3-methylbutyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-65-2P**, Glycine,  
N-[(4-butylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-66-3P**, Glycine,  
N-[(4-hexylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-67-4P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[3-(4-  
morpholinyl)phenoxy]carbonyl]- **331741-68-5P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[5,6,7,8-  
tetrahydro-2-naphthalenyl]oxy]carbonyl]- **331741-69-6P**, Glycine,  
N-[[3-(1,1-dimethylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-70-9P**, Glycine,  
N-[[3-(1-methylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
oxazolyl)ethoxy]phenyl)methyl]- **331741-71-0P**, Glycine,



N-[(3,4-dimethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-72-1P**, Glycine,  
 N-[(3,5-dimethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331741-73-2P**, Glycine, N-[(3-ethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-74-3P**, Glycine, N-[[4-(1,1-dimethylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-75-4P**, Glycine, N-[[4-(1-methylethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-76-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethyl)phenoxy]carbonyl]- **331741-77-6P**, Glycine, N-[(4-ethylphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-78-7P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-propylphenoxy)carbonyl]- **331741-79-8P**, Glycine, N-[[2,3-dihydro-1H-inden-5-yl]oxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-80-1P**, Glycine, N-[(3-ethoxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-81-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-pentylphenoxy)carbonyl]- **331741-82-3P**, Glycine, N-[[4-fluoro-3-(trifluoromethyl)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-83-4P**, Glycine, N-[[3-(fluorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-84-5P**, Glycine, N-[[3-(chlorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-85-6P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethoxy)phenyl]methoxy]carbonyl]- **331741-86-7P**, Glycine, N-[[4-(fluorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-87-8P**, Glycine, N-[[4-(chlorophenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-88-9P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenyl]methoxy]carbonyl]- **331741-89-0P**, Glycine, N-[[3-(5-dimethoxyphenyl)methoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-90-3P**, Glycine, N-[[3-(acetyloxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-91-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-phenoxyphenyl]methoxy]carbonyl]- **331741-92-5P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-propynyloxy)carbonyl]- **331741-93-6P**, Glycine, N-[(4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-94-7P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331741-95-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-nitrophenoxy)carbonyl]- **331741-96-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenoxy)carbonyl]- **331741-97-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(nitrophenyl)methoxy]carbonyl]- **331741-98-1P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-nitrophenoxy)carbonyl]- **331741-99-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenoxy)carbonyl]- **331742-00-8P**, Glycine,

N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[2-phenoxyphenyl)methoxy]carbonyl]- **331742-01-9P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-phenoxyphenyl)methoxy]carbonyl]- **331742-02-0P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenoxyphenoxy)carbonyl]- **331742-03-1P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyphenoxy)carbonyl]- **331742-04-2P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenoxyethoxy)carbonyl]- **331742-05-3P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2E)-3-phenyl-2-propenyl]oxy]carbonyl]- **331742-06-4P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(3-phenyl-2-propynyl)oxy]carbonyl]- **331742-07-5P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-phenylethoxy)carbonyl]- **331742-08-6P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-phenylpropoxy)carbonyl]- **331742-09-7P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(2Z)-3-phenyl-2-propenyl]oxy]carbonyl]- **331742-10-0P**, Glycine,  
 N-[(2-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-11-1P**, Glycine,  
 N-[(3-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-12-2P**, Glycine,  
 N-[(3,4-dimethoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-13-3P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3,4,5-trimethoxyphenoxy)carbonyl]- **331742-14-4P**, Glycine,  
 N-[(3-acetylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-15-5P**, Glycine,  
 N-[[4-(methoxyphenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-16-6P**, Glycine,  
 N-[(1,3-benzodioxol-5-ylmethoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-17-7P**, Glycine,  
 N-[(1,3-benzodioxol-5-yloxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-18-8P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenoxy]carbonyl]- **331742-19-9P**, Glycine,  
 N-[[4-(methoxy-1-naphthalenyl)oxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-20-2P**, Glycine,  
 N-[(2,3-dimethoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-21-3P**, Benzoic acid,  
 4-[[[(carboxymethyl)[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]amino]carbonyl]oxy]-, 1-methyl ester **331742-22-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenoxy]carbonyl]- **331742-23-5P**, Glycine, N-[(4-hydroxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-24-6P**, Glycine, N-[(4-bromo-3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-25-7P**, Glycine,  
 N-[(4-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-26-8P**, Glycine,  
 N-[(4-chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-27-9P**, Glycine,  
 N-[(4-bromophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-28-0P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethoxy)phenoxy]carbonyl]- **331742-29-1P**, Glycine,  
 N-[(3-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-30-4P**, Glycine,

N-[(3-chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-31-5P**, Glycine,  
N-[(3-bromophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-32-6P**, Glycine,  
N-[(3,5-difluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-33-7P**, Glycine,  
N-[(3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-34-8P**, Glycine,  
N-[(3-chloro-4-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-35-9P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3,4,5-trimethylphenoxy)carbonyl]- **331742-36-0P**, Glycine,  
N-[(4-chloro-3,5-dimethylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-37-1P**, Glycine,  
N-[(3,4-difluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-38-2P**, Glycine,  
N-[(4-ethenylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-39-3P**, Glycine,  
N-[(4-fluoro-3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-40-6P**, Glycine,  
N-[(4-chloro-3-fluorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-41-7P**, Glycine,  
N-[[3-methyl-4-(methylthio)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-42-8P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(1H-pyrrol-1-yl)phenoxy]carbonyl]- **331742-43-9P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(5,6,7,8-tetrahydro-2-naphthalenyl)oxy]carbonyl]- **331742-44-0P**, Glycine,  
N-[[[1,1'-biphenyl]-3-yloxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-45-1P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethyl)phenoxy]carbonyl]- **331742-46-2P**, Glycine,  
N-[[3-(1,1-dimethylethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-47-3P**, Glycine,  
N-[[3-(1-methylethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-48-4P**, Glycine,  
N-[(3,4-dimethylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-49-5P**, Glycine,  
N-[(3,5-dimethylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-50-8P**, Glycine,  
N-[(3-ethylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-51-9P**, Glycine,  
N-[(4-chloro-3-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-52-0P**, Glycine,  
N-[[4-(1-methylethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-53-1P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethyl)phenoxy]carbonyl]- **331742-54-2P**, Glycine,  
N-[(4-ethylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-55-3P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-propylphenoxy)carbonyl]- **331742-56-4P**, Glycine,  
N-[[[2,3-dihydro-1H-inden-5-yl]oxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-57-5P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2-naphthalenyloxy)carbonyl]- **331742-58-6P**, Glycine,  
N-[(3-ethoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-59-7P**, Glycine,  
N-[(3,5-dichlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-60-0P**, Glycine,

N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(1,2,3-thiadiazol-4-yl)phenoxy]carbonyl]- **331742-61-1P**, Glycine,  
N-[[4-fluoro-3-(trifluoromethyl)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-62-2P**, Glycine,  
N-[(3-methoxy-5-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-63-3P**, Glycine,  
N-[[3-(3-fluorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-64-4P**, Glycine,  
N-[[3-(3-chlorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-65-5P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethoxy)phenyl]methoxy]carbonyl]- **331742-66-6P**, Glycine, N-[[4-(4-fluorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-67-7P**, Glycine,  
N-[[4-(4-chlorophenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-68-8P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenyl]methoxy]carbonyl]- **331742-69-9P**, Glycine, N-[[3-(3,5-dimethoxyphenyl)methoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-70-2P**, Glycine,  
N-[[3-(3-(difluoromethoxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-71-3P**, Glycine,  
N-[[3-(3-(difluoromethoxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-72-4P**, Glycine,  
N-[(3-hydroxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-73-5P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenoxythioxomethyl)- **331742-74-6P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenoxythioxomethyl)- **331742-75-7P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(4-phenoxybenzoyl)- **331742-76-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylcarbonyl)- **331742-77-9P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-thienylcarbonyl)- **331742-78-0P**, Glycine, N-(3,5-dimethoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-79-1P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(1-naphthalenylcarbonyl)- **331742-80-4P**, Glycine,  
N-(3,4-difluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-81-5P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(3-phenoxybenzoyl)- **331742-82-6P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[4-(phenylmethyl)benzoyl]- **331742-83-7P**, Glycine, N-(3,5-dimethylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-84-8P**, Glycine, N-([2,2'-bithiophen]-5-ylcarbonyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-85-9P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(5-methyl-2-thienyl)carbonyl]- **331742-86-0P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(5-nitro-2-thienyl)carbonyl]- **331742-87-1P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-methyl-2-thienyl)carbonyl]- **331742-88-2P**, Glycine,  
N-(4-butoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-89-3P**, Glycine,  
N-(4-methoxy-3-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-90-6P**, Glycine,  
N-(3-chloro-4-methoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-91-7P**, Glycine,

N-(3,4-dimethylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-92-8P**, Glycine,  
 N-(4-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-93-9P**, Glycine,  
 N-(3-fluoro-4-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-94-0P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[4-(methylthio)benzoyl]- **331742-95-1P**, Glycine,  
 N-[4-(1-methylethyl)benzoyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-96-2P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[4-(2-methylpropyl)benzoyl]- **331742-97-3P**, Glycine,  
 N-(4-chloro-3-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-98-4P**, Glycine,  
 N-(3-methoxy-4-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331742-99-5P**, Glycine,  
 N-(1,3-benzodioxol-5-ylcarbonyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-00-1P**, Glycine,  
 N-[4-(1-methylethoxy)benzoyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-02-3P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(3-thienylcarbonyl)- **331743-04-5P**  
 , Glycine, N-benzoyl-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-05-6P**, Glycine,  
 N-(3-methoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-06-7P**, Glycine,  
 N-(4-fluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-07-8P**, Glycine,  
 N-(3,4-dichlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-08-9P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(4-propoxybenzoyl)- **331743-09-0P**, Glycine, N-(4-ethoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-10-3P**, Glycine, N-(3-methylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-11-4P**, Glycine,  
 N-(4-methoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-12-5P**, Glycine,  
 N-(3-chlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-13-6P**, Glycine,  
 N-(4-chlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-14-7P**, Glycine,  
 N-(4-butylbenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-15-8P**, Glycine,  
 N-(3,5-dichlorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-16-9P**, Glycine,  
 N-(3-fluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-17-0P**, Glycine,  
 N-(3-chloro-4-fluorobenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-18-1P**, Glycine,  
 N-(3-ethoxybenzoyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-19-2P**, Glycine,  
 N-[(5-chloro-2-thienyl)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-20-5P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(methylthio)-2-thienyl]carbonyl]- **331743-21-6P**, Glycine,  
 N-[(4-methylphenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-22-7P**, Glycine,  
 N-[(3-fluorophenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-23-8P**, Glycine,  
 N-[(3,5-difluorophenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-

oxazolyl)ethoxy]phenyl)methyl]- **331743-24-9P**, Glycine,  
N-(1,3-benzodioxol-5-ylacetyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-25-0P**, Glycine,  
N-[(4-ethoxyphenyl)acetyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-26-1P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-nitrophenyl)acetyl]- **331743-27-2P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-nitrophenyl)acetyl]- **331743-28-3P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(1-oxo-3-phenylpropyl)- **331743-29-4P**, Glycine, N-([1,1'-biphenyl]-2-ylcarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-30-7P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(4-phenoxybenzoyl)- **331743-31-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[2-(phenylmethyl)benzoyl]- **331743-32-9P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[3-(phenylsulfinyl)benzoyl]- **331743-33-0P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[2-[(4-methylphenyl)thio]benzoyl]- **331743-34-1P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[2-(phenylsulfinyl)benzoyl]- **331743-35-2P**, Glycine,  
N-(5-chloro-2-phenoxybenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-36-3P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(2-phenoxybenzoyl)- **331743-37-4P**, Glycine, N-([1,1'-biphenyl]-4-ylcarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-38-5P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-(3-phenoxybenzoyl)- **331743-39-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[[2-(phenoxyphenyl)acetyl]- **331743-40-9P**, Glycine,  
N-([1,1'-biphenyl]-4-ylacetyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-41-0P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[4-(phenylmethyl)benzoyl]- **331743-42-1P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[2-(1H-pyrrol-1-yl)benzoyl]- **331743-43-2P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(4-phenoxyphenyl)acetyl]- **331743-44-3P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[(3-phenoxyphenyl)acetyl]- **331743-45-4P**, Glycine,  
N-([2,2'-bithiophen]-5-ylcarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-46-5P**, Glycine,  
N-(3,4-dimethylbenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-47-6P**, Glycine,  
N-(4-chloro-3-methylbenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-48-7P**, Glycine,  
N-(3,4-difluorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-49-8P**, Glycine,  
N-(3,4-dichlorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-50-1P**, Glycine,  
N-(3-chlorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-51-2P**, Glycine,  
N-(4-chlorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-52-3P**, Glycine,  
N-(3-chloro-4-fluorobenzoyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-53-4P**, Glycine,  
N-[4-(1-methylethyl)benzoyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]- **331743-54-5P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl)methyl]-N-[4-(2-

methylpropyl)benzoyl]- **331743-55-6P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(4-  
 propoxybenzoyl)- **331743-56-7P**, Glycine, N-(4-butylbenzoyl)-N-  
 [[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-57-8P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(methylthio)-2-thienyl]carbonyl]-  
**331743-58-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl]methyl]-N-[[phenylmethyl]amino]carbonyl]-  
**331743-59-0P**, Glycine, N-[[4-methoxyphenyl]amino]carbonyl]-N-[[3-  
 [2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-60-3P**, Glycine, N-[[4-methoxyphenyl]methylamino]carbonyl]-  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-61-4P**, Glycine, N-[[[1,1'-biphenyl]-4-ylamino]carbonyl]-N-  
 [[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-62-5P**, Glycine, N-[[3,5-dimethoxyphenyl]amino]carbonyl]-N-  
 [[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-63-6P**, Glycine, N-[[3,5-dichlorophenyl]amino]carbonyl]-N-  
 [[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-64-7P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(methylthio)phenyl]amino]carbonyl]-  
**331743-65-8P**, Glycine, N-[[2,4-difluorophenyl]amino]carbonyl]-N-  
 [[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-66-9P**, Glycine, N-[[2,4-dimethoxyphenyl]amino]carbonyl]-N-  
 [[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-67-0P**, Glycine, N-[[2-methoxyphenyl]amino]carbonyl]-N-[[3-  
 [2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-68-1P**, Glycine, N-[[[1,1'-biphenyl]-4-ylamino]carbonyl]-N-  
 [[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-69-2P**, Glycine, N-[[3,5-dimethoxyphenyl]amino]carbonyl]-N-  
 [[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-70-5P**, Glycine, N-[[3,5-dichlorophenyl]amino]carbonyl]-N-  
 [[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-71-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(methylthio)phenyl]amino]carbonyl]-  
**331743-72-7P**, Glycine, N-[[2,4-difluorophenyl]amino]carbonyl]-N-  
 [[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-73-8P**, Glycine, N-[[2,4-dimethoxyphenyl]amino]carbonyl]-N-  
 [[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-74-9P**, Glycine, N-[[4-methoxyphenyl]amino]carbonyl]-N-[[4-  
 [2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-75-0P**, Glycine, N-[[2-methoxyphenyl]amino]carbonyl]-N-[[4-  
 [2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-76-1P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl]methyl]-N-(1-naphthalenylsulfonyl)-  
**331743-77-2P**, Glycine, N-[[4-fluorophenyl]methyl]sulfonyl]-N-[[3-  
 [2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
**331743-78-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl]methyl]-N-(phenylsulfonyl)- **331743-79-4P**  
 , Glycine, N-[[2,5-dichlorophenyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl]methyl]- **331743-80-7P**, Glycine,  
 N-[[4-fluorophenyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl]methyl]- **331743-81-8P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-  
 [(phenylmethyl)sulfonyl]- **331743-82-9P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[1E)-2-  
 phenylethenyl]sulfonyl]- **331743-83-0P**, Glycine,  
 N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2,2,2-  
 trifluoroethyl)sulfonyl]- **331743-84-1P**, Glycine,  
 N-[(2,5-dimethylphenyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-  
 oxazolyl)ethoxy]phenyl]methyl]-

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331743-85-2P**, Glycine, N-[(3,4-dichlorophenyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-86-3P**, Glycine, N-[(2,5-dichloro-3-thienyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-87-4P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[5-(2-pyridinylsulfonyl)-2-thienyl]sulfonyl]- **331743-88-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethyl)phenyl]methyl]sulfonyl]- **331743-89-6P**, Glycine, N-[[3-(methylphenyl)methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-90-9P**, Glycine, N-[[2-(fluorophenyl)methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-91-0P**, Glycine, N-[(4-chlorophenyl)sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-92-1P**, Glycine, N-[[3,4-dichlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-93-2P**, Glycine, N-[[2-chloro-6-fluorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-94-3P**, Glycine, N-[[4-chlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-95-4P**, Glycine, N-[[2-chlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-96-5P**, Glycine, N-[[2,4-dichlorophenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-97-6P**, Glycine, N-[[2-methylphenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331743-98-7P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenyl]methyl]sulfonyl]- **331743-99-8P**, Glycine, N-[[4-(1,1-dimethylethyl)phenyl]methyl]sulfonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-00-4P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-propylphenyl]sulfonyl]- **331744-01-5P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylsulfonyl)- **331744-02-6P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylsulfonyl)- **331744-03-7P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(2,4,6-trimethylphenyl)sulfonyl]- **331744-04-8P**, Glycine, N-[(4-chlorophenyl)sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-05-9P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethyl)sulfonyl]- **331744-06-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[1E]-2-phenylethenyl]sulfonyl]- **331744-07-1P**, Glycine, N-[(2,5-dimethylphenyl)sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-08-2P**, Glycine, N-[(3,4-dichlorophenyl)sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-09-3P**, Glycine, N-[[4-(2-chloro-6-nitrophenoxy)phenyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-10-6P**, Glycine, N-(2-dibenzofuranyl)sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-11-7P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[3-(trifluoromethyl)phenyl]methyl]sulfonyl]- **331744-12-8P**, Glycine, N-[[3-(methylphenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-13-9P**, Glycine, N-[[2-(fluorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-14-0P**, Glycine,



N-[[4-(4-fluorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-15-1P**, Glycine,  
N-[[3,4-dichlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-16-2P**, Glycine,  
N-[[2-chloro-6-fluorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-17-3P**, Glycine,  
N-[[4-chlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-18-4P**, Glycine,  
N-[[2-chlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-19-5P**, Glycine,  
N-[[2,4-dichlorophenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-20-8P**, Glycine,  
N-[[2-methylphenyl)methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-21-9P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(trifluoromethoxy)phenyl]methyl]sulfonyl]- **331744-22-0P**, Glycine, N-[[4-(1,1-dimethylethyl)phenyl]methyl]sulfonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-25-3P**, Glycine, N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-N-[[4-(phenoxyphenyl)methyl]- **331744-26-4P**, Glycine,  
N-[[5-(2-chlorophenyl)-2-furanyl]methyl]-N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-27-5P**, Glycine,  
N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-N-[(phenylmethoxy)carbonyl]- **331744-28-6P**, Glycine,  
N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-N-(phenylmethyl)- **331744-30-0P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[2-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-31-1P**, .beta.-Alanine,  
N-[(3-chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-32-2P**, .beta.-Alanine,  
N-[(3-chlorophenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-33-3P**, .beta.-Alanine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenoxy carbonyl)- **331744-34-4P**, .beta.-Alanine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331744-35-5P**, .beta.-Alanine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]- **331744-36-6P**, .beta.-Alanine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenoxy carbonyl)- **331744-37-7P**, .beta.-Alanine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331744-38-8P**, .beta.-Alanine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]- **331744-39-9P**, Glycine,  
N-[(3-cyclopropylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-40-2P**, Glycine,  
N-[[3-(cyclopropyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-41-3P**, Glycine,  
N-[[3-(cyclopropyloxy)phenoxy]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-42-4P**, Glycine,  
N-[(3-fluoro-4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-43-5P**, Glycine,  
N-[(3-chloro-4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-44-6P**, Glycine,  
N-[(3-bromo-4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-45-7P**, Glycine,  
N-[(3-fluoro-4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-46-8P**, Glycine,  
N-[(3-chloro-4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-47-9P**, Glycine,

N-[(3-bromo-4-methoxyphenoxy) carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-48-0P**, Glycine,  
N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-propylphenoxy) carbonyl]- **331744-49-1P**, Glycine,  
N-[(4-cyclopropylphenoxy) carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-50-4P**, Glycine,  
N-[[4-(cyclopropyloxy)phenoxy] carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-51-5P**, Glycine,  
N-[(3-fluoro-4-methylphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-52-6P**, Glycine,  
N-[(3-chloro-4-methylphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-53-7P**, Glycine,  
N-[(3-bromo-4-methylphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-54-8P**, Glycine,  
N-[(3-fluoro-4-methoxyphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-55-9P**, Glycine,  
N-[(3-chloro-4-methoxyphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-56-0P**, Glycine,  
N-[(3-bromo-4-methoxyphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-57-1P**, Glycine,  
N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(3-propylphenoxy) carbonyl]- **331744-58-2P**, Glycine,  
N-[(3-cyclopropylphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-59-3P**, Glycine,  
N-[[4-(cyclopropylphenoxy) carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-60-6P**, Glycine,  
N-[[4-(cyclopropyloxy)phenoxy] carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-61-7P**, Benzoic acid,  
2-(carboxymethyl)-2-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]hydrazide **331744-62-8P**, Benzoic acid,  
2-(carboxymethyl)-2-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]hydrazide **331744-63-9P**, Glycine,  
N-[(4-methylphenoxy) carbonyl]-N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-64-0P**, Glycine,  
N-[(4-methoxyphenoxy) carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-65-1P**, Glycine,  
N-[(4-methoxyphenoxy) carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-66-2P**, Glycine,  
N-[(4-methoxyphenoxy) carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]pentyl]- **331744-67-3P**, Glycine,  
N-[(4-methoxyphenoxy) carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]- **331744-68-4P**, Glycine,  
N-[(4-methoxyphenoxy) carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]butyl]- **331744-69-5P**, Glycine,  
N-[(4-methoxyphenoxy) carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]ethyl]- **331744-70-8P**, Glycine,  
N-[(4-methoxyphenoxy) carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]ethyl]- **331744-72-0P**, Glycine,  
N-[(4-methoxyphenoxy) carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-73-1P**, Glycine,  
N-[(4-methylphenoxy) carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-74-2P**, Glycine,  
N-[(4-methylphenoxy) carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]pentyl]- **331744-75-3P**, Glycine,  
N-[(4-methoxyphenoxy) carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]propyl]- **331744-76-4P**, Glycine,  
N-[(4-methoxyphenoxy) carbonyl]-N-[3-methyl-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]butyl]- **331744-77-5P**, Glycine,  
N-[(4-methoxyphenoxy) carbonyl]-N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331744-78-6P**, Glycine,

N-[(3-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl]- **331744-79-7P**, Glycine,  
N-[(3-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl]- **331744-80-0P**, Glycine,  
N-[(4-methylphenoxy)carbonyl]-N-[(1R)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl]- **331744-81-1P**, Glycine,  
N-[(4-methylphenoxy)carbonyl]-N-[(1S)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl]- **331744-82-2P**, Glycine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl]- **331744-83-3P**, Glycine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl]- **331744-84-4P**, Alanine,  
N-[(4-methoxyphenoxy)carbonyl]-2-methyl-N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-87-7P**, L-Alanine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-88-8P**, L-Alanine,  
N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]- **331744-89-9P**, D-Alanine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-90-2P**, D-Alanine,  
N-[(4-methylphenoxy)carbonyl]-N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-91-3P**, D-Alanine,  
N-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]- **331744-94-6P**, Alanine,  
N-[(4-methoxyphenoxy)carbonyl]-2-methyl-N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-95-7P**, D-Alanine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-96-8P**, D-Alanine,  
N-[(4-methylphenoxy)carbonyl]-N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-97-9P**, D-Alanine,  
N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]- **331744-98-0P**, L-Alanine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331744-99-1P**, L-Alanine,  
N-[(4-methylphenoxy)carbonyl]-N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331745-00-7P**, L-Alanine,  
N-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]- **331745-01-8P**, L-Alanine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331745-02-9P**, D-Alanine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331745-03-0P**, L-Alanine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331745-04-1P**, D-Alanine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]- **331745-05-2P**, Glycine,  
N-[(4-methylphenoxy)carbonyl]-N-[3-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-06-3P**, Glycine,  
N-[(4-methylphenoxy)carbonyl]-N-[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]methyl]- **331745-07-4P**, Glycine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[4-[(3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]- **331745-08-5P**, Glycine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[4-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-09-6P**, Glycine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[4-[[2Z]-3-(5-methyl-2-phenyl-4-oxazolyl)-2-propenyl]oxy]phenyl]methyl]- **331745-10-9P**, Glycine,  
N-[(4-methoxyphenoxy)carbonyl]-N-[3-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-11-0P**, Glycine,  
N-[(4-methylphenoxy)carbonyl]-N-[4-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-12-1P**, Glycine,

N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-13-2P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]methyl]- **331745-14-3P**, Glycine,  
 N-[[4-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]-N-[(4-methylphenoxy)carbonyl]- **331745-15-4P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-16-5P**, Glycine,  
 N-[(4-methylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-17-6P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]- **331745-18-7P**, Glycine,  
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]methyl]- **331745-19-8P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]methyl]- **331745-20-1P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]- **331745-21-2P**, Glycine,  
 N-[(4-methylphenoxy)carbonyl]-N-[[3-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]- **331745-22-3P**, Glycine,  
 N-(5-methyl-2-benzoxazolyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331745-23-4P**, Glycine,  
 N-(5-methyl-2-benzoxazolyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331745-24-5P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[2-(4-methoxyphenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl]methyl]- **331745-25-6P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]- **331745-26-7P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]- **331745-33-6P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]- **331745-34-7P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331745-35-8P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[5-methyl-2-(4-pyridinyl)-4-thiazolyl]ethoxy]phenyl]methyl]- **331745-41-6P**, Glycine,  
 N-[[4-[2-[2-(4-chlorophenyl)-5-methyl-4-thiazolyl]ethoxy]phenyl]methyl]-N-[(4-methoxyphenoxy)carbonyl]- **331745-42-7P**, Glycine,  
 N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[2-(3-methoxyphenyl)-5-methyl-4-thiazolyl]ethoxy]phenyl]methyl]- **331745-43-8P**, Glycine,  
 N-[[3-[2-[2-(4-methoxyphenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl]methyl]-N-[(4-methylphenoxy)carbonyl]- **331745-44-9P**, Glycine,  
 N-[[3-[2-[2-(2-chlorophenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl]methyl]-N-[(4-methylphenoxy)carbonyl]- **331745-45-0P**, Glycine,  
 N-[[4-[2-[2-(4-chlorophenyl)-5-methyl-4-oxazolyl]ethoxy]phenyl]methyl]-N-[(4-methoxyphenoxy)carbonyl]- **331745-46-1P**, Glycine,  
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(oxophenylacetyl)- **331745-47-2P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(oxophenylacetyl)- **331745-49-4P**, Glycine, N-[[[(4-methoxyphenyl)thio]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331745-60-9P**, Glycine, N-[(3-methylphenoxy)carbonyl]-N-[(1S)-1-[4-[5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]ethyl]- **331745-69-8P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(1S)-1-phenylethyl]- **331746-91-9P**,  
 Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[3-methyl-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]- **331746-92-0P**,  
 Glycine, N-[[[(4-methoxyphenyl)thio]carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331746-93-1P**, L-Alanine,

N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]- **331746-95-3P**, Glycine, N-(6-methyl-2-benzoxazolyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **439276-48-9P**  
**439276-49-0P 439276-50-3P 439276-51-4P**  
**439276-54-7P 439276-55-8P 439276-57-0P**  
**439276-58-1P 439276-61-6P 439276-62-7P**

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331746-63-5**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester  
**331746-64-6**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-65-7**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-66-8**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, mono(trifluoroacetate) **331746-68-0**, Glycine, N-[[3-(difluoromethoxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331746-69-1**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(4-phenoxybenzoyl)-, 1,1-dimethylethyl ester **331746-70-4**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(2-naphthalenylcarbonyl)-, 1,1-dimethylethyl ester **331746-71-5**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(1-naphthalenylsulfonyl)-, 1,1-dimethylethyl ester **331746-74-8**, .beta.-Alanine, N-[(3-chlorophenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-75-9**, Glycine, N-(chlorocarbonyl)-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-76-0**, Glycine, N-[[3-(cyclopropyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-83-9**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331746-88-4**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]methyl]-N-[(phenylmethoxy)carbonyl]-, 1,1-dimethylethyl ester **331746-89-5**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]-, methyl ester


(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT **331745-61-0P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-(phenylmethyl)-, ethyl ester **331745-62-1P**, Glycine, N,N-bis[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester **331745-63-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester **331745-64-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331745-65-4P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[(4-phenoxyphenyl)methyl]-, 1,1-dimethylethyl ester **331745-66-5P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-**331745-67-6P**, Glycine, N-[(4-hydroxyphenyl)methyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331745-68-7P**, Glycine, N-[(4-boronophenyl)methyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1-(1,1-dimethylethyl) ester **331745-71-2P**, Glycine, N-(chlorocarbonyl)-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331745-72-3P**, Glycine, N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[4-(phenylmethoxy)phenoxy]carbonyl]-,

1,1-dimethylethyl ester **331745-73-4P**, Glycine, N-[(4-hydroxyphenoxy)carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331745-75-6P**, Glycine, N-[[3-(acetyloxy)phenoxy]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331745-76-7P**, Glycine, N-[[[(4-methoxyphenyl)amino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331745-77-8P**, Glycine, N-[[[(4-methoxyphenyl)methylamino]carbonyl]-N-[[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331745-88-1P**, Glycine, N-[(2,4-dinitrophenyl)sulfonyl]-N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, 1,1-dimethylethyl ester **331745-89-2P**, Glycine, N-[2-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, 1,1-dimethylethyl ester **331745-93-8P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[2-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331745-95-0P**, Glycine, N-[(3-cyclopropylphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-04-4P**, Benzoic acid, 2-(2-ethoxy-2-oxoethyl)-2-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]hydrazide **331746-06-6P**, Glycine, N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester **331746-07-7P**, Glycine, N-[(4-methylphenoxy)carbonyl]-N-[1-[3-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester **331746-10-2P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester **331746-12-4P**, Glycine, N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]pentyl]-, methyl ester **331746-13-5P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]-, methyl ester **331746-14-6P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]butyl]-, methyl ester **331746-16-8P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-thiazolyl)ethoxy]phenyl]ethyl]-, ethyl ester **331746-21-5P**, Alanine, 2-methyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-22-6P**, Alanine, 2-methyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- **331746-26-0P**, L-Alanine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]ethyl]-, methyl ester **331746-30-6P**, Glycine, N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]-, methyl ester **331746-32-8P**, Glycine, N-[(4-methylphenoxy)carbonyl]-N-[[4-[(5-methyl-2-phenyl-4-oxazolyl)methoxy]phenyl]methyl]-, methyl ester **331746-37-3P**, Glycine, N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester **331746-38-4P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester **331746-43-1P**, Glycine, N-[[4-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]-, methyl ester **331746-44-2P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-methyl-2-(5-methyl-2-phenyl-4-oxazolyl)propoxy]phenyl]methyl]-, methyl ester **331746-45-3P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[[[(2Z)-3-(5-methyl-2-phenyl-4-oxazolyl)-2-propenyl]oxy]phenyl]methyl]-, 1,1-dimethylethyl ester **331746-47-5P**, Glycine, N-[[3-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester **331746-48-6P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[3-[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]methyl]-, methyl ester **331746-52-2P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[2-(4-methoxyphenyl)-5-

methyl-4-oxazolyl]ethoxy]phenyl]methyl]-, methyl ester  
**331746-53-3P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1R)-1-[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]-, ethyl ester **331746-54-4P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[(1S)-1-[4-[[3-(5-methyl-2-phenyl-4-oxazolyl)-2-propynyl]oxy]phenyl]ethyl]-, ethyl ester **331746-62-4P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-[5-methyl-2-(4-pyridinyl)-4-thiazolyl]ethoxy]phenyl]methyl]-, methyl ester **331746-67-9P**, Glycine, N-[(4-methoxyphenoxy)carbonyl]-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, methyl ester **331746-79-3P**, Glycine, N-[1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]-, methyl ester **331746-94-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-N-[[[(phenylmethyl)amino]carbonyl]-, ethyl ester **439573-67-8P**  
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L52 ANSWER 6 OF 7 USPAT2 on STN  
AN 2003:141004 USPAT2  
TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method  
IN **Cheng, Peter T.**, Princeton, NJ, United States  
**Devasthale, Pratik**, Plainsboro, NJ, United States  
**Jeon, Yoon**, Belle Mead, NJ, United States  
**Chen, Sean**, Princeton, NJ, United States  
**Zhang, Hao**, Belle Mead, NJ, United States  
PA **Bristol-Myers Squibb** Company, Princeton, NJ, United States (U.S. corporation)  
PI US 6653314 B2 20031125  
AI US 2002-80981 20020222 (10)  
RLI Continuation of Ser. No. US 2001-812960, filed on 20 Mar 2001, now patented, Pat. No. US 6414002 Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000, now abandoned  
PRAI US 1999-155400P 19990922 (60)  
DT Utility  
FS GRANTED  
EXNAM Primary Examiner: McKane, Joseph K.; Assistant Examiner: Sackey, Ebenezer  
LREP Rodney, Burton  
CLMN Number of Claims: 13  
ECL Exemplary Claim: 1  
DRWN 0 Drawing Figure(s); 0 Drawing Page(s)  
LN.CNT 5073  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.  
AB Compounds are provided which have the structure ##STR1##  
  
wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n are as defined herein, which compounds are useful as antidiabetic, hypolipidemic, and antiobesity agents.  
  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.  
IT **331739-69-6P**  
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)  
RN 331739-69-6 USPAT2  
CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- (9CI) (CA INDEX NAME)



IT 331739-69-6P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
compds. as antidiabetic and antiobesity agents)

IT 331739-67-4P 331739-68-5P 331739-70-9P

331739-71-0P 331739-72-1P 331739-73-2P

331739-74-3P 331739-75-4P 331739-76-5P

331739-77-6P 331739-78-7P 331739-79-8P

331739-80-1P 331739-81-2P 331739-82-3P

331739-83-4P 331739-84-5P 331739-85-6P

331739-86-7P 331739-87-8P 331739-88-9P

331739-89-0P 331739-90-3P 331739-91-4P

331739-92-5P 331739-93-6P 331739-94-7P

331739-95-8P 331739-96-9P 331739-97-0P

331739-98-1P 331739-99-2P 331740-00-2P

331740-01-3P 331740-02-4P 331740-03-5P

331740-04-6P 331740-05-7P 331740-06-8P

331740-07-9P 331740-08-0P 331740-09-1P

331740-10-4P 331740-11-5P 331740-12-6P

331740-13-7P 331740-14-8P 331740-15-9P

331740-16-0P 331740-17-1P 331740-18-2P

331740-19-3P 331740-20-6P 331740-21-7P

331740-22-8P 331740-23-9P 331740-24-0P

331740-25-1P 331740-26-2P 331740-27-3P

331740-28-4P 331740-29-5P 331740-30-8P

331740-31-9P 331740-32-0P 331740-33-1P

331740-34-2P 331740-35-3P 331740-36-4P

331740-37-5P 331740-38-6P 331740-39-7P

331740-40-0P 331740-41-1P 331740-42-2P

331740-43-3P 331740-44-4P 331740-45-5P

331740-46-6P 331740-47-7P 331740-48-8P

331740-49-9P 331740-50-2P 331740-51-3P

331740-52-4P 331740-53-5P 331740-54-6P

331740-55-7P 331740-56-8P 331740-57-9P

331740-58-0P 331740-59-1P 331740-60-4P

331740-61-5P 331740-62-6P 331740-63-7P

331740-64-8P 331740-65-9P 331740-66-0P

331740-67-1P 331740-68-2P 331740-69-3P

331740-70-6P 331740-71-7P 331740-72-8P

331740-73-9P 331740-74-0P 331740-75-1P

331740-76-2P 331740-77-3P 331740-78-4P

331740-79-5P 331740-80-8P 331740-81-9P

331740-82-0P 331740-83-1P 331740-84-2P

331740-85-3P 331740-86-4P 331740-87-5P

331740-88-6P 331740-89-7P 331740-90-0P

331740-91-1P 331740-92-2P 331740-93-3P

331740-94-4P 331740-95-5P 331740-96-6P

331740-97-7P 331740-98-8P 331740-99-9P

331741-00-5P 331741-01-6P 331741-02-7P

331741-03-8P 331741-04-9P 331741-05-0P

331741-06-1P 331741-07-2P 331741-08-3P

331741-09-4P 331741-10-7P 331741-11-8P

331741-12-9P 331741-13-0P 331741-14-1P



331741-15-2P 331741-16-3P 331741-17-4P  
331741-18-5P 331741-19-6P 331741-20-9P  
331741-21-0P 331741-22-1P 331741-23-2P  
331741-24-3P 331741-25-4P 331741-26-5P  
331741-27-6P 331741-28-7P 331741-29-8P  
331741-30-1P 331741-31-2P 331741-32-3P  
331741-33-4P 331741-34-5P 331741-35-6P  
331741-36-7P 331741-37-8P 331741-38-9P  
331741-39-0P 331741-40-3P 331741-41-4P  
331741-42-5P 331741-43-6P 331741-44-7P  
331741-45-8P 331741-46-9P 331741-47-0P  
331741-48-1P 331741-49-2P 331741-50-5P  
331741-51-6P 331741-52-7P 331741-53-8P  
331741-54-9P 331741-55-0P 331741-56-1P  
331741-57-2P 331741-58-3P 331741-59-4P  
331741-60-7P 331741-61-8P 331741-63-0P  
331741-64-1P 331741-65-2P 331741-66-3P  
331741-67-4P 331741-68-5P 331741-69-6P  
331741-70-9P 331741-71-0P 331741-72-1P  
331741-73-2P 331741-74-3P 331741-75-4P  
331741-76-5P 331741-77-6P 331741-78-7P  
331741-79-8P 331741-80-1P 331741-81-2P  
331741-82-3P 331741-83-4P 331741-84-5P  
331741-85-6P 331741-86-7P 331741-87-8P  
331741-88-9P 331741-89-0P 331741-90-3P  
331741-91-4P 331741-92-5P 331741-93-6P  
331741-94-7P 331741-95-8P 331741-96-9P  
331741-97-0P 331741-98-1P 331741-99-2P  
331742-00-8P 331742-01-9P 331742-02-0P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
comps. as antidiabetic and antiobesity agents)

IT 331742-03-1P 331742-04-2P 331742-05-3P  
331742-06-4P 331742-07-5P 331742-08-6P  
331742-09-7P 331742-10-0P 331742-11-1P  
331742-12-2P 331742-13-3P 331742-14-4P  
331742-15-5P 331742-16-6P 331742-17-7P  
331742-18-8P 331742-19-9P 331742-20-2P  
331742-21-3P 331742-22-4P 331742-23-5P  
331742-24-6P 331742-25-7P 331742-26-8P  
331742-27-9P 331742-28-0P 331742-29-1P  
331742-30-4P 331742-31-5P 331742-32-6P  
331742-33-7P 331742-34-8P 331742-35-9P  
331742-36-0P 331742-37-1P 331742-38-2P  
331742-39-3P 331742-40-6P 331742-41-7P  
331742-42-8P 331742-43-9P 331742-44-0P  
331742-45-1P 331742-46-2P 331742-47-3P  
331742-48-4P 331742-49-5P 331742-50-8P  
331742-51-9P 331742-52-0P 331742-53-1P  
331742-54-2P 331742-55-3P 331742-56-4P  
331742-57-5P 331742-58-6P 331742-59-7P  
331742-60-0P 331742-61-1P 331742-62-2P  
331742-63-3P 331742-64-4P 331742-65-5P  
331742-66-6P 331742-67-7P 331742-68-8P  
331742-69-9P 331742-70-2P 331742-71-3P  
331742-72-4P 331742-73-5P 331742-74-6P  
331742-75-7P 331742-76-8P 331742-77-9P  
331742-78-0P 331742-79-1P 331742-80-4P  
331742-81-5P 331742-82-6P 331742-83-7P  
331742-84-8P 331742-85-9P 331742-86-0P  
331742-87-1P 331742-88-2P 331742-89-3P

331742-90-6P 331742-91-7P 331742-92-8P  
331742-93-9P 331742-94-0P 331742-95-1P  
331742-96-2P 331742-97-3P 331742-98-4P  
331742-99-5P 331743-00-1P 331743-02-3P  
331743-04-5P 331743-05-6P 331743-06-7P  
331743-07-8P 331743-08-9P 331743-09-0P  
331743-10-3P 331743-11-4P 331743-12-5P  
331743-13-6P 331743-14-7P 331743-15-8P  
331743-16-9P 331743-17-0P 331743-18-1P  
331743-19-2P 331743-20-5P 331743-21-6P  
331743-22-7P 331743-23-8P 331743-24-9P  
331743-25-0P 331743-26-1P 331743-27-2P  
331743-28-3P 331743-29-4P 331743-30-7P  
331743-31-8P 331743-32-9P 331743-33-0P  
331743-34-1P 331743-35-2P 331743-36-3P  
331743-37-4P 331743-38-5P 331743-39-6P  
331743-40-9P 331743-41-0P 331743-42-1P  
331743-43-2P 331743-44-3P 331743-45-4P  
331743-46-5P 331743-47-6P 331743-48-7P  
331743-49-8P 331743-50-1P 331743-51-2P  
331743-52-3P 331743-53-4P 331743-54-5P  
331743-55-6P 331743-56-7P 331743-57-8P  
331743-58-9P 331743-59-0P 331743-60-3P  
331743-61-4P 331743-62-5P 331743-63-6P  
331743-64-7P 331743-65-8P 331743-66-9P  
331743-67-0P 331743-68-1P 331743-69-2P  
331743-70-5P 331743-71-6P 331743-72-7P  
331743-73-8P 331743-74-9P 331743-75-0P  
331743-76-1P 331743-77-2P 331743-78-3P  
331743-79-4P 331743-80-7P 331743-81-8P  
331743-82-9P 331743-83-0P 331743-84-1P  
331743-85-2P 331743-86-3P 331743-87-4P  
331743-88-5P 331743-89-6P 331743-90-9P  
331743-91-0P 331743-92-1P 331743-93-2P  
331743-94-3P 331743-95-4P 331743-96-5P  
331743-97-6P 331743-98-7P 331743-99-8P  
331744-00-4P 331744-01-5P 331744-02-6P  
331744-03-7P 331744-04-8P 331744-05-9P  
331744-06-0P 331744-07-1P 331744-08-2P  
331744-09-3P 331744-10-6P 331744-11-7P  
331744-12-8P 331744-13-9P 331744-14-0P  
331744-15-1P 331744-16-2P 331744-17-3P  
331744-18-4P 331744-19-5P 331744-20-8P  
331744-21-9P 331744-22-0P 331744-25-3P  
331744-26-4P 331744-27-5P 331744-28-6P  
331744-30-0P 331744-31-1P 331744-32-2P  
331744-33-3P 331744-34-4P 331744-35-5P  
331744-36-6P 331744-37-7P 331744-38-8P  
331744-39-9P 331744-40-2P 331744-41-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
comps. as antidiabetic and antiobesity agents)

IT 331744-42-4P 331744-43-5P 331744-44-6P  
331744-45-7P 331744-46-8P 331744-47-9P  
331744-48-0P 331744-49-1P 331744-50-4P  
331744-51-5P 331744-52-6P 331744-53-7P  
331744-54-8P 331744-55-9P 331744-56-0P  
331744-57-1P 331744-58-2P 331744-59-3P  
331744-60-6P 331744-61-7P 331744-62-8P  
331744-63-9P 331744-64-0P 331744-65-1P  
331744-66-2P 331744-67-3P 331744-68-4P

331744-69-5P 331744-70-8P 331744-72-0P  
 331744-73-1P 331744-74-2P 331744-75-3P  
 331744-76-4P 331744-77-5P 331744-78-6P  
 331744-79-7P 331744-80-0P 331744-81-1P  
 331744-82-2P 331744-83-3P 331744-84-4P  
 331744-87-7P 331744-88-8P 331744-89-9P  
 331744-90-2P 331744-91-3P 331744-94-6P  
 331744-95-7P 331744-96-8P 331744-97-9P  
 331744-98-0P 331744-99-1P 331745-00-7P  
 331745-01-8P 331745-02-9P 331745-03-0P  
 331745-04-1P 331745-05-2P 331745-06-3P  
 331745-07-4P 331745-08-5P 331745-09-6P  
 331745-10-9P 331745-11-0P 331745-12-1P  
 331745-13-2P 331745-14-3P 331745-15-4P  
 331745-16-5P 331745-17-6P 331745-18-7P  
 331745-19-8P 331745-20-1P 331745-21-2P  
 331745-22-3P 331745-23-4P 331745-24-5P  
 331745-25-6P 331745-26-7P 331745-33-6P  
 331745-34-7P 331745-35-8P 331745-41-6P  
 331745-42-7P 331745-43-8P 331745-44-9P  
 331745-45-0P 331745-46-1P 331745-47-2P  
 331745-49-4P 331745-60-9P 331745-69-8P  
 331746-91-9P 331746-92-0P 331746-93-1P  
 331746-95-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331746-63-5 331746-64-6 331746-65-7  
 331746-66-8 331746-68-0 331746-69-1  
 331746-70-4 331746-71-5 331746-74-8  
 331746-75-9 331746-76-0 331746-83-9  
 331746-88-4 331746-89-5

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

IT 331745-61-0P 331745-62-1P 331745-63-2P  
 331745-64-3P 331745-65-4P 331745-66-5P  
 331745-67-6P 331745-68-7P 331745-71-2P  
 331745-72-3P 331745-73-4P 331745-75-6P  
 331745-76-7P 331745-77-8P 331745-88-1P  
 331745-89-2P 331745-93-8P 331745-95-0P  
 331746-04-4P 331746-06-6P 331746-07-7P  
 331746-10-2P 331746-12-4P 331746-13-5P  
 331746-14-6P 331746-16-8P 331746-21-5P  
 331746-22-6P 331746-26-0P 331746-30-6P  
 331746-32-8P 331746-37-3P 331746-38-4P  
 331746-43-1P 331746-44-2P 331746-45-3P  
 331746-47-5P 331746-48-6P 331746-52-2P  
 331746-53-3P 331746-54-4P 331746-62-4P  
 331746-67-9P 331746-79-3P 331746-94-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L52 ANSWER 7 OF 7 USPAT2 on STN

AN 2003:127720 USPAT2

TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method

IN **Cheng, Peter T.**, Princeton, NJ, United States  
**Devasthale, Pratik**, Plainsboro, NJ, United States  
**Jeon, Yoon**, Belle Mead, NJ, United States  
**Chen, Sean**, Princeton, NJ, United States  
**Zhang, Hao**, Belle Mead, NJ, United States

PA **Bristol-Myers Squibb** Company, Princeton,  
 NJ, United States (U.S. corporation)  
 PI US 6727271 B2 20040427  
 AI US 2002-81075 20020222 (10)  
 RLI Division of Ser. No. US 2001-812960, filed on 20 Mar 2001, now patented,  
 Pat. No. US 6414002 Continuation-in-part of Ser. No. US 2000-664598,  
 filed on 18 Sep 2000, now abandoned  
 PRAI US 1999-155400P 19990922 (60)  
 DT Utility  
 FS GRANTED  
 EXNAM Primary Examiner: McKane, Joseph K.; Assistant Examiner: Sackey,  
 Ebenezer  
 LREP Rodney, Burton  
 CLMN Number of Claims: 19  
 ECL Exemplary Claim: 1  
 DRWN 0 Drawing Figure(s); 0 Drawing Page(s)  
 LN.CNT 5103  
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.  
 AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and  
 R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n  
 are as defined herein, which compounds are useful as antidiabetic,  
 hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **331739-69-6P**

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
 compds. as antidiabetic and antiobesity agents)

RN 331739-69-6 USPAT2

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-  
 (9CI) (CA INDEX NAME)



IT **331739-69-6P**

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
 compds. as antidiabetic and antiobesity agents)

IT **331739-67-4P 331739-68-5P 331739-70-9P**  
**331739-71-0P 331739-72-1P 331739-73-2P**  
**331739-74-3P 331739-75-4P 331739-76-5P**  
**331739-77-6P 331739-78-7P 331739-79-8P**  
**331739-80-1P 331739-81-2P 331739-82-3P**  
**331739-83-4P 331739-84-5P 331739-85-6P**  
**331739-86-7P 331739-87-8P 331739-88-9P**  
**331739-89-0P 331739-90-3P 331739-91-4P**  
**331739-92-5P 331739-93-6P 331739-94-7P**  
**331739-95-8P 331739-96-9P 331739-97-0P**  
**331739-98-1P 331739-99-2P 331740-00-2P**  
**331740-01-3P 331740-02-4P 331740-03-5P**  
**331740-04-6P 331740-05-7P 331740-06-8P**  
**331740-07-9P 331740-08-0P 331740-09-1P**  
**331740-10-4P 331740-11-5P 331740-12-6P**

331740-13-7P 331740-14-8P 331740-15-9P  
331740-16-0P 331740-17-1P 331740-18-2P  
331740-19-3P 331740-20-6P 331740-21-7P  
331740-22-8P 331740-23-9P 331740-24-0P  
331740-25-1P 331740-26-2P 331740-27-3P  
331740-28-4P 331740-29-5P 331740-30-8P  
331740-31-9P 331740-32-0P 331740-33-1P  
331740-34-2P 331740-35-3P 331740-36-4P  
331740-37-5P 331740-38-6P 331740-39-7P  
331740-40-0P 331740-41-1P 331740-42-2P  
331740-43-3P 331740-44-4P 331740-45-5P  
331740-46-6P 331740-47-7P 331740-48-8P  
331740-49-9P 331740-50-2P 331740-51-3P  
331740-52-4P 331740-53-5P 331740-54-6P  
331740-55-7P 331740-56-8P 331740-57-9P  
331740-58-0P 331740-59-1P 331740-60-4P  
331740-61-5P 331740-62-6P 331740-63-7P  
331740-64-8P 331740-65-9P 331740-66-0P  
331740-67-1P 331740-68-2P 331740-69-3P  
331740-70-6P 331740-71-7P 331740-72-8P  
331740-73-9P 331740-74-0P 331740-75-1P  
331740-76-2P 331740-77-3P 331740-78-4P  
331740-79-5P 331740-80-8P 331740-81-9P  
331740-82-0P 331740-83-1P 331740-84-2P  
331740-85-3P 331740-86-4P 331740-87-5P  
331740-88-6P 331740-89-7P 331740-90-0P  
331740-91-1P 331740-92-2P 331740-93-3P  
331740-94-4P 331740-95-5P 331740-96-6P  
331740-97-7P 331740-98-8P 331740-99-9P  
331741-00-5P 331741-01-6P 331741-02-7P  
331741-03-8P 331741-04-9P 331741-05-0P  
331741-06-1P 331741-07-2P 331741-08-3P  
331741-09-4P 331741-10-7P 331741-11-8P  
331741-12-9P 331741-13-0P 331741-14-1P  
331741-15-2P 331741-16-3P 331741-17-4P  
331741-18-5P 331741-19-6P 331741-20-9P  
331741-21-0P 331741-22-1P 331741-23-2P  
331741-24-3P 331741-25-4P 331741-26-5P  
331741-27-6P 331741-28-7P 331741-29-8P  
331741-30-1P 331741-31-2P 331741-32-3P  
331741-33-4P 331741-34-5P 331741-35-6P  
331741-36-7P 331741-37-8P 331741-38-9P  
331741-39-0P 331741-40-3P 331741-41-4P  
331741-42-5P 331741-43-6P 331741-44-7P  
331741-45-8P 331741-46-9P 331741-47-0P  
331741-48-1P 331741-49-2P 331741-50-5P  
331741-51-6P 331741-52-7P 331741-53-8P  
331741-54-9P 331741-55-0P 331741-56-1P  
331741-57-2P 331741-58-3P 331741-59-4P  
331741-60-7P 331741-61-8P 331741-63-0P  
331741-64-1P 331741-65-2P 331741-66-3P  
331741-67-4P 331741-68-5P 331741-69-6P  
331741-70-9P 331741-71-0P 331741-72-1P  
331741-73-2P 331741-74-3P 331741-75-4P  
331741-76-5P 331741-77-6P 331741-78-7P  
331741-79-8P 331741-80-1P 331741-81-2P  
331741-82-3P 331741-83-4P 331741-84-5P  
331741-85-6P 331741-86-7P 331741-87-8P  
331741-88-9P 331741-89-0P 331741-90-3P  
331741-91-4P 331741-92-5P 331741-93-6P

331741-94-7P 331741-95-8P 331741-96-9P

331741-97-0P 331741-98-1P 331741-99-2P

331742-00-8P 331742-01-9P 331742-02-0P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
compds. as antidiabetic and antiobesity agents)

IT 331742-03-1P 331742-04-2P 331742-05-3P

331742-06-4P 331742-07-5P 331742-08-6P

331742-09-7P 331742-10-0P 331742-11-1P

331742-12-2P 331742-13-3P 331742-14-4P

331742-15-5P 331742-16-6P 331742-17-7P

331742-18-8P 331742-19-9P 331742-20-2P

331742-21-3P 331742-22-4P 331742-23-5P

331742-24-6P 331742-25-7P 331742-26-8P

331742-27-9P 331742-28-0P 331742-29-1P

331742-30-4P 331742-31-5P 331742-32-6P

331742-33-7P 331742-34-8P 331742-35-9P

331742-36-0P 331742-37-1P 331742-38-2P

331742-39-3P 331742-40-6P 331742-41-7P

331742-42-8P 331742-43-9P 331742-44-0P

331742-45-1P 331742-46-2P 331742-47-3P

331742-48-4P 331742-49-5P 331742-50-8P

331742-51-9P 331742-52-0P 331742-53-1P

331742-54-2P 331742-55-3P 331742-56-4P

331742-57-5P 331742-58-6P 331742-59-7P

331742-60-0P 331742-61-1P 331742-62-2P

331742-63-3P 331742-64-4P 331742-65-5P

331742-66-6P 331742-67-7P 331742-68-8P

331742-69-9P 331742-70-2P 331742-71-3P

331742-72-4P 331742-73-5P 331742-74-6P

331742-75-7P 331742-76-8P 331742-77-9P

331742-78-0P 331742-79-1P 331742-80-4P

331742-81-5P 331742-82-6P 331742-83-7P

331742-84-8P 331742-85-9P 331742-86-0P

331742-87-1P 331742-88-2P 331742-89-3P

331742-90-6P 331742-91-7P 331742-92-8P

331742-93-9P 331742-94-0P 331742-95-1P

331742-96-2P 331742-97-3P 331742-98-4P

331742-99-5P 331743-00-1P 331743-02-3P

331743-04-5P 331743-05-6P 331743-06-7P

331743-07-8P 331743-08-9P 331743-09-0P

331743-10-3P 331743-11-4P 331743-12-5P

331743-13-6P 331743-14-7P 331743-15-8P

331743-16-9P 331743-17-0P 331743-18-1P

331743-19-2P 331743-20-5P 331743-21-6P

331743-22-7P 331743-23-8P 331743-24-9P

331743-25-0P 331743-26-1P 331743-27-2P

331743-28-3P 331743-29-4P 331743-30-7P

331743-31-8P 331743-32-9P 331743-33-0P

331743-34-1P 331743-35-2P 331743-36-3P

331743-37-4P 331743-38-5P 331743-39-6P

331743-40-9P 331743-41-0P 331743-42-1P

331743-43-2P 331743-44-3P 331743-45-4P

331743-46-5P 331743-47-6P 331743-48-7P

331743-49-8P 331743-50-1P 331743-51-2P

331743-52-3P 331743-53-4P 331743-54-5P

331743-55-6P 331743-56-7P 331743-57-8P

331743-58-9P 331743-59-0P 331743-60-3P

331743-61-4P 331743-62-5P 331743-63-6P

331743-64-7P 331743-65-8P 331743-66-9P

331743-67-0P 331743-68-1P 331743-69-2P

331743-70-5P 331743-71-6P 331743-72-7P  
331743-73-8P 331743-74-9P 331743-75-0P  
331743-76-1P 331743-77-2P 331743-78-3P  
331743-79-4P 331743-80-7P 331743-81-8P  
331743-82-9P 331743-83-0P 331743-84-1P  
331743-85-2P 331743-86-3P 331743-87-4P  
331743-88-5P 331743-89-6P 331743-90-9P  
331743-91-0P 331743-92-1P 331743-93-2P  
331743-94-3P 331743-95-4P 331743-96-5P  
331743-97-6P 331743-98-7P 331743-99-8P  
331744-00-4P 331744-01-5P 331744-02-6P  
331744-03-7P 331744-04-8P 331744-05-9P  
331744-06-0P 331744-07-1P 331744-08-2P  
331744-09-3P 331744-10-6P 331744-11-7P  
331744-12-8P 331744-13-9P 331744-14-0P  
331744-15-1P 331744-16-2P 331744-17-3P  
331744-18-4P 331744-19-5P 331744-20-8P  
331744-21-9P 331744-22-0P 331744-25-3P  
331744-26-4P 331744-27-5P 331744-28-6P  
331744-30-0P 331744-31-1P 331744-32-2P  
331744-33-3P 331744-34-4P 331744-35-5P  
331744-36-6P 331744-37-7P 331744-38-8P  
331744-39-9P 331744-40-2P 331744-41-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
compds. as antidiabetic and antiobesity agents)

IT 331744-42-4P 331744-43-5P 331744-44-6P  
331744-45-7P 331744-46-8P 331744-47-9P  
331744-48-0P 331744-49-1P 331744-50-4P  
331744-51-5P 331744-52-6P 331744-53-7P  
331744-54-8P 331744-55-9P 331744-56-0P  
331744-57-1P 331744-58-2P 331744-59-3P  
331744-60-6P 331744-61-7P 331744-62-8P  
331744-63-9P 331744-64-0P 331744-65-1P  
331744-66-2P 331744-67-3P 331744-68-4P  
331744-69-5P 331744-70-8P 331744-72-0P  
331744-73-1P 331744-74-2P 331744-75-3P  
331744-76-4P 331744-77-5P 331744-78-6P  
331744-79-7P 331744-80-0P 331744-81-1P  
331744-82-2P 331744-83-3P 331744-84-4P  
331744-87-7P 331744-88-8P 331744-89-9P  
331744-90-2P 331744-91-3P 331744-94-6P  
331744-95-7P 331744-96-8P 331744-97-9P  
331744-98-0P 331744-99-1P 331745-00-7P  
331745-01-8P 331745-02-9P 331745-03-0P  
331745-04-1P 331745-05-2P 331745-06-3P  
331745-07-4P 331745-08-5P 331745-09-6P  
331745-10-9P 331745-11-0P 331745-12-1P  
331745-13-2P 331745-14-3P 331745-15-4P  
331745-16-5P 331745-17-6P 331745-18-7P  
331745-19-8P 331745-20-1P 331745-21-2P  
331745-22-3P 331745-23-4P 331745-24-5P  
331745-25-6P 331745-26-7P 331745-33-6P  
331745-34-7P 331745-35-8P 331745-41-6P  
331745-42-7P 331745-43-8P 331745-44-9P  
331745-45-0P 331745-46-1P 331745-47-2P  
331745-49-4P 331745-60-9P 331745-69-8P  
331746-91-9P 331746-92-0P 331746-93-1P  
331746-95-3P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
compds. as antidiabetic and antiobesity agents)

IT 331746-63-5 331746-64-6 331746-65-7  
331746-66-8 331746-68-0 331746-69-1  
331746-70-4 331746-71-5 331746-74-8  
331746-75-9 331746-76-0 331746-83-9  
331746-88-4 331746-89-5  
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
comps. as antidiabetic and antiobesity agents)

IT 331745-61-0P 331745-62-1P 331745-63-2P  
331745-64-3P 331745-65-4P 331745-66-5P  
331745-67-6P 331745-68-7P 331745-71-2P  
331745-72-3P 331745-73-4P 331745-75-6P  
331745-76-7P 331745-77-8P 331745-88-1P  
331745-89-2P 331745-93-8P 331745-95-0P  
331746-04-4P 331746-06-6P 331746-07-7P  
331746-10-2P 331746-12-4P 331746-13-5P  
331746-14-6P 331746-16-8P 331746-21-5P  
331746-22-6P 331746-26-0P 331746-30-6P  
331746-32-8P 331746-37-3P 331746-38-4P  
331746-43-1P 331746-44-2P 331746-45-3P  
331746-47-5P 331746-48-6P 331746-52-2P  
331746-53-3P 331746-54-4P 331746-62-4P  
331746-67-9P 331746-79-3P 331746-94-2P  
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related  
comps. as antidiabetic and antiobesity agents)

*Elected  
Species*

=> d bib abs fhitrn hitrn l66 tot

L66 ANSWER 1 OF 6 USPATFULL on STN  
AN 2003:141004 USPATFULL  
TI Substituted acid derivatives useful as antidiabetic and antiobesity  
agents and method  
IN **Cheng, Peter T.**, Princeton, NJ, UNITED STATES  
**Devasthale, Pratik**, Plainsboro, NJ, UNITED STATES  
**Jeon, Yoon**, Belle Mead, NJ, UNITED STATES  
**Chen, Sean**, Princeton, NJ, UNITED STATES  
**Zhang, Hao**, Belle Mead, NJ, UNITED STATES  
PI US 2003096846 A1 20030522  
US 6653314 B2 20031125  
AI US 2002-80981 A1 20020222 (10)  
RLI Continuation of Ser. No. US 2001-812960, filed on 20 Mar 2001, GRANTED,  
Pat. No. US 6414002 Continuation-in-part of Ser. No. US 2000-664598,  
filed on 18 Sep 2000, PENDING  
PRAI US 1999-155400P 19990922 (60)  
DT Utility  
FS APPLICATION  
LREP STEPHEN B. DAVIS, BRISTOL-MYERS SQUIBB COMPANY, PATENT DEPARTMENT, P O  
BOX 4000, PRINCETON, NJ, 08543-4000  
CLMN Number of Claims: 54  
ECL Exemplary Claim: 1  
DRWN No Drawings  
LN.CNT 5718  
CAS INDEXING IS AVAILABLE FOR THIS PATENT.  
AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and  
R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n  
are as defined herein, which compounds are useful as antidiabetic,  
hypolipidemic, and antiobesity agents.




CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331745-63-2 USPTAFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)



IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L66 ANSWER 2 OF 6 USPTAFULL on STN

AN 2003:127720 USPTAFULL

TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method

IN **Cheng, Peter T.**, Princeton, NJ, UNITED STATES

**Devasthale, Pratik**, Plainsboro, NJ, UNITED STATES

**Jeon, Yoon**, Belle Mead, NJ, UNITED STATES

**Chen, Sean**, Princeton, NJ, UNITED STATES

**Zhang, Hao**, Belle Mead, NJ, UNITED STATES

PI US 2003087935 A1 20030508

US 6727271 B2 20040427

AI US 2002-81075 A1 20020222 (10)

RLI Division of Ser. No. US 2001-812960, filed on 20 Mar 2001, PENDING  
Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000, PENDING

PRAI US 1999-155400P 19990922 (60)

DT Utility

FS APPLICATION

LREP Stephen B. Davis, Bristol-Myers Squibb Company, Patent Department, P.O. Box 4000, Princeton, NJ, 08543-4000

CLMN Number of Claims: 54

ECL Exemplary Claim: 1

DRWN No Drawings

LN.CNT 5712

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n are as defined herein, which compounds are useful as antidiabetic, hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331745-63-2 USPTAFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)



IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L66 ANSWER 3 OF 6 USPATFULL on STN  
 AN 2003:100164 USPATFULL  
 TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method  
 IN **Cheng, Peter T.**, Princeton, NJ, UNITED STATES  
**Devasthale, Pratik**, Plainsboro, NJ, UNITED STATES  
**Jeon, Yoon**, Belle Mead, NJ, UNITED STATES  
**Chen, Sean**, Princeton, NJ, UNITED STATES  
**Zhang, Hao**, Belle Mead, NJ, UNITED STATES  
 PI US 2003069275 A1 20030410  
 AI US 2002-80965 A1 20020222 (10)  
 RLI Division of Ser. No. US 2001-812960, filed on 20 Mar 2001, PENDING  
 Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000, PENDING  
 PRAI US 1999-155400P 19990922 (60)  
 DT Utility  
 FS APPLICATION  
 LREP STEPHEN B. DAVIS, BRISTOL-MYERS SQUIBB COMPANY, PATENT DEPARTMENT, P O BOX 4000, PRINCETON, NJ, 08543-4000  
 CLMN Number of Claims: 54  
 ECL Exemplary Claim: 1  
 DRWN No Drawings  
 LN.CNT 5710  
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.  
 AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n are as defined herein, which compounds are useful as antidiabetic, hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331745-63-2 USPATFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)



IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L66 ANSWER 4 OF 6 USPATFULL on STN

AN 2002:160755 USPATFULL

TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method

IN **Cheng, Peter T.**, Princeton, NJ, United States

**Devasthale, Pratik**, Plainsboro, NJ, United States

**Jeon, Yoon**, Belle Mead, NJ, United States

**Chen, Sean**, Princeton, NJ, United States

**Zhang, Hao**, Belle Mead, NJ, United States

PA **Bristol-Myers Squibb** Company, Princeton, NJ, United States (U.S. corporation)

PI US 6414002 B1 20020702

AI US 2001-812960 20010320 (9)

RLI Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000

PRAI US 1999-155400P 19990922 (60)

DT Utility

FS GRANTED

EXNAM Primary Examiner: Higel, Floyd D.; Assistant Examiner: Sackey, Ebenezer

LREP Burton Rodney

CLMN Number of Claims: 30

ECL Exemplary Claim: 1

DRWN 0 Drawing Figure(s); 0 Drawing Page(s)

LN.CNT 5133

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n are as defined herein, which compounds are useful as antidiabetic, hypolipidemic, and antiobesity agents.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331745-63-2P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331745-63-2 USPATFULL

CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)




IT **331745-63-2P**, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester  
(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L66 ANSWER 5 OF 6 USPAT2 on STN  
 AN 2003:141004 USPAT2  
 TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method  
 IN **Cheng, Peter T.**, Princeton, NJ, United States  
**Devasthale, Pratik**, Plainsboro, NJ, United States  
**Jeon, Yoon**, Belle Mead, NJ, United States  
**Chen, Sean**, Princeton, NJ, United States  
**Zhang, Hao**, Belle Mead, NJ, United States  
 PA **Bristol-Myers Squibb** Company, Princeton, NJ, United States (U.S. corporation)  
 PI US 6653314 B2 20031125  
 AI US 2002-80981 20020222 (10)  
 RLI Continuation of Ser. No. US 2001-812960, filed on 20 Mar 2001, now patented, Pat. No. US 6414002 Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000, now abandoned  
 PRAI US 1999-155400P 19990922 (60)  
 DT Utility  
 FS GRANTED  
 EXNAM Primary Examiner: McKane, Joseph K.; Assistant Examiner: Sackey, Ebenezer  
 LREP Rodney, Burton  
 CLMN Number of Claims: 13  
 ECL Exemplary Claim: 1  
 DRWN 0 Drawing Figure(s); 0 Drawing Page(s)  
 LN.CNT 5073  
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.  
 AB Compounds are provided which have the structure ##STR1##

wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n are as defined herein, which compounds are useful as antidiabetic, hypolipidemic, and antiobesity agents.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT **331745-63-2P**  
 (preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)  
 RN 331745-63-2 USPAT2  
 CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)



IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

L66 ANSWER 6 OF 6 USPAT2 on STN  
 AN 2003:127720 USPAT2  
 TI Substituted acid derivatives useful as antidiabetic and antiobesity agents and method  
 IN **Cheng, Peter T.**, Princeton, NJ, United States  
**Devasthale, Pratik**, Plainsboro, NJ, United States  
**Jeon, Yoon**, Belle Mead, NJ, United States  
**Chen, Sean**, Princeton, NJ, United States  
**Zhang, Hao**, Belle Mead, NJ, United States  
 PA **Bristol-Myers Squibb** Company, Princeton, NJ, United States (U.S. corporation)  
 PI US 6727271 B2 20040427  
 AI US 2002-81075 20020222 (10)  
 RLI Division of Ser. No. US 2001-812960, filed on 20 Mar 2001, now patented, Pat. No. US 6414002 Continuation-in-part of Ser. No. US 2000-664598, filed on 18 Sep 2000, now abandoned  
 PRAI US 1999-155400P 19990922 (60)  
 DT Utility  
 FS GRANTED  
 EXNAM Primary Examiner: McKane, Joseph K.; Assistant Examiner: Sackey, Ebenezer  
 LREP Rodney, Burton  
 CLMN Number of Claims: 19  
 ECL Exemplary Claim: 1  
 DRWN 0 Drawing Figure(s); 0 Drawing Page(s)  
 LN.CNT 5103  
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.  
 AB Compounds are provided which have the structure ##STR1##


wherein Q is C or N, A is O or S, Z is O or a bond, X is CH or N and R.sup.1, R.sup.2, R.sup.2a, R.sup.2b, R.sup.2c, R.sup.3, Y, x, m, and n are as defined herein, which compounds are useful as antidiabetic, hypolipidemic, and antiobesity agents.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 331745-63-2P

(preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)

RN 331745-63-2 USPAT2  
 CN Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, ethyl ester (9CI) (CA INDEX NAME)



IT 331745-63-2P

(preparation of oxazolyloxy- and thiazolyloxybenzylglycines and related  
compds. as antidiabetic and antiobesity agents)

=> b home

FILE 'HOME' ENTERED AT 15:05:46 ON 13 JUL 2004

=>